DOCUMENT RESUME

ED 080 721 VT 021 043

AUTHOR	Lerner, Philip R., Comp.
TITLE	Social Security Disability Applicant Statistics, 1968.
INSTITUTION	Social Security Administration (DHEW), Washington, D.C. Office of Research and Statistics.
REPORT NO	DHEW-SSA-73-11911
PUB DATE	Jun 72
NOTE	105p.
EDRS PRICE	MF-$0.65 HC-$6.58
DESCRIPTORS	Employment Experience; *Federal Programs; *Handicapped; *Insurance Programs; *Participant Characteristics; *Physically Handicapped; Statistical Data
IDENTIFIERS	Social Security Act

ABSTRACT

About one of every 10 dollars in social security benefits under the old-age, survivors, and disability insurance program (OASDI) goes to disabled workers or their families. By the end of 1969, nearly 2,500,000 workers and dependents and 40,000 widows and widowers were receiving some form of social security disability compensation, while another 260,000 adults were beneficiaries under the childhood disability provision of OASDI. This report, based on a sample of disability records, examines the basic characteristics and employment experience of applicants for OASDI disability benefits for whom determinations were made during calendar year 1968. This series of data has been published annually since 1957. (Author)

FILMED FROM BEST AVAILABLE COPY

ED 080721

Social Security Disability Applicant Statistics

1968

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
SOCIAL SECURITY ADMINISTRATION
OFFICE OF RESEARCH AND STATISTICS
DHEW PUB NO. (SSA) 73-1911

YT021 043

ED 080721

U.S. DEPARTMENT OF HEALTH
EDUCATION & WELFARE
NATIONAL INSTITUTE OF
EDUCATION
THIS DOCUMENT HAS BEEN REPRO
DUCED EXACTLY AS RECEIVED FROM
THE PERSON OR ORGANIZATION ORIGIN
ATING IT. POINTS OF VIEW OR OPINIONS
STATED DO NOT NECESSARILY REPR
SENT OFFICIAL NATIONAL INSTITUTE O
EDUCATION POSITION OR POLICY

Social Security Disability Applicant Statistics

1968

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
SOCIAL SECURITY ADMINISTRATION
Office of Research and Statistics
DHEW (SSA) 73–11911

NOTE

ABOUT 1 OF EVERY 10 dollars in social security benefits under the old-age, survivors, and disability insurance program (OASDI) goes to disabled workers or their families. By the end of 1969, nearly 2,500,000 workers and dependents and 40,000 widows and widowers were receiving some form of social security disability compensation, while another 260,000 adults were beneficiaries under the childhood disability provision of OASDI.

This report, based on a sample of disability records, examines the basic characteristics of applicants for OASDI disability benefits for whom determinations were made during calendar year 1968. This series of data has been published annually since 1957.

The planning, development, and preparation of the current report was primarily the responsibility of Philip R. Lerner, Statistician of the Claims and Benefit Statistics Branch, OASDI Statistics Division. The processing of data was carried out by David Clagett and Lewis Coe, Statistical Systems Analysts of the Statistical Operations Branch.

IDA C. MERRIAM,
Assistant Commissioner
for Research and Statistics.

JUNE 1972.

CONTENTS

	Page
HIGHLIGHTS FROM 1969	1
SELECTED CHARACTERISTICS OF NEW DISABILITY BENEFICIARIES:	
Women in the Work Force	3
Education	4
Occupation	5
Diabetes Mellitus	5
Statistical Methods	6
SELECTED DATA FOR 1968:	
Worker Disability Allowance	7
Childhood Disability Allowances	9
DEFINITIONS OF DISABILITY	11

CLASSIFIED LIST OF TABLES

Table		Page
1	Allowances and denials, by year	15
	Worker Disability Allowances	
2	Age and sex	16
3	Race, age, and sex	17
4	Age in year of onset and sex	18
5	Mobility, age, and sex	19
6	Mobility and race	20
7	Year of onset of disability by age and sex-number	21
8	Year of onset of disability by age and sex-percent	22
9	Diagnostic group by age and sex	23
10	Diagnostic group, primary diagnosis by age and sex	26
11	Leading diseases in rank order by sex and race	43
12	Fifteen most frequent diagnoses by sex	44
13	Ten most frequent diagnoses by age	45
14	Leading causes by primary diagnosis and sex, 1957–68	46
15	Diagnostic group by race and sex	49
16	Leading causes by race and sex	52
17	Mobility by diagnostic group	53
18	Education by age and sex	54
19	Education by race and sex	57
20	Visual impairment by age and sex	58

21	Auditory impairment by age and sex	59
22	Disability rates by State	60
23	Circulatory system rates by State	61
24	Emphysema rates by State	62
25	Schizophrenia rates by State	63
26	Diabetes rates by State	64
27	Diagnostic group and State-number	65
28	Diagnostic group and State-percent	66
29	Ten most frequent diagnoses by State	67
30	State by sex and race-number	68
31	State by sex and race-percent	69
32	Occupation by age and sex	70
33	Occupation and sex	73
34	Occupation and race	74
35	Occupation and education	75
36	Selective occupations by education and sex	76
37	Occupation by diagnostic group	77
38	Leading causes by occupation and sex	78
39	Occupation by State	81
40	Occupation by primary diagnosis and sex	82

Worker Denials

41	Reason for denial and age	85
42	Reason for denial by race and sex	86
43	Mobility and race	87
44	Age, sex and race	88
45	Diagnostic group by race and sex	89

Childhood Disability Allowances

46	Age and sex	90
47	Education and sex	91
48	Mobility and age	92
49	Diagnostic group by age and sex	93
50	Diagnostic group and primary diagnosis by sex	94
51	Ten most frequent diagnoses by sex	95
52	Ten most frequent diagnoses by age	96
53	Diagnostic group and State-number	97
54	Diagnostic group and State-percent	98

Childhood Denials

55	Reason for denial by age and sex	99
56	Reason for denial by race and sex	100

Widow(er) Disability Allowances

57	Diagnostic group by age and race	101
58	Mobility and race	102

HIGHLIGHTS FROM 1969*

Disabled Worker Benefits

The number of disabled workers and their dependents receiving monthly benefits from the disability insurance trust fund increased about 6 percent during 1969 to nearly 2,500,000 by the end of the year. Nearly 1,400,000 were disabled workers, about 265,000 were wives and husbands, and 830,000 were children, including some students aged 18–21 and some childhood disability beneficiaries (adults who became disabled in childhood). The monthly benefit amount payable to the disabled workers and dependents reached nearly $200 million at the end of December 1969—about $14 million more than a year earlier. The average monthly benefit amount for disabled workers—$113—was about the same as at the end of 1968.[1] Benefit payments to disabled workers and dependents amounted to $2.5 billion in 1969, up 11 percent over the previous year. For every $100 paid out of the disability insurance trust fund, $79 went to disabled workers, $6 to wives and husbands, and $15 to children.

- About 10 percent of all monthly benefits paid from the old-age and survivors insurance (OASI) and disability insurance (DI) trust funds went to disabled workers and dependents.
- Disabled workers and dependents represented more than 30 percent of all beneficiaries under age 65.
- One of every five social security benefit awards went to disabled workers and their dependents.
- Of benefit awards to children, about 28 percent went to a disabled worker's child.
- About 95 percent of all childhood disability beneficiaries were dependents of retired or deceased workers—5 percent were dependents of disabled workers.
- One disabled worker out of every 13 died during the year.
- For every disabled worker who recovered, 3 died.
- About 35 percent of all disabled workers were aged 60–64.
- Nearly 7 percent of the disabled workers attained age 65 during the year.
- Close to 30 percent of the new beneficiaries had completed high school, but 11 percent had 4 years or less of schooling, including 1.8 percent who had never attended school.
- For about 70 percent of the disabled beneficiaries, the worker alone received benefits;
  - —For 15 percent, the worker, his spouse and children all received benefits on the worker's earnings record;
  - —For 10 percent, the worker and a child received benefits; and
  - —For 3 percent, just the worker and his spouse received benefits.

Childhood Disability Benefits

At the end of December 1969, about 260,000 persons were receiving monthly childhood disability benefits. In addition, about 27,000 wives and widowed mothers were receiving benefits solely because they had at least one childhood disability beneficiary in their care. The corresponding monthly amounts were $16.2 million for disabled children and $1.7 million for wives and widowed mothers.

Disabled Widows (ers)

Effective March 1968, reduced monthly bene-

[1] However, in January 1970 the 15-percent benefit increase raised the average to $130.

* Data from *Social Security Bulletin, Annual Statistical Supplement.*

fits have been payable from the OASI trust fund to a new category of beneficiaries—disabled widows and widowers—beginning at age 50. More than 28,000 widows and widowers were allowed disability benefits in 1968. Disabled widowers represented less than 1 percent of the total. The number of disabled widows and widowers increased to nearly 40,000 by the end of 1969. The average monthly benefit amount in current-payment status was $71. One out of every five disabled widows and widowers were aged 50–54. Nearly 7 percent of the disabled widows were either institutionalized or hospitalized, generally indicating that they were incapable of managing their own activities.

SELECTED CHARACTERISTICS OF NEW DISABILITY BENEFICIARIES*

Women in the Work Force

Characteristics of the work force in the United States have changed over the years. In 1940 when retirement benefits were first payable, somewhat more than 1 in every 4 workers with taxable earnings were women. Since then, women have been coming into the labor force at a higher rate than men, so that the proportion of women workers gradually increased. By 1957, when benefits under the disability insurance program began, 1 of every 3 workers in the labor force was a woman. While women workers were finding greater employment opportunities, they were nevertheless employed in only a handful of job categories. The disabled female worker was most likely holding a clerical, sales, or service job. In 1968 about 3 out of 5 disabled women beneficiaries were employed in such traditional jobs as office clerks, bookkeepers, secretaries, sales persons, maids, and waitresses, compared with only 1 of every 5 men. Yet, a higher percentage of disabled women than men (6.7 percent compared with 2.4 percent) were employed in professional occupations. Men were more predominant in manufacturing (61 percent), particularly in the skilled occupations. About 52 percent of the women in manufacturing worked in semiskilled jobs compared with only 27 percent of the men. Only 1 of every 4 women worked in manufacturing.

Along with increased participation in the labor force, the incidence of disability among women has also climbed steadily. During 1957, when the social security disability program began paying benefits, about 18 percent—30,000—of all disabled worker beneficiaries were women. By 1968, the proportion increased to 25 percent as the number of disabled women allowed benefits during the year rose to nearly 85,000. Men generally became disabled at an earlier age than women. Among all persons allowed disability benefits, a larger proportion of men (16 percent) than women (11 percent) were under age 40.

In general, the average monthly benefit amount was less for disabled women than for disabled men at all ages. Nevertheless, the difference in the average amount was smaller for those under age 40 than for those aged 40 and over. For those under 40, the average benefit amount for disabled women was only $13 less than for disabled men; while for those aged 40 and over the difference was $28. Among disabled women workers under age 40, the average benefit amount was $8 more than the average amount for those aged 40 and over. Among disabled men, on the other hand, the average amount for the younger beneficiaries was $12 less than the average amount for those aged 40 and over.

The female work force has assumed significant new patterns. In 1920, the average working girl was 28 years old, single, and most likely worked in a factory. Only one in five had finished high school. By 1950 the average age had risen to 32 years, and by 1960, to 38 years. In 1969, the typical working woman was 35 years old, married and most apt to be working in a clerical, sales, or personal service job. About 37 percent had completed high school; among those under age 40, about 62 percent had completed high school. The slight drop in the median age of women workers in 1969 was due to the recent surge of young women pouring in to the labor market.

Leading causes of disability varied among female workers of different ages. For women under 40, schizophrenic disorders were the primary causes of disability, accounting for 23 percent. Multiple sclerosis and displacement of intervertebral disc followed as other important

* Data in this section is for the 330,783 worker disability beneficiaries who were allowed benefits in 1968.

causes of disability. Schizophrenic disorders were also an important cause of disability among women aged 40–49, though representing only 11 percent of the total. Other important causes were arteriosclerotic heart disease and rheumatoid arthritis. Among women aged 50 and over arteriosclerotic heart disease was a frequent cause of disability, occurring at twice the rate of either rheumatoid arthritis or osteoarthritis. For women aged 60–65 important causes were arteriosclerotic heart disease, osteoarthritis, and hypertensive heart disease.

The incidence of some disabling diseases varied among disabled men and women. For instance, the incidence of emphysema and tuberculosis was much higher for men than women, 8.6 percent compared with 3.1 percent. On the other hand, arteriosclerotic heart disease was the leading cause of disability for both men and women.

Education

The educational level of the disabled worker, measured by the highest grade of schooling completed, is particularly useful in evaluating occupational differences between workers and vocational rehabilitation potential. The level of education among the disabled population coming on the rolls in 1968 shows that 1.8 percent had never attended school, and about 11 percent could be classed as functionally illiterate, having completed 5 or less years of schooling. About 21 percent of the newly disabled workers had completed high school but did not continue their education; an additional 9 percent had gone on to college but only 3 percent had graduated. Thus, 2 out of every 3 who entered college failed to graduate.

By sex.—In general, men tended to be less educated than women. The percentage of men with 8 years of elementary school or less was substantially higher than the corresponding percentage for women—50.8 percent compared with 38.3 percent.

The percentage of college graduates among males is 3.0 percent and 3.7 percent for females.

By race.—Young white women had more formal education than young Negro women. This is not surprising since historically the school enrollment ratio of Negroes has been lower than that of whites. While about 40 percent of the white women graduated from high school, about 20 percent of the Negro women did. The percentage of women entering college was 11.9 percent for whites and 5.6 percent for negroes.

The proportion of women of other races, including Indians, Chinese, and Japanese, with an eighth grade education or less was 46.6 percent. For whites the proportion was 34.9 percent; for negroes, 57.1 percent. Approximately the same proportion of this group as of white women were high school graduates (only 28.7 percent and 28.5 percent, respectively), but the proportion entering college was 11.9 percent for white women and 9.2 percent for women of other races.

The 1968 disabled Negro workers had much less education than the white workers. There was a very substantial proportion of functional illiteracy among the Negro workers—approximately 28 percent had 4 years of schooling or less, including about 5 percent with no schooling at all. In comparison, only about 8 percent of the white workers had 4 years of schooling or less, including about 1 percent who had no schooling at all. The percentage of Negroes who had completed college was less than that for whites. Negro women had far more education than Negro men. Nineteen percent of Negro women and 13 percent of Negro men had graduated from high school and gone on to college. Also, relatively fewer Negro women (16 percent) than men (33 percent) were in the lowest educational group—fourth grade or less. The rate of high school and college completions among Negroes was considerably lower than the rate for whites.

By age.—The improvement in the level of education among workers over the years is apparent. This can be highlighted by comparing the younger disabled workers with the older workers: only 40 percent of the men aged 60 and over attended high school with 21 percent graduating, whereas 85 percent of the men under age 30 went to high school and 57 percent graduated. The same is true for the women: 53 percent of the older ones went to

high school with 31 percent graduating, compared with 90 and 71 percent of the younger.

Data on educational attainment from the 1960 decennial census show that among persons aged 18–29, 58 percent of the men and 60 percent of the women had a high school education or more.

The data on education reveals not only different patterns between men and women but also between generations. The differences in the educational levels between the age groups reflect the growing exposure to education which the young have experienced over the years. The older worker had fewer opportunities in his youth to go to school than did the younger worker.

In summary, proportionately more of the disabled women workers than men had completed high school. The young disabled worker was considerably more educated than the older disabled worker. About 3 out of every 5 disabled workers under 30 had at least a high school education. The Negro worker had less education than the white worker. Negro women were better educated than Negro men.

Occupation

A distribution of disability allowances in 1968 by race and occupation prior to the onset of the disability indicates considerable differences between white workers and workers of other races. The differences show up both in the proportions of each racial group with certain work experience and in the proportions of each race in the various levels of skill within the occupation.

The greatest difference is seen in the proportion of whites and Negroes with work experience in the professional and managerial occupations, clerical and sales occupations, and service occupations. For example, 28 percent of the white workers have worked in either the professional and managerial or clerical and sales occupations, but only 7 percent of the Negroes have this work experience. On the other hand, only 14 percent of the white workers have experience in service occupations compared with 33 percent of the Negroes. The greater percentage of Negroes in the service occupations is primarily due to the proportion working as domestics (11 percent—generally female) and as porters and janitors (8 percent —mostly male).

The second type of difference between the races is illustrated by work experience in the manufacturing occupations. The proportion of whites working in the major manufacturing occupations does not differ much from that of Negroes (52 and 55 percent). In terms of skill levels within manufacturing, however, the picture is different. The proportion of whites in the skilled manufacturing occupations is about two and a half times as large as the proportion of Negroes, 25 percent of the whites and only 10 percent of the Negroes. On the other hand, the proportion of Negroes in the unskilled manufacturing occupations is two and one half times as large as the proportion of whites in those occupations. The proportions of whites and Negroes in the semiskilled manufacturing occupations is about the same—16 percent.

The sample information for workers of other races seems to indicate an occupational pattern that is somewhere between the occupational distribution of white workers and Negro workers. However, the pattern is inconclusive because the size of the sample is not large enough. Thus, the proportion of workers of other races with experience in the professional and managerial and clerical and sales occupations is about 15.5 percent. Similarly, the proportion in service occupations is 25.7 percent. The workers of other races with experience in the skilled manufacturing occupations represent 16 percent.

There is no difference between whites and Negroes in the proportion with work experience in agricultural occupations—6 percent for both. However, about 13 percent of workers of other races were employed in agriculture.

Diabetes Mellitus

Diabetes has been one of the leading causes of disability in the United States. It is estimated by the Public Health Service that 4.4 million persons in this country have diabetes. About 1.6 million of those affected don't know that they have the disease. In 1968, about 7,800

workers were allowed a disability under the social security program because of diabetes. Like that of most chronic diseases, disability from diabetes increases with age. Nearly 60 percent of the diabetics were 55 years of age and over compared with 53 percent of all 1968 disabled worker beneficiaries. Only 15 percent of the diabetics were under age 45.

Diabetes is one of the 10 leading cause of disability; a leading cause among men and women aged 55 and over. The percentage of diabetics was larger among women than among men and larger among Negroes than among whites. Though women numbered about 25 percent of the disabled, they comprised about 32 percent of the diabetic disabled. Moreover, 26 percent of the diabetic women were Negroes though Negro women comprised only 15 percent of all disabled women. The overall disability rate for diabetes was 15 for every 100,000 workers insured in the event of disability. The rates for individual States ranged from 37 per 100,000 in Mississippi to 7 in both Hawaii and Nevada.

The employment experience of workers disabled by diabetes indicates that the largest percentage of the diabetic men held jobs in clerical and sales positions and the women, in agriculture and the service trades. Moreover, diabetes, arteriosclerotic heart disease, and hypertensive heart disease were important causes of disability for women working in agriculture.

Statistical Methods

The disability applicant statistical program reflects disability decisions taken during the year. Three categories of applicants for benefits and two types of decisions are involved. The benefit applicant categories are disabled workers, adults with childhood disabilities, and disabled widows and widowers. The two types of decisions are allowances and denials.

The source of the data for the disability applicant statistical program is the disability determination form. Selected characteristics from the determination form such as age, sex, race, education, and occupation of the applicant as well as medical information underlying the disability and other relevant items are coded and the information is processed to produce the desired tabulations.

In this report, data on disabled-worker allowances and on denials for all three applicant categories were based on information derived from samples of actions taken during the year. On the other hand, data on childhood disability allowances and on disabled widow or widower allowances were based on all actions taken during the year. The sampling rate for denial actions was a uniform 10 percent for all three applicant categories. The sampling rate for disabled-worker allowance actions varied by State and depended on the number of allowance actions in the State during the year. The relationship between the number of allowances and the sampling rate was as follows:

Number of allowances	*Sampling rate (percent)*
Under 1,000	100
1,000–3,499	50
3,500–5,999	25
6,000–9,999	20
10,000 and over	10

A computer operation is used to inflate sample data to established universe totals. The data are, of course, subject to processing errors as well as to sampling variability. Since the data are based on sampling, caution should be exercised in interpreting figures—especially small cells and percentages with small bases.

SELECTED DATA FOR 1968

Worker Disability Allowances

SEX

	Number	Percent
Total	330,783	100
• Male	246,442	75
• Female	84,341	25

AGE

	Percent 1968	1967
• 60 and over	29	32
• 55-59	24	24
• 50-54	15	16
• 40-49	18	18
• Under age 40	14	10

INCIDENCE BY PRIMARY DIAGNOSIS AND SEX

Male		Female	
1. Arteriosclerotic heart	41,599	1. Arteriosclerotic heart	9,874
2. Schizophrenic disorders	15,082	2. Schizophrenic disorders	5,442
3. Emphysema	14,546	3. Osteo-arthritis	4,542

LEADING STATES

	Number	Percent
1. California	38,338	12
2. New York	31,774	10
3. Pennsylvania	20,170	6
4. Texas	15,494	5
5. Illinois	15,148	5
6. Ohio	14,353	4

AGE AT ONSET OF DISABILITY

	Percent
• 50-65	63
• 40-49	19
• Under age 40	18

VISUAL OR AUDIO IMPAIRMENTS

	Number
1. Statutory blindness	3,019
2. Industrial blindness	1,310
3. Defective vision	603
4. Deafness	632

INCIDENCE BY PRIMARY DIAGNOSIS

	Number	Percent
1. Arteriosclerotic heart	51,473	16
2. Schizophrenic disorders	20,524	6
3. Emphysema	16,305	5
4. Osteo-arthritis	13,123	4
5. Displacement of intervertebral disc	10,051	3

INCIDENCE BY PRIMARY DIAGNOSIS AND AGE

• Under 30	
1. Schizophrenic disorders	4,159
2. Fracture with spinal cord lesion	817
3. Fractures of femur	656
• Aged 30-39	
1. Schizophrenic disorders	6,102
2. Displacement of intervertebral disc	1,739
3. Pulmonary tuberculosis	1,177
• Aged 40-49	
1. Schizophrenic disorders	6,229
2. Arteriosclerotic heart	6,041
3. Displacement of intervertebral disc	2,875
• Aged 50-54	
1. Arteriosclerotic heart	8,110
2. Emphysema	2,458
3. Schizophrenic disorders	2,028
• Aged 55-59	
1. Arteriosclerotic heart	14,819
2. Emphysema	4,928
3. Osteo-arthritis	4,042
• Aged 60 and over	
1. Arteriosclerotic heart	21,700
2. Emphysema	7,203
3. Osteo-arthritis	5,839

Worker Disability Allowances—Continued

INCIDENCE BY DIAGNOSTIC GROUP

	Percent
• Diseases of the circulatory system	24
• Diseases of the bones and organs of movement	13
• Mental, psychoneurotic, and personality disorders	13
• Diseases of the nervous system and sense organs	13
• Neoplasms	11
• Accidents, poisonings, and violence	8
• Diseases of the respiratory system	7
• Allergic, endocrine system, metabolic, and nutritional diseases	3
• Infective and parasitic diseases	3
• Diseases of the digestive system	2
• Other	3

OCCUPATION BY MAJOR GROUPS

	Number	Percent
• Professional and managerial	32,657	11
• Clerical and sales	40,747	14
• Service	47,943	16
• Agricultural, fishery, and forestry	18,470	6
• Manufacturing and related activities	152,927	52
Skilled	67,099	23
Semiskilled	46,294	16
Unskilled	39,534	13

LEADING CAUSES BY RACE

White		Negro		Other Races	
• Arteriosclerotic heart	46,441	• Arteriosclerotic heart	4,727	• Arteriosclerotic heart	305
• Schizophrenic disorders	16,883	• Hypertensive heart	3,446	• Schizophrenic disorders	296
• Emphysema	15,247	• Schizophrenic disorders	3,345	• Osteo-arthritis	177
• Osteo-arthritis	11,076	• Pulmonary tuberculosis	2,330	• Pulmonary tuberculosis	140
• Displ. intervertebral disc	8,825	• Cerebral haemorrhage	1,978	• Displ. intervertebral disc	133
• Rheumatoid arthritis	7,693	• Osteo-arthritis	1,870	• Diabetes mellitus	118

LEADING CAUSES BY RACE AND SEX

White		Negro		Other Races	
		Male			
• Arteriosclerotic heart	38,073	• Arteriosclerotic heart	3,255	• Arteriosclerotic heart	271
• Emphysema	13,588	• Schizophrenic disorders	2,535	• Schizophrenic disorders	255
• Schizophrenic disorders	12,292	• Hypertensive heart	2,088	• Osteo-arthritis	138
• Osteo-arthritis	7,261	• Pulmonary tuberculosis	2,002	• Pulmonary tuberculosis	123
• Displ. intervertebral disc	6,854	• Cerebral haemorrhage	1,566	• Displ. intervertebral disc	110
• Cerebral haemorrhage	5,976	• Osteo-arthritis	1,182	• Diabetes mellitus	93
		Female			
• Arteriosclerotic heart	8,368	• Arteriosclerotic heart	1,472	• Schizophrenic disorders	41
• Schizophrenic disorders	4,591	• Hypertensive heart	1,358	• Osteo-arthritis	39
• Osteo-arthritis	3.815	• Schizophrenic disorders	810	• Arteriosclerotic heart	34
• Rheumatoid arthritis	3,420	• Osteo-arthritis	688	• Cerebral haemorrhage	27
• Malignant breast neoplasm	2,340	• Diabetes mellitus	646	• Diabetes mellitus	25
• Displ. intervertebral disc	1,971	• Rheumatoid arthritis	422	• Paralysis agitans	24

Childhood Disability Allowances

SEX

	Number	Percent
Total	22,063	100
• Male	12,295	56
• Female	9,768	44

AGE

	Percent	
	1968	1967
• 18-29	62	64
• 30-39	23	22
• 40 and over	15	14

LEADING STATES

	Number	Percent
1. New York	1,892	9
2. California	1,529	7
3. Pennsylvania	1,232	6
4. Michigan	1,124	5
5. Texas	1,095	5
6. Ohio	1,040	5

INCIDENCE BY DIAGNOSTIC GROUP

	Percent	Cumulative percent
• Mental, psychoneurotic, and personality disorders	69	69
• Diseases of the nervous system and sense organs	22	90
• Congenital malformations	2	93
• Infective and parasitic diseases	2	95
• Diseases of the bones and organs of movement	2	96
• Other	4	100

INCIDENCE BY PRIMARY DIAGNOSIS

	Percent	Cumulative percent
1. Mental deficiency	55	55
2. Cerebral spastic infantile paralysis	9	64
3. Schizophrenic disorders	7	71
4. Epilepsy	7	77
5. Mental deterioration	3	81
6. Chronic brain syndrome	2	83

MOBILITY

- 27 percent were confined in an institution. The proportion of persons in the different age-groups who were confined in an institution ranged from 38 percent for persons aged 45 and over to 25 percent for persons aged 18-24.
- 8 percent were housebound (bedridden, chairfast, etc.).
- 65 percent were capable of some activity outside the home. Of these 38 percent needed help of some kind.

EDUCATION

- 38 percent had not attended a regular school.
- 18 percent completed the 5th grade or a higher grade of elementary school but did not attend high school.
- 13 percent attended elementary school for 1 or more years but did not advance beyond the 4th grade.
- 19 percent completed 1 or more years of high school.
- 11 percent attended ungraded special classes.

DEFINITIONS OF DISABILITY

The Social Security Act provides five basic types of disability protection under the old-age, survivors, disability, and health insurance program:

1. Monthly benefits for disabled workers under age 65 and their dependents.
2. The preservation of old-age and survivors insurance benefit rights for disabled workers—the disability freeze which protects the disabled worker against loss of or reduction in the amount of retirement, disability, or survivor benefits by providing that the period of disability will not be counted in determining either insured status or the amount of benefits.
3. Monthly benefits (child's) for adults disabled in childhood, i.e., before attaining age 18, provided they are dependent sons and daughters of disabled or retired worker beneficiaries or of deceased insured workers.
4. Monthly benefits for disabled widows, surviving divorced disabled wives, and disabled widowers effective February 1968.
5. Vocational rehabilitation services to social security disability beneficiaries who have the potential to be restored to productive activity.

Monthly benefits are payable to dependents of disabled worker beneficiaries—namely, wives, divorced wives, and dependent husbands who have reached age 62, wives of any age who have entitled children in their care, and children—minors under age 18, students aged 18–21, and adults disabled prior to age 18.

Amount of Benefit

The disability rate for a disabled worker is equal to the worker's primary insurance amount and is calculated as if the disabled worker were of retirement age. Disability benefits are payable after a 6-month waiting period, provided the disability has occurred prior to the worker's attainment of age 65.

Upon attainment of age 65 a disabled worker's benefit is converted to a retirement benefit. The amount of the converted retirement benefit or the amount of benefits payable to survivors upon the death of the disabled worker will not be reduced because of the years before age 65 or death in which the worker was unable to work because of his disability.

Disability Defined

A person to be considered disabled for social security purposes must be unable to engage in any substantial gainful work due to a medical condition. The law in effect prior to the 1965 amendments required that the person's impairment be of long-continued and indefinite duration or be expected to result in death. Under the 1965 amendments this requirement was changed so that the claimant's impairment must last or be expected to last for a continuous period of at least 12 months. Thus, disability benefits can be paid even if the individual is expected to recover. There is, however, a 6-month waiting period—no payments can be made for the first 6 months a person is disabled. However, under both the previous and present law a person is considered disabled if he cannot work because of a severe physical or mental impairment so as to prevent the individual from working not only in his usual occupation but also in any other kind of substantial gainful work considering his age, education, training and work experience.

Insured Status for Disability Benefits

Monthly disability insurance benefits are payable to insured disabled workers under age 65. To be insured, an individual must (1) have worked in covered employment for at least 5 years out of the 10 immediately preceding the

beginning of his disability and (2) be fully insured.

To get disability benefits, it used to be that an individual needed credits for at least 5 of the 10 years before he became disabled unless he became disabled before age 31 because of blindness. The younger worker normally had not had a chance to work long enough to meet this requirement. Under the 1967 amendments an individual between ages 24 and 31 needs to have worked under social security for only half the time between 21 and the time he became disabled. Those disabled before they reach 24 need only 1½ years of work under social security out of the 3-year period ending when their disability began. Service in the military is counted in these "years of work." Those disabled at age 31 or later still must have credit for at least 5 years of work during the 10 years before they become disabled.

Definition of Blindness

Blindness, as a disabling condition, is defined as a central visual acuity of 5/200 or less. The 1967 amendments provide a less restrictive definition of blindness for disability freeze purposes—a visual acuity of 20/200 or less, commonly called industrial blindness. The less restrictive definition of blindness also applies for benefit purposes to a blind worker aged 55 or over who is unable to engage in substantial gainful activity requiring skills or abilities comparable to those of any gainful activity in which he has previously engaged with some regularity and over a substantial period of time. The worker under age 55 who is industrially blind and therefore able to establish disability for freeze purposes still must meet the regular definition of disability—inability to engage in any substantial gainful activity for benefit purposes.

Disability Freeze

The disability freeze provision results in the disabled worker having his insured status and his average monthly wage for benefit purposes maintained as they were when he became disabled. Since the enactment of the 1960 amendments, which eliminated the requirement of age 50 for monthly benefits, virtually all persons who qualify for the disability freeze also qualify for monthly benefits (an exception being certain blind persons).

Benefits to Adults Disabled in Childhood

Monthly benefits are payable to disabled persons aged 18 or over—dependent sons and daughters of retired, disabled, and deceased insured workers—whose disability began before age 18 (child's benefit). Disability for this category of beneficiaries is defined in the same way as it is for disabled workers. The disability must be present at the time the application is filed and must have continued since before the child reached age 18.

Disability Protection for Young Workers

Under the regular provisions of the Social Security Act a worker is insured if he has at least 20 quarters of coverage in the last 40 calendar quarters. The 1967 change in the law provides that a worker disabled before age 31 needs only half the number of quarters elapsing after age 21. Before this amendment, this provision applied only to workers who were disabled by blindness before reaching age 31.

Benefits for Disabled Widows and Widowers

A widow, surviving divorced wife, or widower must have, to meet the disability requirements of the law, a medical condition that is so severe as to ordinarily prevent a person from working. The 1967 amendments provide monthly cash benefits for disabled widows aged 50–59 and for surviving divorced wives and dependent widowers aged 50–61. In addition, the disability must have lasted or be expected to last for a period of at least 12 months. The disability must have begun within a specified 7-year period. The disablement must keep the widow or widower from performing any gainful activity (rather than substantial gainful activity).

Armed Services

Men and women in the Armed Forces, like other insured workers, have been eligible for disability benefits since 1957. The amount of a soldier's monthly disability payment is based

on his average earnings under social security. These earnings include the extra allowances for overseas duty, combat duty, flight duty, etc. For social security purposes, a serviceman receives credit for an additional $100 earnings each month over and above his base pay. This is because base pay does not reflect such items as housing, food, and clothing. No additional social security contribution is deducted for the extra credit. The serviceman and his dependents can receive disability payments even though his service status and pay continue.

Amendments of 1967

The 1967 amendments to the Social Security Act included several provisions relating to disability which qualified additional persons for monthly cash benefits. These provisions provide the following:

(1) a more liberal insured-status requirement for young workers disabled before age 31;
(2) benefits for the disabled widows and widowers; and
(3) a liberalized definition of blindness.

Disability Ends

Disability benefits end for a disabled worker when the person is no longer disabled within the meaning of the law. If a person works while still under a disability, the law continues his benefit payments during 9 months of work. Then, if it is determined after the 9 months that he has demonstrated his ability to do substantial gainful work and therefore is no longer disabled, his benefits are paid for 3 more months. Disability ends for a disabled widow, surviving divorced wife or widower where the conditions are no longer met. The law continues benefits for 2 months after the person's condition improved to the extent that it no longer meets the disability requirements of the law.

Vocational Rehabilitation

The Social Security Act provides for reimbursement from the trust funds for the cost of vocational rehabilitation services furnished to disabled persons receiving benefits because of their disability. The total amount of funds that may be made available for purposes of reimbursement for such services may not, in any fiscal year, exceed 1 percent of the benefits certified for payment to these types of beneficiaries in the preceding year.

Other Disability Programs

Definitions of disability are not the same in all government and private disability programs. Government agencies must follow the particular laws which apply to their disability programs. Therefore, a finding by a private organization or another government agency that a person is disabled would not necessarily mean that he meets the disability requirements of the Social Security Act.

Contents

The following tables contain selected data on the characteristics of applicants for benefits or for a period of disability under the disability provisions of the old-age, survivors, disability, and health insurance program for whom determinations were made during calendar year 1968. Tables 2 through 43 contain data with respect to workers and tables 44 through 56 contain data on childhood disability. Tables 57 and 58 contain data on widows and widowers.

The nomenclature used for diagnostic groups has been taken from the 7th revision of the Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death published by the World Health Organization. Certain medical diagnoses within the diagnostic groups—hay fever, tonsillitis, and influenza, for example—would not be a basis for allowing a period of disability and therefore are not represented in the allowed claims. Data on occupational classifications were obtained from the *Dictionary of Occupational Titles*, published in 1949 by the United States Employment Service. The job titles defined in the Dictionary were developed and prepared primarily for public employment offices concerned with the use of occupational information in vocational and personnel activities.

DHEW (SSA) 73-11911

Disability Allowances and Denials, 1955-68

Table 1.--Summary data on the disability program

Year	Worker allow-ances	Worker denials	Child-hood allow-ances	Child-hood denials	Widow (er) allow-ances	Widow (er) denials
Total...	3,059,073	2,198,703	286,517	64,385	28,285	31,279
1955.....	57,221	36,310	---	---	---	---
1956.....	149,823	155,875	---	---	---	---
1957.....	165,003	125,720	36,267	4,873	---	---
1958.....	184,476	204,110	21,273	5,544	---	---
1959.....	178,952	146,325	34,718	5,745	---	---
1960.....	179,419	113,195	22,352	4,405	---	---
1961.....	241,060	192,435	23,233	4,395	---	---
1962.....	286,434	146,640	27,569	4,965	---	---
1963.....	224,229	146,325	22,398	5,755	---	---
1964.....	209,475	175,815	17,244	5,460	---	---
1965.....	267,738	201,477	19,973	5,947	---	---
1966.....	273,513	204,938	19,027	5,567	---	---
1967.....	310,947	157,672	20,400	5,764	---	---
1968.....	330,783	191,866	22,063	5,965	28,285	31,279

Worker Disability Allowances, 1968

Table 2.--Age and sex

Age	Total		Male		Female	
	Number	Percent	Number	Percent	Number	Percent
Total.....	330,783	100.0	246,442	100.0	84,341	100.0
Under 25.....	9,549	2.9	8,392	3.4	1,157	1.4
25-29.....	10,810	3.3	8,513	3.5	2,297	2.7
30-34.....	11,682	3.5	9,215	3.7	2,467	2.9
35-39.....	15,420	4.7	12,106	4.9	3,314	3.9
40-44.....	23,686	7.2	17,460	7.1	6,226	7.4
45-49.....	35,507	10.7	25,805	10.5	9,702	11.5
50-54.....	51,012	15.4	36,211	14.7	14,801	17.5
55-59.....	77,947	23.6	55,512	22.5	22,435	26.6
60-64.....	88,164	26.7	67,428	27.4	20,736	24.6
65 and over....	7,006	2.1	5,800	2.4	1,206	1.4

Worker Disability Allowances, 1968

Table 3.-- ace, age, and sex

Age	Total		White		Negro		Other	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
	Total							
Total.....	330,783	100.0	283,533	100.0	43,954	100.0	3,296	100.0
Under 25.....	9,549	2.9	8,074	2.8	1,296	2.9	179	5.4
25-29.....	10,810	3.3	8,930	3.1	1,711	3.9	169	5.1
30-34.....	11,683	3.5	9,532	3.4	2,004	4.6	147	4.5
35-39.....	15,419	4.7	12,456	4.4	2,740	6.2	223	6.8
40-44.....	23,686	7.2	19,640	6.9	3,766	8.6	280	8.5
45-49.....	35,507	10.7	29,477	10.4	5,724	13.0	306	9.3
50-54.....	51,012	15.4	43,505	15.3	7,056	16.1	451	13.7
55-59.....	77,947	23.6	67,083	23.7	10,177	23.2	687	20.8
60 and over...	95,170	28.8	84,836	29.9	9,480	21.6	854	25.9
	Male							
Total.....	246,442	100.0	212,061	100.0	31,663	100.0	2,718	100.0
Under 25.....	8,392	3.4	7,087	3.3	1,138	3.6	167	6.1
25-29.....	8,513	3.5	6,949	3.3	1,443	4.6	121	4.5
30-34.....	9,216	3.7	7,388	3.5	1,694	5.4	134	4.9
35-39.....	12,105	4.9	9,725	4.6	2,187	6.9	193	7.1
40-44.....	17,460	7.1	14,438	6.8	2,808	8.9	214	7.9
45-49.....	25,805	10.5	21,588	10.2	3,990	12.6	227	8.4
50-54.....	36,211	14.7	30,963	14.6	4,884	15.4	364	13.4
55-59.....	55,512	22.5	48,111	22.7	6,853	21.6	548	20.2
60 and over....	73,228	29.7	65,812	31.0	6,666	21.1	750	27.6
	Female							
Total.....	84,341	100.0	71,472	100.0	12,291	100.0	578	100.0
Under 25.....	1,157	1.4	987	1.4	158	1.3	12	2.1
25-29.....	2,297	2.7	1,981	2.8	268	2.2	48	8.3
30-34.....	2,467	2.9	2,144	3.0	310	2.5	13	2.2
35-39.....	3,314	3.9	2,731	3.8	553	4.5	30	5.2
40-44.....	6,226	7.4	5,202	7.3	958	7.8	66	11.4
45-49.....	9,702	11.5	7,889	11.0	1,734	14.1	79	13.7
50-54.....	14,801	17.5	12,542	17.5	2,172	17.7	87	15.1
55-59.....	22,435	26.6	18,972	26.5	3,324	27.0	139	24.0
60 and over....	21,942	26.0	19,024	26.6	2,814	22.9	104	18.0

Worker Disability Allowances, 1968

Table 4.--Age in year of onset by sex

Age in year of onset of disability	Number			Percent		
	Total	Male	Female	Total	Male	Female
Total.....	330,783	246,442	84,341	100.0	100.0	100.0
Under 25.....	20,821	16,882	3,939	6.3	6.9	4.7
25-29.....	11,475	8,738	2,737	3.5	3.5	3.2
30-34.....	11,152	8,583	2,569	3.4	3.5	3.0
35-39.....	15,984	12,362	3,622	4.8	5.0	4.3
40-44.....	25,559	18,804	6,755	7.7	7.6	8.0
45-49.....	38,215	27,142	11,073	11.6	11.0	13.1
50-54.....	55,982	39,608	16,374	16.9	16.1	19.4
55-59.....	83,627	60,430	23,197	25.3	24.5	27.5
60-65.....	67,968	53,893	14,075	20.5	21.9	16.7

Table 9.--Mobility status by age and sex

Mobility status	Number						Percent					
	Total	Under 40	40-49	50-54	55-59	60 and over	Total	Under 40	40-49	50-54	55-59	60 and over
	Total											
Total.....	330,783	47,461	59,193	51,012	77,947	95,170	100.0	100.0	100.0	100.0	100.0	100.0
Institutionalized....	30,064	10,837	8,128	3,922	3,773	3,404	9.1	22.8	13.7	7.7	4.8	3.6
Hospitalized.....	19,054	4,436	3,751	2,869	3,848	4,150	5.8	9.3	6.3	5.6	4.9	4.4
Housebound.....	23,705	3,572	5,997	3,742	5,422	6,972	7.2	7.5	6.8	7.3	7.0	7.3
Ambulatory outside the home:												
With help.....	53,705	8,471	10,123	8,157	12,677	14,277	16.2	17.8	17.1	16.0	16.3	15.0
By self.....	204,255	20,145	33,194	32,322	52,227	66,367	61.7	42.4	56.1	63.3	67.0	69.7
	Male											
Total.....	240,442	35,276	43,265	36,211	55,510	73,230	100.0	100.0	100.0	100.0	100.0	100.0
Institutionalized....	24,971	9,281	6,678	3,179	3,088	2,745	10.1	24.3	15.4	8.8	5.6	3.7
Hospitalized.....	16,048	4,078	3,293	2,330	2,999	3,348	6.5	10.7	7.6	6.4	5.4	4.6
Housebound.....	16,242	2,753	2,386	2,421	3,727	4,975	6.6	7.2	5.5	6.7	6.7	6.8
Ambulatory outside the home:												
With help.....	37,408	6,517	6,937	5,491	8,164	10,299	15.2	17.0	16.0	15.2	14.7	14.1
By self.....	151,773	15,597	23,991	22,790	37,532	51,863	61.6	40.8	55.5	62.9	67.6	70.8
	Female											
Total.....	84,341	9,235	15,928	14,801	22,437	21,940	100.0	100.0	100.0	100.0	100.0	100.0
Institutionalized....	5,093	1,556	1,450	743	685	659	6.0	16.8	9.1	5.0	3.1	3.0
Hospitalized.....	3,006	358	458	539	849	802	3.6	3.9	2.9	3.6	3.8	3.7
Housebound.....	7,463	819	1,631	1,321	1,695	1,997	8.8	8.9	10.2	8.9	7.6	9.1
Ambulatory outside the home:												
With help.....	16,297	1,954	3,186	2,666	4,513	3,978	19.3	21.2	20.0	18.0	20.1	18.1
By self.....	52,482	4,548	9,203	9,532	14,695	14,504	62.2	49.2	57.8	64.4	65.5	66.1

Worker Disability Allowances, 1968

Table 6.--Race and mobility status

Mobility status	Total	White	Negro	Other
	Number			
Total	330,783	283,533	43,954	3,296
Institutionalized	30,063	24,657	5,076	330
Hospitalized	19,054	16,740	2,086	228
Housebound	23,705	21,376	2,205	124
Ambulatory outside the home:				
With help	53,705	45,959	7,244	502
By self	204,256	174,801	27,343	2,112
	Percent distribution by race			
Total	100.0	85.7	13.3	1.0
Institutionalized	100.0	82.0	16.9	1.1
Hospitalized	100.0	87.9	10.9	1.2
Housebound	100.0	90.2	9.3	.5
Ambulatory outside the home:				
With help	100.0	85.6	13.5	.9
By self	100.0	85.6	13.4	1.0
	Percent distribution by mobility status			
Total	100.0	100.0	100.0	100.0
Institutionalized	9.1	8.7	11.5	10.0
Hospitalized	5.8	5.9	4.7	6.9
Housebound	7.2	7.5	5.0	3.8
Ambulatory outside the home:				
With help	16.2	16.2	16.5	15.2
By self	61.7	61.7	62.2	64.1

Table 7.--Age in year of onset by sex

Year of onset	Total	Age in year of onset							
		Under 30	30-34	35-39	40-44	45-49	50-54	55-59	60-65
	Total								
Total...	330,783	32,297	11,152	15,984	25,559	38,215	55,980	83,650	67,946
1968.....	87,647	4,716	2,351	3,399	6,067	9,234	14,353	23,925	23,602
1967.....	173,480	10,641	5,403	8,314	13,159	20,664	30,905	46,621	37,773
1966.....	34,730	3,565	1,349	2,055	3,315	4,528	6,246	8,415	5,257
1965.....	10,541	1,406	340	626	1,039	1,524	1,918	2,682	1,006
1964.....	4,623	939	224	301	441	673	911	883	251
1963.....	3,253	796	204	213	343	414	616	616	51
1962 and earlier..	16,509	10,234	1,281	1,076	1,195	1,178	1,031	508	6
	Male								
Total...	246,442	25,621	8,583	12,362	18,804	27,142	39,606	60,441	53,883
1968.....	68,468	4,101	1,955	2,909	4,782	7,105	10,801	17,860	18,955
1967.....	131,145	8,925	4,344	6,569	9,858	14,940	22,385	34,104	30,020
1966.....	24,392	2,900	1,072	1,499	2,356	2,966	4,051	5,603	3,945
1965.....	6,621	1,053	207	430	619	894	1,013	1,651	754
1964.....	2,756	692	139	162	274	301	452	562	174
1963.....	1,965	532	145	134	193	228	352	351	30
1962 and earlier..	11,095	7,418	721	659	722	708	552	310	5
	Female								
Total...	84,341	6,676	2,569	3,622	6,755	11,073	16,374	23,209	14,063
1968.....	19,179	615	396	490	1,285	2,129	3,552	6,065	4,647
1967.....	42,335	1,716	1,059	1,745	3,301	5,724	8,520	12,517	7,753
1966.....	10,338	665	277	556	959	1,562	2,195	2,812	1,312
1965.....	3,920	353	133	196	420	630	905	1,031	252
1964.....	1,867	247	85	139	167	372	459	321	77
1963.....	1,288	264	59	79	150	186	264	265	21
1962 and earlier..	5,414	2,816	560	417	473	470	479	198	1

Table 8.--Age in year of onset by sex

Year of onset	Total	Under 30	30-34	35-39	40-44	45-49	50-54	55-59	60-65
	Total								
Total...	100.0	9.8	3.4	4.8	7.7	11.6	16.9	25.3	20.5
1968.....	100.0	5.4	2.7	3.9	6.9	10.5	16.4	27.3	26.9
1967.....	100.0	6.1	3.1	4.8	7.6	11.9	17.8	26.9	21.8
1966.....	100.0	10.3	3.9	5.9	9.5	13.0	18.0	24.2	15.1
1965.....	100.0	13.3	3.2	5.9	9.9	14.5	18.2	25.4	9.5
1964.....	100.0	20.3	4.8	6.5	9.5	14.6	19.7	19.1	5.4
1963.....	100.0	24.5	6.3	6.5	10.5	12.7	18.9	18.9	1.6
1962 and earlier..	100.0	62.1	7.8	6.5	7.2	7.1	6.3	2.9	1/
	Male								
Total...	100.0	10.4	3.5	5.0	7.6	11.0	16.1	24.5	21.9
1968.....	100.0	6.0	2.9	4.2	7.0	10.4	15.8	26.1	27.7
1967.....	100.0	6.8	3.3	5.0	7.5	11.4	17.1	26.0	22.9
1966.....	100.0	11.9	4.4	6.1	9.7	12.2	16.6	23.0	16.2
1965.....	100.0	15.9	3.1	6.5	9.3	13.5	15.3	24.9	11.4
1964.....	100.0	25.1	5.0	5.9	9.9	10.9	16.4	20.4	6.3
1963.....	100.0	27.1	7.4	6.8	9.8	11.6	17.9	17.9	1.5
1962 and earlier..	100.0	66.9	6.5	5.9	6.5	6.4	5.0	2.8	1/
	Female								
Total...	100.0	7.9	3.0	4.3	8.0	13.1	19.4	27.5	16.7
1968.....	100.0	3.2	2.1	2.6	6.7	11.1	18.5	31.6	24.2
1967.....	100.0	4.1	2.5	4.1	7.8	13.5	20.1	29.6	18.3
1966.....	100.0	6.4	2.7	5.4	9.3	15.1	21.2	27.2	12.7
1965.....	100.0	9.0	3.4	5.0	10.7	16.1	23.1	26.3	6.4
1964.....	100.0	13.2	4.6	7.4	8.9	19.9	24.6	17.2	4.1
1963.....	100.0	20.5	4.6	6.1	11.6	14.4	20.5	20.6	1.6
1962 and earlier..	100.0	52.1	10.4	7.7	8.8	8.7	8.9	3.4	1/

1/ Less than .05 percent.

Table 9.--Diagnostic group by age and sex

Diagnostic group	Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
	Total							
Total	330,783	20,359	27,102	23,686	35,507	51,012	77,947	95,170
Infective and parasitic diseases	10,360	812	1,614	1,286	1,672	1,629	1,935	1,412
Neoplasms	36,560	1,026	1,678	2,443	4,028	6,285	9,736	11,364
Allergic, endocrine system, metabolic, and nutritional diseases	11,359	343	688	647	1,204	1,901	3,337	3,239
Mental, psychoneurotic, and personality disorders	41,894	5,678	8,376	5,327	5,783	5,731	6,150	4,849
Diseases of the -								
Nervous system and sense organs	41,758	2,496	3,337	2,797	4,315	6,530	9,646	12,637
Circulatory system	80,906	540	2,037	3,406	6,869	12,818	23,149	32,087
Respiratory system	22,635	60	391	699	1,717	3,524	6,743	9,501
Digestive system	7,806	196	473	709	1,036	1,551	1,824	2,017
Genito-urinary system	2,926	277	248	278	355	429	581	758
Bones and organs of movement	43,677	1,721	3,822	3,286	5,023	7,023	10,412	12,390
Congenital malformations	2,670	256	426	274	437	442	452	383
Accidents, poisonings, and violence	25,319	6,813	3,744	2,329	2,627	2,724	3,310	3,772
Other	2,913	141	268	205	441	425	672	761
	Percent							
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Infective and parasitic diseases	3.1	4.0	6.0	5.4	4.7	3.2	2.5	1.5
Neoplasms	11.1	5.0	6.2	10.3	11.3	12.3	12.5	11.9
Allergic, endocrine system, metabolic, and nutritional diseases	3.4	1.7	2.5	2.7	3.4	3.7	4.3	3.4
Mental, psychoneurotic, and personality disorders	12.7	27.9	30.9	22.5	16.3	11.2	7.9	5.1
Diseases of the -								
Nervous system and sense organs	12.6	12.3	12.3	11.8	12.2	12.8	12.4	13.3
Circulatory system	24.5	2.7	7.5	14.4	19.3	25.1	29.7	33.7
Respiratory system	6.8	.3	1.4	3.0	4.8	6.9	8.7	10.0
Digestive system	2.4	1.0	1.7	3.0	2.9	3.0	2.3	2.1
Genito-urinary system	.9	1.4	.9	1.2	1.0	.8	.7	.8
Bones and organs of movement	13.2	8.5	14.1	13.5	14.1	13.8	13.4	13.0
Congenital malformations	.8	1.3	1.6	1.2	1.2	.9	.6	.4
Accidents, poisonings, and violence	7.7	33.5	13.8	9.8	7.4	5.3	4.2	4.0
Other	.9	.7	1.0	.9	1.2	.8	.9	.8

Table 9.--Diagnostic group by age and sex--Continued

Diagnostic group	Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
	Male							
Total	246,442	16,905	21,321	17,460	25,805	36,211	55,512	73,228
Infective and parasitic diseases	8,628	556	1,351	1,070	1,431	1,428	1,571	1,221
Neoplasms	25,702	792	1,185	1,643	2,639	4,170	6,725	8,548
Allergic, endocrine system, metabolic, and nutritional diseases	7,080	224	498	448	647	1,245	1,904	2,114
Mental, psychoneurotic, and personality disorders	29,963	4,587	6,396	3,695	4,212	3,714	3,990	3,369
Diseases of the -								
Nervous system and sense organs	31,458	1,830	2,393	2,002	3,059	4,738	7,208	10,228
Circulatory system	61,836	344	1,572	2,662	5,311	9,513	17,092	25,342
Respiratory system	19,201	40	278	533	1,371	2,860	5,772	8,347
Digestive system	5,795	132	343	516	845	1,085	1,317	1,557
Genito-urinary system	2,122	230	190	225	252	277	436	512
Bones and organs of movement	29,851	1,438	3,242	2,336	3,467	4,455	6,497	8,416
Congenital malformations	1,898	189	326	188	328	295	286	286
Accidents, poisonings, and violence	21,056	6,441	3,381	2,039	1,972	2,160	2,316	2,747
Other	1,852	102	166	103	271	271	398	541
	Percent							
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Infective and parasitic diseases	3.5	3.3	6.3	6.1	5.5	3.9	2.8	1.7
Neoplasms	10.4	4.7	5.6	9.4	10.2	11.5	12.1	11.7
Allergic, endocrine system, metabolic, and nutritional diseases	2.9	1.3	2.3	2.6	2.5	3.4	3.4	2.9
Mental, psychoneurotic, and personality disorders	12.2	27.1	30.0	21.2	16.3	10.3	7.2	4.6
Diseases of the -								
Nervous system and sense organs	12.8	10.8	11.2	11.5	11.9	13.1	13.0	14.0
Circulatory system	25.1	2.0	7.4	15.2	20.6	26.3	30.8	34.6
Respiratory system	7.8	.2	1.3	3.1	5.3	7.9	10.4	11.4
Digestive system	2.4	.8	1.6	3.0	3.3	3.0	2.4	2.1
Genito-urinary system	.9	1.4	.9	1.3	1.0	.8	.8	.7
Bones and organs of movement	12.1	8.5	15.2	13.4	13.4	12.3	11.7	11.5
Congenital malformations	.8	1.1	1.5	1.1	1.3	.8	.5	.4
Accidents, poisonings, and violence	8.5	38.1	15.9	11.7	7.6	6.0	4.2	3.8
Other	.8	.6	.8	.6	1.1	.7	.7	.7

Table 9.--Diagnostic group by age and sex--Continued

Diagnostic group	Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
	Female							
Total	84,341	3,454	5,781	6,226	9,702	14,801	22,435	21,942
Infective and parasitic diseases	1,732	256	263	216	241	201	364	191
Neoplasms	10,858	234	493	800	1,389	2,115	3,011	2,816
Allergic, endocrine system, metabolic, and nutritional diseases	4,279	119	190	199	557	656	1,433	1,125
Mental, psychoneurotic, and personality disorders	11,931	1,091	1,980	1,632	1,571	2,017	2,160	1,480
Diseases of the -								
Nervous system and sense organs	10,300	666	944	795	1,256	1,792	2,438	2,409
Circulatory system	19,070	196	465	744	1,558	3,305	6,057	6,745
Respiratory system	3,434	20	113	166	346	664	971	1,154
Digestive system	2,011	64	130	193	191	466	507	460
Genito-urinary system	804	47	58	53	103	152	145	246
Bones and organs of movement	13,826	283	580	950	1,556	2,568	3,915	3,974
Congenital malformations	772	67	100	86	109	147	166	97
Accidents, poisonings, and violence	4,263	372	363	290	655	564	994	1,025
Other	1,061	39	102	102	170	154	274	220
	Percent							
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Infective and parasitic diseases	2.1	7.4	4.5	3.5	2.5	1.4	1.6	.9
Neoplasms	12.9	6.8	8.5	12.8	14.3	14.3	13.4	12.8
Allergic, endocrine system, metabolic, and nutritional diseases	5.1	3.4	3.3	3.2	5.7	4.4	6.4	5.1
Mental, psychoneurotic, and personality disorders	14.1	31.6	34.3	26.2	16.2	13.6	9.6	6.7
Diseases of the -								
Nervous system and sense organs	12.2	19.3	16.3	12.8	12.9	12.1	10.9	11.0
Circulatory system	22.6	5.7	8.0	11.9	16.1	22.3	27.0	30.7
Respiratory system	4.1	.6	2.0	2.7	3.6	4.5	4.3	5.3
Digestive system	2.4	1.9	2.2	3.1	2.0	3.1	2.3	2.1
Genito-urinary system	1.0	1.4	1.0	.9	1.1	1.0	.6	1.1
Bones and organs of movement	16.4	8.2	10.0	15.3	16.0	17.4	17.5	18.1
Congenital malformations	.9	1.9	1.7	1.4	1.1	1.0	.7	.4
Accidents, poisonings, and violence	5.1	10.8	6.3	4.7	6.8	3.8	4.4	4.7
Other	1.3	1.1	1.8	1.6	1.8	1.0	1.2	1.0

Table 10.--Primary diagnosis by age and sex

[Primary diagnoses relating to 100 or more workers shown separately]

Diagnostic group and primary diagnosis	International code	Total	Age						
			Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		Total							
Total	---	330,783	20,359	27,102	23,686	35,507	51,012	77,947	95,170
Infective and parasitic diseases	001-138	10,360	812	1,614	1,286	1,672	1,629	1,935	1,412
Pulmonary tuberculosis	002	7,484	625	1,177	976	1,271	1,177	1,349	909
Tuberculosis of bones and joints, active or unspecified	012	184	15	17	21	35	28	44	24
Tabes dorsalis	024	118	0	0	1	17	22	33	45
Certain syphilis of central nervous system	026	171	1	2	15	31	31	59	32
Late effects of acute poliomyelitis	081	1,112	41	209	168	109	174	240	171
Certain fungus infections	134	110	0	2	10	31	17	18	32
Certain infective and parasitic diseases	138	254	56	89	21	29	34	15	10
Other	---	927	74	118	74	149	146	177	189
Neoplasms	140-239	36,560	1,026	1,678	2,443	4,028	6,285	9,736	11,364
Malignant neoplasm of -									
tongue	141	398	0	5	4	49	128	88	124
floor of mouth	143	159	0	2	14	17	31	49	46
other parts of mouth, and of mouth unspecified	144	274	0	4	10	29	64	93	74
oral mesopharynx	145	178	0	0	25	5	36	71	41
nasopharynx	146	151	5	2	5	24	30	44	41
pharynx, unspecified	148	214	0	10	19	6	58	67	54
oesophagus	150	624	0	39	46	37	92	150	260
stomach	151	998	11	16	57	100	152	314	348
large intestine, except rectum	153	1,973	26	94	108	173	301	565	706
rectum	154	1,500	15	38	65	139	257	396	590
biliary passages and of liver	155	247	2	1	32	12	50	76	74
liver	156	352	11	15	11	26	71	101	117
pancreas	157	801	0	4	73	110	136	269	209
nose, nasal cavities, middle ear, and accessory sinuses	160	113	0	0	6	6	14	41	46
larynx	161	1,126	0	13	81	88	186	316	442
bronchus and trachea, and of lung specified as primary	162	2,806	13	59	153	285	618	786	892
lung, unspecified as to whether primary or secondary	163	4,938	6	134	316	556	926	1,332	1,668
thoracic organs	165	203	0	6	7	43	48	60	39
breast	170	2,782	10	92	233	432	633	755	627
cervix uteri	171	776	4	22	63	150	201	195	141
corpus uteri	172	106	0	0	10	4	25	28	39
uterus, unspecified	174	146	0	5	1	7	31	33	69
ovary, fallopian tube, and broad ligament	175	669	11	41	33	94	103	224	163
prostate	177	1,309	0	4	0	38	116	399	752
testis	178	176	46	83	15	15	2	15	0
kidney	180	795	5	45	39	80	87	182	357
bladder and other urinary organs	181	839	0	4	23	57	111	229	415
Malignant melanoma of skin	190	356	21	34	28	40	82	89	62
Malignant neoplasm of -									
skin excluding malignant melanoma	191	312	1	14	4	47	67	56	123
brain and other parts of nervous system	193	1,706	159	190	181	240	216	451	269
thyroid gland	194	136	11	15	16	35	6	26	27
bone (including jaw bone)	196	341	91	36	20	43	36	68	47
connective tissue	197	259	24	36	20	10	28	63	78
certain and unspecified sites	199	2,951	82	103	258	350	436	853	869
Lymphosarcoma and reticulosarcoma	200	1,008	73	56	89	117	196	167	310
Hodgkin's disease	201	798	179	149	101	130	64	100	75
Lymphoma	202	190	0	17	10	23	19	39	82
Multiple myeloma	203	621	8	29	29	62	125	191	177
Leukaemia and aleukaemia	204	1,086	94	113	84	70	144	241	340
Benign neoplasm of brain and other parts of nervous system	223	446	32	54	32	54	111	75	88
Neoplasm of unspecified nature of brain and certain parts of nervous system	237	375	30	20	27	35	95	103	65
Other	---	1,322	56	74	95	190	153	336	418

Table 10.--Primary diagnosis by age and sex--Continued

Diagnostic group and primary diagnosis	International code	Total	Age						
			Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		Total--Continued							
Allergic, endocrine system, metabolic, and nutritional diseases	240-289	11,359	343	688	647	1,204	1,901	3,337	3,239
Thyrotoxicosis with or without goitre	252	229	11	13	2	23	46	49	85
Myxoedema and cretinism	253	128	10	5	4	8	20	36	45
Diabetes mellitus	260	7,822	248	499	404	787	1,231	2,279	2,374
Certain avitaminoses and nutritional deficiency states	286	320	2	13	29	31	54	103	88
Obesity, not of an endocrine origin	287	1,608	20	42	110	211	330	565	330
Gout	288	494	0	5	8	49	94	168	170
Certain metabolic diseases	289	355	27	51	38	65	48	66	60
Other	---	403	25	60	52	30	78	71	87
Diseases of the blood and blood-forming organs	290-299	1,037	63	105	50	115	142	258	304
Certain anaemias	292	296	43	20	18	19	22	79	95
Anaemia of unspecified type	293	233	8	16	13	22	36	51	87
Polycythaemia	294	151	0	0	10	16	11	48	66
Other	---	357	12	69	9	58	73	80	56
Mental, psychoneurotic, and personality disorders	300-329	41,894	5,678	8,376	5,327	5,783	5,731	6,150	4,849
Schizophrenic disorders (dementia praecox)	300	20,524	4,159	6,102	3,264	2,965	2,028	1,374	632
Manic-depressive reaction	301	857	23	124	98	111	150	201	150
Involutional melancholia	302	1,509	1	5	29	144	402	482	446
Paranoia and paranoid states	303	168	6	10	30	21	52	26	23
Presenile psychosis	305	246	0	0	11	25	24	120	66
Alcoholic psychosis	307	281	11	28	36	41	64	64	37
Psychosis due to any disease or injury of brain	308	304	47	47	42	53	35	26	54
Mental deterioration and certain other psychoses of unspecified etiology	309	1,978	217	365	241	300	270	283	302
Anxiety reaction without mention of somatic symptoms	310	2,497	38	264	271	423	461	626	414
Hysterical reaction without mention of anxiety reaction	311	672	33	67	87	97	193	133	62
Obsessive-compulsive reaction	313	132	21	37	19	10	3	29	13
Neurotic-depressive reaction	314	2,715	120	209	306	361	479	704	536
Psychoneurosis with somatic symptoms affecting -									
Circulatory system	315	110	1	2	10	9	35	34	19
Digestive system	316	169	2	14	40	29	34	15	35
Certain systems	317	337	2	69	42	73	41	67	43
Certain psychoneurotic disorders, other, mixed, and unspecified types	318	780	45	118	101	102	161	154	99
Pathological personality	320	443	59	67	70	74	57	75	41
Personality disorders	321	246	22	39	37	52	50	32	14
Late effects of alcoholism	322	1,248	0	47	98	224	307	332	240
Mental deficiency	325	1,833	386	348	249	258	222	214	156
Chronic brain syndrome	328	4,425	423	396	218	390	579	1,078	1,341
Other	---	420	62	18	28	21	84	81	126
Diseases of the nervous system and sense organs	330-398	41,758	2,496	3,337	2,797	4,315	6,530	9,646	12,637
Subarachnoid haemorrhage	330	627	2	65	67	87	181	111	114
Cerebral haemorrhage	331	9,544	116	204	342	773	1,715	2,657	3,737
Cerebral embolism and thrombosis	332	4,564	26	89	137	454	720	1,370	1,768
Cerebral palsy	334	2,757	17	50	44	119	284	671	1,572
Late effects of intracranial abscess or pyogenic infection	344	404	101	63	29	82	17	34	78
Multiple sclerosis	345	3,062	491	757	461	470	442	265	176
Paralysis agitans	350	2,240	1	9	58	169	292	687	1,024
Cerebral spastic infantile paralysis	351	555	151	127	52	87	31	50	57
Certain types of cerebral paralysis	352	143	33	30	24	16	5	26	9
Epilepsy	353	2,528	276	512	364	359	336	386	295
Certain diseases of the brain	355	2,854	157	244	214	325	490	693	731
Motor neurone disease and muscular atrophy	356	1,086	38	60	149	90	243	227	279
Certain diseases of the spinal cord including paralysis resulting from spinal cord injuries	357	1,368	405	200	155	144	103	194	167

Table 10.--Primary diagnosis by age and sex--Continued

Diagnostic group and primary diagnosis	International code	Total	Age						
			Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		Total--Continued							
Sciatica	363	260	0	14	32	61	82	25	46
Polyneuritis and polyradiculitis	364	279	32	57	15	66	28	37	44
Certain and unspecified forms of neuralgia and neuritis	366	346	10	25	14	55	67	81	94
Certain diseases of peripheral nerves	368	1,714	200	230	159	139	375	293	318
Certain inflammations of uveal tract	376	261	12	11	36	42	50	57	53
Inflammation of optic nerve and retina	377	100	11	20	9	5	8	24	23
Refractive errors of the eye	380	391	21	45	27	48	53	91	106
Cataract of the eye	385	725	11	32	23	41	111	204	303
Detachment of retina	386	240	9	15	24	27	34	44	87
Glaucoma	387	878	22	29	36	68	115	332	276
Certain diseases of the eye	388	1,663	148	150	134	176	226	363	466
Blindness	389	1,182	139	124	83	112	182	221	321
Certain inflammatory diseases of the ear	394	111	0	17	5	29	1	28	31
Meniere's disease	395	340	0	10	14	42	84	80	110
Deaf mutism	397	153	12	12	10	23	36	30	30
Deafness	398	623	33	49	35	83	93	211	119
Other	---	760	22	87	45	123	126	154	203
Diseases of the circulatory system	400-468	80,906	540	2,037	3,406	6,869	12,818	23,149	32,087
Diseases of mitral valve	410	1,730	54	189	179	201	285	488	334
Diseases of aortic valve specified as rheumatic	411	613	19	43	77	60	132	120	162
Certain heart diseases specified as rheumatic	416	2,483	59	187	215	301	444	735	542
Arteriosclerotic heart disease, including coronary disease	420	51,473	29	774	1,688	4,353	8,110	14,819	21,700
Chronic endocarditis not specified as rheumatic	421	430	21	22	4	34	91	111	147
Certain types of myocardial degeneration	422	1,711	17	48	88	123	221	505	709
Functional disease of heart	433	331	11	8	32	5	37	121	117
Certain and unspecified diseases of heart	434	1,786	22	81	115	210	246	498	614
Hypertensive heart disease with arteriolar nephrosclerosis	442	378	5	6	30	40	37	129	131
Certain and unspecified hypertensive heart disease	443	7,928	32	168	296	590	1,297	2,301	3,244
Essential benign hypertension	444	1,903	22	24	54	83	313	622	785
Essential malignant hypertension	445	188	5	15	29	22	51	48	18
Hypertension with arteriolar nephrosclerosis	446	264	22	8	44	39	34	82	35
Certain hypertensive disease without mention of heart	447	745	9	26	72	54	153	199	232
General arteriosclerosis	450	3,504	4	6	77	210	512	1,020	1,675
Aortic aneurysm, non-syphilitic, and dissecting aneurysm	451	189	11	0	10	12	35	40	81
Certain other aneurysm, except of heart and aorta	452	321	21	52	5	34	41	59	109
Peripheral vascular disease	453	915	24	54	59	99	152	230	297
Arterial embolism and thrombosis	454	283	0	25	19	33	63	77	66
Certain diseases of arteries	456	601	79	90	51	53	89	107	132
Varicose veins of lower extremities	460	787	0	26	39	66	150	229	277
Phlebitis and thrombophlebitis of - lower extremities	463	415	0	39	35	52	53	104	132
certain sites	464	510	1	39	44	71	91	109	155
Pulmonary embolism and infarction	465	119	4	34	2	13	16	37	13
Certain diseases of circulatory system	467	839	28	25	87	40	79	282	298
Other	---	460	41	48	55	71	86	77	82
Diseases of the respiratory system	470-529	22,635	60	391	699	1,717	3,524	6,743	9,501
Chronic bronchitis	502	2,135	16	109	98	184	388	573	767
Pneumoconiosis due to silica and silicates	523	434	0	6	15	33	82	117	181
Certain chronic interstitial pneumonia	525	600	4	24	29	65	72	172	234
Bronchiectasis	526	288	0	28	11	34	25	122	68
Certain diseases of lung and pleural cavity	527	2,483	29	49	146	164	446	697	952
Emphysema	528	16,305	3	145	377	1,191	2,458	4,928	7,203
Other	---	390	8	30	23	46	53	134	96
Diseases of the digestive system	530-587	7,806	196	473	709	1,036	1,551	1,824	2,017
Diseases of oesophagus	539	100	13	11	0	15	18	28	15
Ulcer of stomach	540	346	0	10	17	26	53	108	132

Table 10.--Primary diagnosis by age and sex--Continued

Diagnostic group and primary diagnosis	International code	Total	Age						
			Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		Total--Continued							
Ulcer of duodenum	541	462	0	33	15	52	72	111	179
Disorders of function of stomach	544	378	10	44	28	42	53	117	84
Certain diseases of stomach and duodenum	545	144	8	0	11	19	41	5	60
Hernia of abdominal cavity without mention of obstruction	560	528	0	21	24	28	92	123	240
Intestinal obstruction without mention of hernia	570	133	0	4	15	5	36	18	55
Chronic enteritis and ulcerative colitis	572	810	111	75	77	114	135	146	152
Certain diseases of intestines and peritoneum	578	353	25	35	4	43	56	83	107
Cirrhosis of liver	581	3,570	13	171	381	571	792	873	769
Certain diseases of liver	583	173	4	17	23	20	20	52	37
Cholecystitis and cholangitis without mention of calculi	585	105	0	10	12	4	35	14	30
Diseases of pancreas	587	294	3	27	58	54	73	31	48
Other	---	410	9	15	44	43	75	115	109
Diseases of the genito-urinary system	590-637	2,926	277	248	278	355	429	581	758
Nephritis with oedema, including nephrosis	591	108	12	7	12	12	26	25	14
Chronic nephritis	592	751	119	99	94	97	47	151	144
Nephritis not specified as acute or chronic	593	455	45	56	57	64	92	58	83
Infections of kidney	600	669	38	33	52	119	127	128	172
Calculi of kidney and ureter	602	107	2	0	15	11	5	11	63
Certain diseases of kidney and ureter	603	189	24	19	6	24	26	54	45
Certain diseases of bladder	606	137	10	7	14	15	26	36	29
Other	---	510	27	36	28	13	80	118	208
Diseases of the skin and cellular tissue	690-716	1,358	62	144	136	237	238	256	285
Certain dermatitis	703	105	0	7	1	1	13	32	51
Erythematous conditions	705	289	23	41	26	53	30	60	56
Psoriasis and similar disorders	706	106	0	6	16	20	29	22	13
Certain hypertrophic and atrophic conditions of skin	710	356	16	45	44	81	79	59	32
Chronic ulcer of skin	715	177	6	9	20	18	26	37	61
Other	---	325	17	36	29	64	61	46	72
Diseases of the bones and organs of movement	720-749	43,677	1,721	3,822	3,286	5,023	7,023	10,412	12,390
Rheumatoid arthritis and allied conditions	722	8,624	241	437	651	1,125	1,612	2,269	2,289
Osteo-arthritis and allied conditions	723	13,123	46	186	261	733	2,016	4,042	5,839
Certain forms of arthritis	724	421	2	20	28	55	52	125	139
Arthritis, unspecified	725	1,432	15	60	53	151	229	365	559
Muscular rheumatism	726	328	7	29	23	39	73	83	74
Osteomyelitis and periostitis	730	1,204	145	220	55	146	169	242	227
Osteitis deformans	731	152	0	0	10	2	7	64	69
Osteochondrosis	732	129	5	1	9	35	12	46	21
Certain diseases of bone	733	2,437	89	378	283	427	361	459	440
Internal derangement of knee joint	734	185	5	25	26	37	36	24	32
Displacement of intervertebral disc	735	10,051	466	1,739	1,344	1,531	1,652	1,697	1,622
Affection of sacro-iliac joint	736	225	15	13	27	44	9	65	52
Ankylosis of joint	737	869	47	181	118	137	165	131	90
Certain diseases of joint	738	1,304	68	191	98	197	195	278	277
Synovitis, bursitis, and tenosynovitis without mention of occupational origin	741	224	0	23	19	59	35	24	64
Certain diseases of muscle, tendon, and fascia	744	896	114	142	106	105	107	146	176
Curvature of spine	745	480	6	47	33	52	74	129	139
Residual deformities of the bones and joints	749	1,453	445	128	131	134	194	175	246
Other	---	140	5	2	11	14	25	48	35
Congenital malformations	750-759	2,670	256	426	274	437	442	452	383
Congenital cataract and other congenital malformations of nervous system and sense organs	753	594	64	114	73	106	82	78	77

Table 10.--Primary diagnosis by age and sex--Continued

Diagnostic group and primary diagnosis	International code	Total	Age						
			Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		Total--Continued							
Congenital malformations of -									
circulatory system	754	463	75	88	53	59	83	52	53
genito-urinary system	757	232	0	17	18	87	39	31	40
bone and joint	758	1,155	93	182	117	159	198	243	163
Certain and unspecified congenital malformations	759	165	19	11	8	15	24	39	49
Other	---	61	5	14	5	11	16	9	1
Symptoms, senility, and ill-defined conditions	780-795	489	16	19	19	83	44	147	161
Ill-defined and unknown causes of morbidity and mortality	795	181	9	14	13	40	13	45	47
Other	---	308	7	5	6	43	31	102	114
Accidents, poisonings, and violence	800-999	25,319	6,813	3,744	2,329	2,627	2,724	3,310	3,772
Late effects of -									
certain and unqualified skull fractures	803	402	117	78	11	30	38	74	54
multiple fractures involving skull or face with other bones	804	144	38	28	17	10	6	23	22
Fracture and fracture dislocation of vertebral column -									
without mention of spinal cord lesion	805	1,522	263	210	117	170	155	275	332
with spinal cord lesion	806	1,544	817	345	95	125	82	41	39
Fracture of pelvis	808	281	34	39	12	31	54	49	62
Multiple and ill-defined fractures of trunk	809	664	137	97	53	87	89	74	127
Fracture of humerus	812	417	80	50	12	57	38	88	92
Fracture of radius and ulna	813	396	74	102	24	42	35	34	85
Certain, multiple, and ill-defined fractures of upper limb	818	109	15	19	8	15	12	3	37
Multiple fractures involving both upper limbs, and upper limb with rib and sternum	819	152	35	11	4	13	13	22	54
Fracture of neck of femur	820	1,557	63	40	85	124	301	394	550
Certain fractures of femur	821	2,078	656	321	142	236	215	235	273
Fracture of -									
patella	822	158	20	12	6	40	17	29	34
tibia and fibula	823	2,331	613	334	276	311	315	282	200
ankle	824	509	83	64	48	71	77	88	78
one or more tarsal and metatarsal bones	825	427	51	60	89	40	47	72	68
Certain, multiple, and ill-defined fractures of lower limb	827	749	212	117	86	66	105	68	95
Multiple fractures involving both lower limbs, lower with upper limb, and lower limb with rib and sternum	828	2,238	502	336	261	239	257	258	385
Dislocation of knee	836	171	11	36	20	18	35	12	39
Certain, multiple, and ill-defined dislocations	839	104	20	21	5	18	15	12	13
Sprains and strains of -									
sacro-iliac region	846	709	36	109	119	64	85	110	186
certain and unspecified parts of back	847	233	17	19	42	40	36	40	39
Concussion	852	242	54	30	48	22	25	28	35
Cerebral laceration and contusion	853	523	276	69	48	52	32	21	25
Subarachnoid, subdural, and extradural haemorrhage following injury	854	159	21	38	23	13	20	27	17
Certain and unspecified intracranial haemorrhage following injury	855	185	36	15	18	29	8	39	40
Certain head injuries including those of unspecified nature	856	600	281	86	66	57	17	62	31
Internal injury, unspecified or involving intrathoracic with intra-abdominal organs	869	251	120	43	35	18	14	16	5
Enucleation of eye	871	110	20	8	9	8	17	19	29
Traumatic amputation of arm and hand	888	170	52	23	22	25	16	12	20
Open wound of knee and leg, and of ankle not involving tendons	891	145	80	29	0	7	9	14	6
Traumatic amputation of leg	898	252	120	10	1	16	35	39	31
Multiple open wounds of certain and unspecified locations	908	374	301	24	2	21	1	23	2
Burn involving certain and unspecified parts	949	401	113	75	70	66	38	24	15
Spinal cord lesion without evidence of spinal bone injury	958	915	390	183	87	42	57	84	72
Certain and multiple nerve injury	959	151	45	25	1	4	7	36	33
Certain and unspecified injury	996	1,459	287	211	158	152	173	231	247
Other	---	2,487	723	427	209	248	228	352	300
All others	---	29	0	0	0	6	1	11	11

Table 10.--Primary diagnosis by age and sex--Continued

[Primary diagnoses relating to 100 or more workers shown separately]

Diagnostic group and primary diagnosis	International code	Total	Age						
			Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
			Male						
Total	---	246,442	16,905	21,321	17,460	25,805	36,211	55,512	73,228
Infective and parasitic diseases	001-138	8,628	556	1,351	1,070	1,431	1,428	1,571	1,221
Pulmonary tuberculosis	002	6,643	441	1,092	867	1,169	1,072	1,159	843
Tuberculosis of bones and joints, active or unspecified	012	143	15	15	21	22	27	24	19
Tabes dorsalis	024	99	0	0	1	17	22	25	34
Certain syphilis of central nervous system	026	144	1	2	15	16	27	52	31
Late effects of acute poliomyelitis	081	626	23	93	95	63	113	130	109
Certain fungus infections	134	82	0	0	3	26	11	18	24
Certain infective and parasitic diseases	138	156	44	59	1	12	24	7	9
Other	---	735	32	90	67	106	132	156	152
Neoplasms	140-239	25,702	792	1,185	1,643	2,639	4,170	6,725	8,548
Malignant neoplasm of -									
tongue	141	330	0	5	4	36	118	64	103
floor of mouth	143	141	0	2	14	17	26	47	35
other parts of mouth, and of mouth unspecified	144	249	0	4	10	24	62	75	74
oral mesopharynx	145	142	0	0	25	5	25	50	37
nasopharynx	146	140	5	2	1	24	30	39	39
pharynx, unspecified	148	202	0	5	19	6	57	67	48
oesophagus	150	564	0	39	46	27	75	145	232
stomach	151	842	11	12	28	74	135	279	303
large intestine, except rectum	153	1,312	21	72	63	116	174	375	491
rectum	154	1,085	15	29	42	116	186	312	385
biliary passages and of liver	155	167	2	1	32	5	34	30	63
liver	156	270	11	10	7	21	51	76	94
pancreas	157	652	0	4	56	101	118	194	179
nose, nasal cavities, middle ear, and accessory sinuses	160	106	0	0	6	6	14	36	44
larynx	161	1,072	0	13	77	76	176	301	429
bronchus and trachea, and of lung specified as primary	162	2,538	13	57	126	226	550	733	833
lung, unspecified as to whether primary or secondary	163	4,395	6	112	273	466	812	1,175	1,551
thoracic organs	165	167	0	6	7	32	25	60	37
breast	170	95	0	1	0	7	35	48	4
prostate	177	1,309	0	4	0	38	116	399	752
testis	178	176	46	83	15	15	2	15	0
kidney	180	652	0	38	29	73	70	119	323
bladder and other urinary organs	181	704	0	4	23	42	97	203	335
Malignant melanoma of skin	190	238	21	22	17	34	42	60	42
Malignant neoplasm of -									
skin excluding malignant melanoma	191	239	0	14	4	36	46	20	119
brain and other parts of nervous system	193	1,356	123	151	145	208	171	321	237
thyroid gland	194	80	11	9	5	19	0	9	27
bone (including jaw bone)	196	211	70	11	6	23	13	52	36
connective tissue	197	181	19	35	5	8	28	48	38
certain and unspecified sites	199	1,771	77	63	191	236	247	462	495
Lymphosarcoma and reticulosarcoma	200	701	54	32	87	79	111	112	226
Hodgkin's disease	201	636	122	112	86	105	60	84	67
Lymphoma	202	128	0	6	6	11	16	32	57
Multiple myeloma	203	478	4	24	26	62	93	134	135
Leukaemia and aleukaemia	204	848	74	87	61	62	114	164	286
Benign neoplasm of brain and other parts of nervous system	223	288	18	52	26	47	46	31	68
Neoplasm of unspecified nature of brain and certain parts of nervous system	237	311	30	13	21	27	86	72	62
Other	---	926	39	51	54	129	109	282	262

Table 10.--Primary diagnosis by age and sex--Continued

Diagnostic group and primary diagnosis	International code	Total	Age						
			Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
			Male--Continued						
Allergic, endocrine system, metabolic, and nutritional diseases	240-289	7,080	224	498	448	647	1,245	1,904	2,114
Thyrotoxicosis with or without goitre	252	104	11	8	2	6	34	26	17
Myxoedema and cretinism	253	76	10	5	3	8	14	12	24
Diabetes mellitus	260	5,309	174	366	338	479	899	1,429	1,624
Certain avitaminoses and nutritional deficiency states	286	199	2	11	18	18	42	57	51
Obesity, not of an endocrine origin	287	589	5	26	50	66	135	158	149
Gout	288	416	0	5	8	28	74	146	155
Certain metabolic diseases	289	183	6	39	22	22	18	40	36
Other	---	204	16	38	7	20	29	36	58
Diseases of the blood and blood-forming organs	290-299	648	57	56	28	80	98	132	197
Certain anaemias	292	192	43	4	7	6	20	48	64
Anaemia of unspecified type	293	129	2	6	8	11	15	21	66
Polycythaemia	294	77	0	0	6	12	11	10	38
Other	---	250	12	46	7	51	52	53	29
Mental, psychoneurotic, and personality disorders	300-329	29,963	4,587	6,396	3,695	4,212	3,714	3,990	3,369
Schizophrenic disorders (dementia praecox)	300	15,082	3,450	4,665	2,264	2,150	1,334	810	409
Manic-depressive reaction	301	521	7	84	58	53	78	138	103
Involutional melancholia	302	637	1	0	8	51	137	181	259
Paranoia and paranoid states	303	127	6	10	13	18	37	20	23
Presenile psychosis	305	226	0	0	11	25	22	106	62
Alcoholic psychosis	307	260	11	27	36	41	53	59	33
Psychosis due to any disease or injury of brain	308	247	35	36	31	51	35	21	38
Mental deterioration and certain other psychoses of unspecified etiology	309	1,423	168	259	185	236	170	183	222
Anxiety reaction without mention of somatic symptoms	310	1,595	26	177	196	315	294	382	205
Hysterical reaction without mention of anxiety reaction	311	433	22	46	62	78	96	89	40
Obsessive-compulsive reaction	313	73	21	21	12	4	2	6	7
Neurotic-depressive reaction	314	1,586	38	147	157	218	297	380	349
Psychoneurosis with somatic symptoms affecting -									
circulatory system	315	79	1	2	5	9	35	14	13
digestive system	316	99	2	5	20	25	18	10	19
certain systems	317	267	1	54	35	65	38	51	23
Certain psychoneurotic disorders, other, mixed, and unspecified types	318	495	35	85	59	68	96	79	73
Pathological personality	320	307	50	48	44	67	27	50	21
Personality disorders	321	187	22	37	36	24	36	23	9
Late effects of alcoholism	322	1,089	0	42	67	196	252	304	228
Mental deficiency	325	1,392	266	269	194	205	166	177	115
Chronic brain syndrome	328	3,593	378	371	195	292	444	880	1,033
Other	---	245	47	11	7	21	47	27	85
Diseases of the nervous system and sense organs	330-398	31,458	1,830	2,393	2,002	3,059	4,738	7,208	10,228
Subarachnoid haemorrhage	330	412	1	54	24	43	141	75	74
Cerebral haemorrhage	331	7,622	60	153	256	526	1,322	2,151	3,154
Cerebral embolism and thrombosis	332	3,760	19	52	100	364	583	1,164	1,478
Cerebral palsy	334	2,207	17	39	23	74	230	511	1,313
Late effects of intracranial abscess or pyogenic infection	344	345	87	61	18	70	17	17	75
Multiple sclerosis	345	1,554	255	378	215	251	224	137	94
Paralysis agitans	350	1,691	1	9	44	144	221	483	789
Cerebral spastic infantile paralysis	351	406	85	102	36	69	28	45	41
Certain types of cerebral paralysis	352	121	33	30	19	16	1	13	9
Epilepsy	353	1,982	211	386	317	257	266	296	249
Certain diseases of the brain	355	2,148	78	186	180	253	329	499	623

Table 10.--Primary diagnosis by age and sex--Continued

Diagnostic group and primary diagnosis	International code	Total	Age						
			Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
	Male--Continued								
Motor neurone disease and muscular atrophy	356	900	33	56	122	79	194	191	225
Certain diseases of the spinal cord including paralysis resulting from spinal cord injuries	357	1,195	392	185	139	112	85	148	134
Sciatica	363	167	0	10	27	55	40	12	23
Polyneuritis and polyradiculitis	364	209	27	37	10	39	22	37	37
Certain and unspecified forms of neuralgia and neuritis	366	263	10	19	8	51	33	53	91
Certain diseases of peripheral nerves	368	1,258	186	177	110	101	246	199	239
Certain inflammations of uveal tract	376	184	10	8	27	31	37	35	36
Inflammation of optic nerve and retina	377	63	9	7	8	3	0	20	16
Refractive errors of the eye	380	286	17	39	23	30	33	68	76
Cataract of the eye	385	516	8	27	22	30	84	120	225
Detachment of retina	386	194	6	13	24	21	22	36	72
Glaucoma	387	634	17	24	26	50	86	218	213
Certain diseases of the eye	388	1,157	101	119	86	141	168	219	323
Blindness	389	909	119	98	67	83	123	158	261
Certain inflammatory diseases of the ear	394	88	0	15	5	29	0	20	19
Meniere's disease	395	197	0	5	14	17	53	41	67
Deaf mutism	397	98	12	12	9	7	25	10	23
Deafness	398	386	16	18	18	44	60	128	102
Other	---	504	20	74	25	69	65	104	147
Diseases of the circulatory system	400-468	61,836	344	1,572	2,662	5,311	9,513	17,092	25,342
Diseases of mitral valve	410	964	24	134	108	85	148	275	190
Diseases of aortic valve specified as rheumatic	411	452	0	35	61	42	96	91	127
Certain heart diseases specified as rheumatic	416	1,395	36	115	135	166	236	402	305
Arteriosclerotic heart disease, including coronary disease	420	41,599	27	668	1,482	3,649	6,433	11,656	17,684
Chronic endocarditis not specified as rheumatic	421	339	15	22	4	24	86	68	120
Certain types of myocardial degeneration	422	1,376	17	48	83	98	171	386	573
Functional disease of heart	433	236	11	5	21	4	18	96	81
Certain and unspecified diseases of heart	434	1,380	16	65	87	170	209	307	526
Hypertensive heart disease with arteriolar nephrosclerosis	442	319	5	6	19	27	33	118	111
Certain and unspecified hypertensive heart disease	443	5,151	32	144	227	341	779	1,433	2,195
Essential benign hypertension	444	1,217	16	24	46	46	197	343	545
Essential malignant hypertension	445	164	4	15	28	22	40	42	13
Hypertension with arteriolar nephrosclerosis	446	175	12	4	15	38	22	59	25
Certain hypertensive disease without mention of heart	447	483	4	22	63	43	65	116	170
General arteriosclerosis	450	2,974	4	6	49	186	422	824	1,483
Aortic aneurysm, non-syphilitic, and dissecting aneurysm	451	156	11	0	0	2	24	38	81
Certain other aneurysm, except of heart and aorta	452	173	5	37	4	8	21	30	68
Peripheral vascular disease	453	737	22	39	42	82	91	212	249
Arterial embolism and thrombosis	454	234	0	10	13	22	63	64	62
Certain diseases of arteries	456	381	34	41	26	40	46	82	112
Varicose veins of lower extremities	460	433	0	22	24	45	80	109	153
Phlebitis and thrombophlebitis of-									
lower extremities	463	241	0	13	15	26	36	62	89
certain sites	464	291	0	27	23	55	56	29	101
Pulmonary embolism and infarction	465	90	4	17	2	13	15	32	7
Certain diseases of circulatory system	467	573	27	24	42	32	69	170	209
Other	---	303	18	29	43	45	57	48	63
Diseases of the respiratory system	470-529	19,[illegible]	40	278	533	1,371	2,860	5,772	8,347
Chronic bronchitis	502	1,321	16	72	52	102	245	361	473
Pneumoconiosis due to silica and silicates	523	434	0	6	15	33	82	117	181

Table 10.--Primary diagnosis by age and sex--Continued

Diagnostic group and primary diagnosis	International code	Total	Age						
			Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
			Male--Continued						
Certain chronic interstitial pneumonia...	525	432	4	3	14	46	62	112	191
Bronchiectasis	526	178	0	17	5	24	20	76	36
Certain diseases of lung and pleural cavity	527	2,001	15	33	113	126	329	621	764
Emphysema	528	14,546	3	125	317	1,005	2,086	4,368	6,642
Other	---	289	2	22	17	35	36	117	60
Diseases of the digestive system....	530-587	5,795	132	343	516	845	1,085	1,317	1,557
Diseases of oesophagus	539	82	13	0	0	15	18	21	15
Ulcer of stomach	540	287	0	10	7	22	34	101	113
Ulcer of duodenum	541	398	0	29	10	52	58	98	151
Disorders of function of stomach	544	282	10	32	16	41	30	93	60
Certain diseases of stomach and duodenum	545	82	5	0	5	19	17	5	31
Hernia of abdominal cavity without mention of obstruction	560	416	0	17	19	27	76	92	185
Intestinal obstruction without mention of hernia	570	77	0	0	5	5	20	8	39
Chronic enteritis and ulcerative colitis.	572	423	65	42	34	79	63	63	77
Certain diseases of intestines and peritoneum	578	212	25	24	2	27	33	41	60
Cirrhosis of liver	581	2,877	7	146	325	478	608	671	642
Certain diseases of liver	583	83	0	6	11	5	4	20	37
Cholecystitis and cholangitis without mention of calculi	585	80	0	10	10	4	29	7	20
Diseases of pancreas	587	226	3	16	46	47	51	26	37
Other	---	270	4	11	26	24	44	71	90
Diseases of the genito-urinary system	590-637	2,122	230	190	225	252	277	436	512
Nephritis with oedema, including nephrosis	591	81	8	7	10	12	16	25	3
Chronic nephritis	592	628	113	85	82	86	32	121	109
Nephritis not specified as acute or chronic	593	367	43	49	43	43	75	47	67
Infections of kidney	600	421	13	26	34	87	77	81	103
Calculi of kidney and ureter	602	71	2	0	11	11	5	11	31
Certain diseases of kidney and ureter....	603	122	14	4	4	3	20	48	29
Certain diseases of bladder	606	92	10	5	14	5	12	17	29
Other	---	340	27	14	27	5	40	86	141
Diseases of the skin and cellular tissue	690-716	817	29	92	66	132	141	135	222
Certain dermatitis	703	86	0	7	0	1	11	19	48
Erythematous conditions	705	164	12	24	5	29	11	27	56
Psoriasis and similar disorders	706	70	0	5	5	20	19	8	13
Certain hypertrophic and atrophic conditions of skin	710	139	11	17	23	32	31	15	10
Chronic ulcer of skin	715	149	0	5	20	18	26	30	50
Other	---	209	6	34	13	32	43	36	45
Diseases of the bones and organs of movement	720-749	29,851	1,438	3,242	2,336	3,467	4,455	6,497	8,416
Rheumatoid arthritis and allied conditions	722	4,758	135	293	338	608	815	1,223	1,346
Osteo-arthritis and allied conditions....	723	8,581	45	157	176	500	1,298	2,342	4,063
Certain forms of arthritis	724	330	2	19	25	48	49	84	103
Arthritis, unspecified	725	937	11	54	31	88	136	220	397
Muscular rheumatism	726	183	7	16	2	31	40	42	45
Osteomyelitis and periostitis	730	1,013	135	218	40	105	144	205	166
Osteitis deformans	731	140	0	0	0	2	7	62	69
Osteochondrosis	732	80	5	1	9	24	12	13	16
Certain diseases of bone	733	1,557	71	308	232	334	223	224	165
Internal derangement of knee joint	734	164	5	25	26	37	21	19	31
Displacement of intervertebral disc	735	7,833	391	1,534	1,023	1,148	1,158	1,311	1,268
Affection of sacro-iliac joint	736	179	15	13	25	44	4	50	28

Table 10.--Primary diagnosis by age and sex--Continued

Diagnostic group and primary diagnosis	International code	Total	Age						
			Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
			Male--Continued						
Ankylosis of joint	737	723	43	166	109	101	126	105	73
Certain diseases of joint	738	1,001	64	171	90	156	138	204	178
Synovitis, bursitis, and tenosynovitis without mention of occupational origin	741	87	0	12	7	20	9	12	27
Certain diseases of muscle, tendon, and fascia	744	617	62	100	47	71	64	126	147
Curvature of spine	745	216	4	27	21	30	36	51	47
Residual deformities of the bones and joints	749	1,332	438	126	125	106	152	158	227
Other	---	120	5	2	10	14	23	46	20
Congenital malformations	750-759	1,898	189	326	188	328	295	286	286
Congenital cataract and other congenital malformations of nervous system and sense organs	753	425	49	83	34	58	53	60	68
Congenital malformations of -									
circulatory system	754	278	28	42	31	47	57	41	32
genito-urinary system	757	175	0	15	13	82	20	21	24
bone and joint	758	840	92	163	80	126	126	129	122
Certain and unspecified congenital malformations	759	126	15	11	6	5	24	26	39
Other	---	54	5	10	4	10	15	9	1
Symptoms, senility, and ill-defined conditions	780-795	360	16	18	9	54	31	121	111
Ill-defined and unknown causes of morbidity and mortality	795	144	9	14	7	36	2	38	38
Other	---	216	7	4	2	18	29	83	73
Accidents, poisonings, and violence	800-999	21,056	6,441	3,381	2,039	1,972	2,160	2,316	2,747
Late effects of -									
certain and unqualified skull fractures	803	363	101	76	6	30	27	70	53
multiple fractures involving skull or face with other bones	804	121	36	24	15	10	6	13	17
Fracture and fracture dislocation of vertebral column -									
without mention of spinal cord lesion	805	1,265	247	185	95	140	141	200	257
with spinal cord lesion	806	1,437	760	333	78	108	78	41	39
Fracture of pelvis	808	230	34	26	12	16	54	34	54
Multiple and ill-defined fractures of trunk	809	536	121	82	43	65	74	47	104
Fracture of humerus	812	307	76	46	6	50	12	64	53
Fracture of radius and ulna	813	305	66	89	19	29	33	28	41
Certain, multiple, and ill-defined fractures of upper limb	818	89	15	19	8	15	10	3	19
Multiple fractures involving both upper limbs, and upper limb with rib and sternum	819	129	35	11	6	3	12	12	52
Fracture of neck of femur	820	842	58	21	73	62	177	168	283
Certain fractures of femur	821	1,710	647	283	134	194	137	182	133
Fracture of -									
patella	822	83	20	4	6	9	17	9	18
tibia and fibula	823	2,029	588	319	256	239	267	193	167
ankle	824	345	83	52	48	51	53	22	36
one or more tarsal and metatarsal bones	825	398	51	60	89	35	43	59	61
Certain, multiple, and ill-defined fractures of lower limb	827	654	200	106	74	59	96	55	64
Multiple fractures involving both lower limbs, lower with upper limb, and lower limb with rib and sternum	828	1,823	459	310	232	188	215	157	262
Dislocation of knee	836	155	11	36	16	13	35	6	38
Certain, multiple, and ill-defined dislocations	839	92	20	21	5	6	15	12	13
Sprains and strains of -									
sacro-iliac region	846	546	32	91	99	51	43	73	157
certain and unspecified parts of back	847	165	6	17	18	21	29	38	36

Table 10.--Primary diagnosis by age and sex--Continued

Diagnostic group and primary diagnosis	International code	Total	Age						
			Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
			Male--Continued						
Concussion	852	201	51	24	31	20	24	16	35
Cerebral laceration and contusion	853	446	253	63	43	38	17	9	23
Subarachnoid, subdural, and extradural haemorrhage following injury	854	142	21	28	23	7	19	27	17
Certain and unspecified intracranial haemorrhage following injury	855	160	36	13	17	27	8	22	37
Certain head injuries including those of unspecified nature	856	544	257	77	62	40	15	62	31
Internal injury, unspecified or involving intrathoracic with intra-abdominal organs	869	233	120	37	24	17	14	16	5
Enucleation of eye	871	91	17	7	9	8	10	15	25
Traumatic amputation of arm and hand	888	165	52	23	22	25	16	7	20
Open wound of knee and leg, and of ankle not involving tendons	891	139	53	23	0	7	9	14	6
Traumatic amputation of leg	898	252	120	10	1	16	35	39	31
Multiple open wounds of certain and unspecified locations	908	364	301	24	2	11	1	23	2
Burn involving certain and unspecified parts	949	340	108	70	50	51	26	20	15
Spinal cord lesion without evidence of spinal bone injury	958	832	362	164	77	41	55	66	67
Certain and multiple nerve injury	959	127	43	20	1	4	7	19	33
Certain and unspecified injury	996	1,269	251	194	155	101	153	196	219
Other	---	2,127	703	393	186	165	177	279	224
All others	---	27	0	0	0	5	1	10	11

Table 10.--Primary diagnosis by age and sex--Continued

[Primary diagnoses relating to 100 or more workers shown separately]

Diagnostic group and primary diagnosis	International code	Total	Age						
			Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
			Female						
Total	---	84,341	3,454	5,781	6,226	9,702	14,801	22,435	21,942
Infective and parasitic diseases	001-138	1,732	256	263	216	241	201	364	191
Pulmonary tuberculosis	002	841	184	85	109	102	105	190	66
Tuberculosis of bones and joints, active or unspecified	012	41	0	2	0	13	1	20	5
Tabes dorsalis	024	19	0	0	0	0	0	8	11
Certain syphilis of central nervous system	026	27	0	0	0	15	4	7	1
Late effects of acute poliomyelitis	081	486	18	116	73	46	61	110	62
Certain fungus infections	134	28	0	2	7	5	6	0	8
Certain infective and parasitic diseases	138	98	12	30	20	17	10	8	1
Other	---	192	42	28	7	43	14	21	37
Neoplasms	140-239	10,858	234	493	800	1,389	2,115	3,011	2,816
Malignant neoplasm of -									
tongue	141	68	0	0	0	13	10	24	21
floor of mouth	143	18	0	0	0	0	5	2	11
other parts of mouth, and of mouth unspecified	144	25	0	0	0	5	2	18	0
oral mesopharynx	145	36	0	0	0	0	11	21	4
nasopharynx	146	11	0	0	4	0	0	5	2
pharynx, unspecified	148	12	0	5	0	0	1	0	6
oesophagus	150	60	0	0	0	10	17	5	28
stomach	151	156	0	4	29	26	17	35	45
large intestine, except rectum	153	661	5	22	45	57	127	190	215
rectum	154	415	0	9	23	23	71	84	205
biliary passages and of liver	155	80	0	0	0	7	16	46	11
liver	156	82	0	5	4	5	20	25	23
pancreas	157	149	0	0	17	9	18	75	30
nose, nasal cavities, middle ear, and accessory sinuses	160	7	0	0	0	0	0	5	2
larynx	161	54	0	0	4	12	10	15	13
bronchus and trachea, and of lung specified as primary	162	268	0	2	27	59	68	53	59
lung, unspecified as to whether primary or secondary	163	543	0	22	43	90	114	157	117
thoracic organs	165	36	0	0	0	11	23	0	2
breast	170	2,687	10	91	233	425	598	707	623
cervix uteri	171	776	4	22	63	150	201	195	141
corpus uteri	172	106	0	0	10	4	25	28	39
uterus, unspecified	174	146	0	5	1	7	31	33	69
ovary, fallopian tube, and broad ligament	175	669	11	41	33	94	103	224	163
kidney	180	143	5	7	10	7	17	63	34
bladder and other urinary organs	181	135	0	0	0	15	14	26	80
Malignant melanoma of skin	190	118	0	12	11	6	40	29	20
Malignant neoplasm of -									
skin excluding malignant melanoma	191	73	1	0	0	11	21	36	4
brain and other parts of nervous system	193	350	36	39	36	32	45	130	32
thyroid gland	194	56	0	6	11	16	0	17	0
bone (including jaw bone)	196	130	21	25	14	20	23	16	11
connective tissue	197	78	5	1	15	2	0	15	40
certain and unspecified sites	199	1,180	5	40	67	114	189	391	374
Lymphosarcoma and reticulosarcoma	200	307	19	24	2	38	85	55	84
Hodgkin's disease	201	162	57	37	15	25	4	16	8
Lymphoma	202	62	0	11	4	12	3	7	25
Multiple myeloma	203	143	4	5	3	0	32	57	42
Leukaemia and aleukaemia	204	238	20	26	23	8	30	77	54

Table 10.--Primary diagnosis by age and sex--Continued

Diagnostic group and primary diagnosis	International code	Total	Age						
			Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
			Female--Continued						
Benign neoplasm of brain and other parts of nervous system	223	158	14	2	6	7	65	44	20
Neoplasm of unspecified nature of brain and certain parts of nervous system	237	64	0	7	6	8	9	31	3
Other	---	396	17	23	41	61	44	54	156
Allergic, endocrine system, metabolic, and nutritional diseases	240-289	4,279	119	190	199	557	656	1,433	1,125
Thyrotoxicosis with or without goitre	252	125	0	5	0	17	12	23	68
Myxoedema and cretinism	253	52	0	0	1	0	6	24	21
Diabetes mellitus	260	2,513	74	133	66	308	332	850	750
Certain avitaminoses and nutritional deficiency states	286	121	0	2	11	13	12	46	37
Obesity, not of an endocrine origin	287	1,019	15	16	60	145	195	407	181
Gout	288	78	0	0	0	21	20	22	15
Certain metabolic diseases	289	172	21	12	16	43	30	26	24
Other	---	199	9	22	45	10	49	35	29
Diseases of the blood and blood-forming organs	290-299	389	6	49	22	35	44	126	107
Certain anaemias	292	104	0	16	11	13	2	31	31
Anaemia of unspecified type	293	104	6	10	5	11	21	30	21
Polycythaemia	294	74	0	0	4	4	0	38	28
Other	---	107	0	23	2	7	21	27	27
Mental, psychoneurotic, and personality disorders	300-329	11,931	1,091	1,980	1,632	1,571	2,017	2,160	1,480
Schizophrenic disorders (dementia praecox)	300	5,442	709	1,437	1,000	815	694	564	223
Manic-depressive reaction	301	336	16	40	40	58	72	63	47
Involutional melancholia	302	872	0	5	21	93	265	301	187
Paranoia and paranoid states	303	41	0	0	17	3	15	6	0
Presenile psychosis	305	20	0	0	0	0	2	14	4
Alcoholic psychosis	307	21	0	1	0	0	11	5	4
Psychosis due to any disease or injury of brain	308	57	12	11	11	2	0	5	16
Mental deterioration and certain other psychoses of unspecified etiology	309	555	49	106	56	64	100	100	80
Anxiety reaction without mention of somatic symptoms	310	902	12	87	75	108	167	244	209
Hysterical reaction without mention of anxiety reaction	311	239	11	21	25	19	97	44	22
Obsessive-compulsive reaction	313	59	0	16	7	6	1	23	6
Neurotic-depressive reaction	314	1,129	82	62	149	143	182	324	187
Psychoneurosis with somatic symptoms affecting -									
circulatory system	315	31	0	0	5	0	0	20	6
digestive system	316	70	0	9	20	4	16	5	16
certain systems	317	70	1	15	7	8	3	16	20
Certain psychoneurotic disorders, other, mixed, and unspecified types	318	285	10	33	42	34	65	75	26
Pathological personality	320	136	9	19	26	7	30	25	20
Personality disorders	321	59	0	2	1	28	14	9	5
Late effects of alcoholism	322	159	0	5	31	28	55	28	12
Mental deficiency	325	441	120	79	55	53	56	37	41
Chronic brain syndrome	328	832	45	25	23	98	135	198	308
Other	---	175	15	7	21	0	37	54	41
Diseases of the nervous system and sense organs	330-398	10,300	666	944	795	1,256	1,792	2,438	2,409
Subarachnoid haemorrhage	330	215	1	11	43	44	40	36	40
Cerebral haemorrhage	331	1,922	56	51	86	247	393	506	583
Cerebral embolism and thrombosis	332	804	7	37	37	90	137	206	290
Cerebral palsy	334	550	0	11	21	45	54	160	259
Late effects of intracranial abscess or pyogenic infection	344	59	14	2	11	12	0	17	3

Table 10.--Primary diagnosis by age and sex--Continued

Diagnostic group and primary diagnosis	International code	Total	Age						
			Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
			Female--Continued						
Multiple sclerosis	345	1,508	236	379	246	219	218	128	82
Paralysis agitans	350	549	0	0	14	25	71	204	235
Cerebral spastic infantile paralysis	351	149	66	25	16	18	3	5	16
Certain types of cerebral paralysis	352	22	0	0	5	0	4	13	0
Epilepsy	353	546	65	126	47	102	70	90	46
Certain diseases of the brain	355	706	79	58	34	72	161	194	108
Motor neurone disease and muscular atrophy	356	186	5	4	27	11	49	36	54
Certain diseases of the spinal cord including paralysis resulting from spinal cord injuries	357	173	13	15	16	32	18	46	33
Sciatica	363	93	0	4	5	6	42	13	23
Polyneuritis and polyradiculitis	364	70	5	20	5	27	6	0	7
Certain and unspecified forms of neuralgia and neuritis	366	81	0	6	6	4	34	28	3
Certain diseases of peripheral nerves	368	456	14	53	49	38	129	94	79
Certain inflammations of uveal tract	376	77	2	3	9	11	13	22	17
Inflammation of optic nerve and retina	377	37	2	13	1	2	8	4	7
Refractive errors of the eye	380	105	4	6	4	18	20	23	30
Cataract of the eye	385	209	3	5	1	11	27	84	78
Detachment of retina	386	46	3	2	0	6	12	8	15
Glaucoma	387	244	5	5	10	18	29	114	63
Certain diseases of the eye	388	506	47	31	48	35	58	144	143
Blindness	389	273	20	26	16	29	59	63	60
Certain inflammatory diseases of the ear	394	23	0	2	0	0	1	8	12
Meniere's disease	395	143	0	5	0	25	31	39	43
Deaf mutism	397	55	0	0	1	16	11	20	7
Deafness	398	237	17	31	17	39	33	83	17
Other	---	256	2	13	20	54	61	50	56
Diseases of the circulatory system	400-468	19,070	196	465	744	1,558	3,305	6,057	6,745
Diseases of mitral valve	410	766	30	55	71	116	137	213	144
Diseases of aortic valve specified as rheumatic	411	161	19	8	16	18	36	29	35
Certain heart diseases specified as rheumatic	416	1,088	23	72	80	135	208	333	237
Arteriosclerotic heart disease, including coronary disease	420	9,874	2	106	206	704	1,677	3,163	4,016
Chronic endocarditis not specified as rheumatic	421	91	6	0	0	10	5	43	27
Certain types of myocardial degeneration	422	335	0	0	5	25	50	119	136
Functional disease of heart	433	95	0	3	11	1	19	25	36
Certain and unspecified diseases of heart	434	406	6	16	28	40	37	191	88
Hypertensive heart disease with arteriolar nephrosclercsis	442	59	0	0	11	13	4	11	20
Certain and unspecified hypertensive heart disease	443	2,777	0	24	69	249	518	868	1,049
Essential benign hypertension	444	686	6	0	8	37	116	279	240
Essential malignant hypertension	445	24	1	0	1	0	11	6	5
Hypertension with arteriolar nephrosclerosis	446	89	10	4	29	1	12	23	10
Certain hypertensive disease without mention of heart	447	262	5	4	9	11	88	83	62
General arteriosclerosis	450	530	0	0	28	24	90	196	192
Aortic aneurysm, non-syphilitic, and dissecting aneurysm	451	33	0	0	10	10	11	2	0
Certain other aneurysm, except of heart and aorta	452	148	16	15	1	26	20	29	41
Peripheral vascular disease	453	178	2	15	17	17	61	18	48
Arterial embolism and thrombosis	454	49	0	15	6	11	0	13	4
Certain diseases of arteries	456	220	45	49	25	13	43	25	20
Varicose veins of lower extremities	460	354	0	4	15	21	70	120	124
Phlebitis and thrombophlebitis of-									
lower extremities	463	174	0	26	20	26	17	42	43
certain sites	464	219	1	12	21	16	35	80	54
Pulmonary embolism and infarction	465	29	0	17	0	0	1	5	6
Certain diseases of circulatory system	467	266	1	1	45	8	10	112	89
Other	---	157	23	19	12	26	29	29	19

Table 10.--Primary diagnosis by age and sex--Continued

Diagnostic group and primary diagnosis	International code	Total	Age						
			Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
			Female--Continued						
Diseases of the respiratory system..	470-529	3,434	20	113	166	340	664	971	1,154
Chronic bronchitis	502	814	0	37	46	82	143	212	294
Certain chronic interstitial pneumonia	525	168	0	21	15	19	10	60	43
Bronchiectasis	526	110	0	11	6	10	5	46	32
Certain diseases of lung and pleural cavity	527	482	14	16	33	38	117	76	188
Emphysema	528	1,759	0	20	60	186	372	560	561
Other	---	101	6	8	6	11	17	17	36
Diseases of the digestive system	530-587	2,011	64	130	193	191	466	507	460
Diseases of oesophagus	539	18	0	11	0	0	0	7	0
Ulcer of stomach	540	59	0	0	10	4	19	7	19
Ulcer of duodenum	541	64	0	4	5	0	14	13	28
Disorders of function of stomach	544	96	0	12	12	1	23	24	24
Certain diseases of stomach and duodenum	545	62	3	0	6	0	24	0	29
Hernia of abdominal cavity without mention of obstruction	560	112	0	4	5	1	16	31	55
Intestinal obstruction without mention of hernia	570	56	0	4	10	0	16	10	16
Chronic enteritis and ulcerative colitis	572	387	46	33	43	35	72	83	75
Certain diseases of intestines and peritoneum	578	141	0	11	2	16	23	42	47
Cirrhosis of liver	581	693	6	25	56	93	184	202	127
Certain diseases of liver	583	90	4	11	12	15	16	32	0
Cholecystitis and cholangitis without mention of calculi	585	25	0	0	2	0	6	7	10
Diseases of pancreas	587	68	0	11	12	7	22	5	11
Other	---	140	5	4	18	19	31	44	19
Diseases of the genito-urinary system	590-637	804	47	58	53	103	152	145	246
Nephritis with oedema, including nephrosis	591	27	4	0	2	0	10	0	11
Chronic nephritis	592	123	6	14	12	11	15	30	35
Nephritis not specified as acute or chronic	593	88	2	7	14	21	17	11	16
Infections of kidney	600	248	25	7	18	32	50	47	69
Calculi of kidney and ureter	602	36	0	0	4	0	0	0	32
Certain diseases of kidney and ureter	603	67	10	6	2	21	6	6	16
Certain diseases of bladder	606	45	0	2	0	10	14	19	0
Other	---	170	0	22	1	8	40	32	67
Diseases of the skin and cellular tissue	690-716	541	33	52	70	105	97	121	63
Certain dermatitis	703	19	0	0	1	0	2	13	3
Erythematous conditions	705	125	11	17	21	24	19	33	0
Psoriasis and similar disorders	706	36	0	1	11	0	10	14	0
Certain hypertrophic and atrophic conditions of skin	710	217	5	28	21	49	48	44	22
Chronic ulcer of skin	715	28	6	4	0	0	0	7	11
Other	---	116	11	2	16	32	18	10	27
Diseases of the bones and organs of movement	720-749	13,826	283	580	950	1,556	2,568	3,915	3,974
Rheumatoid arthritis and allied conditions	722	3,866	106	144	313	517	797	1,046	943
Osteo-arthritis and allied conditions	723	4,542	1	29	85	233	718	1,700	1,776
Certain forms of arthritis	724	91	0	1	3	7	3	41	36
Arthritis, unspecified	725	495	4	6	22	63	93	145	162
Muscular rheumatism	726	145	0	13	21	8	33	41	29
Osteomyelitis and periostitis	730	191	10	2	15	41	25	37	61
Osteitis deformans	731	12	0	0	10	0	0	2	0
Osteochondrosis	732	49	0	0	0	11	0	33	5
Certain diseases of bone	733	880	18	70	51	93	138	235	275

Table 10.--Primary diagnosis by age and sex--Continued

Diagnostic group and primary diagnosis	International code	Total	Age						
			Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
			Female--Continued						
Internal derangement of knee joint	734	21	0	0	0	0	15	5	1
Displacement of intervertebral disc	735	2,218	75	205	321	383	494	386	354
Affection of sacro-iliac joint	736	46	0	0	2	0	5	15	24
Ankylosis of joint	737	146	4	15	9	36	39	26	17
Certain diseases of joint	738	303	4	20	8	41	57	74	99
Synovitis, bursitis, and tenosynovitis without mention of occupational origin	741	137	0	11	12	39	26	12	37
Certain diseases of muscle, tendon, and fascia	744	279	52	42	59	34	43	20	29
Curvature of spine	745	264	2	20	12	22	38	78	92
Residual deformities of the bones and joints	749	121	7	2	6	28	42	17	19
Other	---	20	0	0	1	0	2	2	15
Congenital malformations	750-759	772	67	100	86	109	147	166	97
Congenital cataract and other congenital malformations of nervous system and sense organs	753	169	15	31	19	48	29	18	9
Congenital malformations of -									
circulatory system	754	185	47	46	22	12	26	11	21
genito-urinary system	757	57	0	2	5	5	19	10	16
bone and joint	758	315	1	17	37	33	72	114	41
Certain and unspecified congenital malformations	759	39	4	0	2	10	0	13	10
Other	---	7	0	4	1	1	1	0	0
Symptoms, senility, and ill-defined conditions	780-795	129	0	1	10	29	13	26	50
Ill-defined and unknown causes of morbidity and mortality	795	37	0	0	6	4	11	7	9
Other	---	92	0	1	4	25	2	19	41
Accidents, poisonings, and violence	800-999	4,263	372	363	290	655	564	994	1,025
Late effects of -									
certain and unqualified skull fractures	803	39	16	2	5	0	11	4	1
multiple fractures involving skull or face with other bones	804	23	2	4	2	0	0	10	5
Fracture and fracture dislocation of vertebral column -									
without mention of spinal cord lesion	805	257	16	25	22	30	14	75	75
with spinal cord lesion	806	107	57	12	17	17	4	0	0
Fracture of pelvis	808	51	0	13	0	15	0	15	8
Multiple and ill-defined fractures of trunk	809	128	16	15	10	22	15	27	23
Fracture of humerus	812	110	4	4	6	7	26	24	39
Fracture of radius and ulna	813	91	8	13	5	13	2	6	44
Certain, multiple, and ill-defined fractures of upper limb	818	20	0	0	0	0	2	0	18
Multiple fractures involving both upper limbs, and upper limb with rib and sternum	819	23	0	0	0	10	1	10	2
Fracture of neck of femur	820	715	5	19	12	62	124	226	267
Certain fractures of femur	821	368	9	38	8	42	78	53	140
Fracture of -									
patella	822	75	0	8	0	31	0	20	16
tibia and fibula	823	302	25	15	20	72	48	89	33
ankle	824	164	0	12	0	20	24	66	42
one or more tarsal and metatarsal bones	825	29	0	0	0	5	4	13	7
Certain, multiple, and ill-defined fractures of lower limb	827	95	12	11	12	7	9	13	31
Multiple fractures involving both lower limbs, lower with upper limb, and lower limb with rib and sternum	828	415	43	26	29	51	42	101	123
Dislocation of knee	836	16	0	0	4	5	0	6	1

Table 10.--Primary diagnosis by age and sex--Continued

Diagnostic group and primary diagnosis	International code	Total	Age						
			Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
	Female--Continued								
Certain, multiple, and ill-defined dislocations	839	12	0	0	0	12	0	0	0
Sprains and strains of -									
sacro-iliac region	846	163	4	18	20	13	42	37	29
certain and unspecified parts of back	847	68	11	2	24	19	7	2	3
Concussion	852	41	3	6	17	2	1	12	0
Cerebral laceration and contusion	853	77	23	6	5	14	15	12	2
Subarachnoid, subdural, and extradural haemorrhage following injury	854	17	0	10	0	6	1	0	0
Certain and unspecified intracranial haemorrhage following injury	855	25	0	2	1	2	0	17	3
Certain head injuries including those of unspecified nature	856	56	24	9	4	17	2	0	0
Internal injury, unspecified or involving intrathoracic with intra-abdominal organs	869	18	0	6	11	1	0	0	0
Enucleation of eye	871	19	3	1	0	0	7	4	4
Traumatic amputation of arm and hand	888	5	0	0	0	0	0	5	0
Open wound of knee and leg, and of ankle not involving tendons	891	6	0	6	0	0	0	0	0
Multiple open wounds of certain and unspecified locations	908	10	0	0	0	10	0	0	0
Burn involving certain and unspecified parts	949	61	5	5	20	15	12	4	0
Spinal cord lesion without evidence of spinal bone injury	958	83	28	19	10	1	2	18	5
Certain and multiple nerve injury	959	24	2	5	0	0	0	17	0
Certain and unspecified injury	996	190	36	17	3	51	20	35	28
Other	---	360	20	34	23	83	51	73	76
All others	---	2	0	0	0	1	0	1	0

Worker Disability Allowances, 1968

Table 11.--Leading diseases in rank order by sex and race

Primary diagnosis	Total				Male				Female			
	Total	White	Negro	Other	Total	White	Negro	Other	Total	White	Negro	Other
Arteriosclerotic heart disease...	1	1	1	1	1	1	1	1	1	1	1	3
Schizophrenic disorders.....	2	2	3	2	2	3	2	2	2	2	3	1
Emphysema.....	3	3	9	10	3	2	7	12	10	8	-	-
Osteo-arthritis.....	4	4	6	3	4	4	6	3	3	3	4	2
Displacement of intervertebral disc.....	5	5	8	5	5	5	8	5	8	6	12	8
Cerebral haemorrhage.....	6	7	5	7	6	6	5	7	9	9	7	4
Rheumatoid arthritis.....	7	6	10	8	10	9	12	8	4	4	6	7
Hypertensive heart disease.....	8	11	2	9	9	13	3	9	5	11	2	10
Diabetes mellitus.....	9	8	7	6	8	8	9	6	7	7	5	5
Pulmonary tuberculosis.....	10	9	4	4	7	7	4	4	-	-	9	9
Malignant lung neoplasm.....	11	10	14	12	11	10	14	10	-	-	-	-
Cerebral embolism.....	12	12	11	-	12	11	10	13	-	-	13	14
Chronic brain syndrome.....	13	13	12	11	13	12	11	-	-	-	-	-
Cirrhosis of liver.....	14	14	-	-	15	15	-	-	-	-	-	-
General arteriosclerosis.....	15	15	15	15	14	14	-	-	-	-	-	12
Malignant breast neoplasm.....	-	-	-	-	-	-	-	-	6	5	8	15
Multiple sclerosis.....	-	-	-	-	-	-	-	-	11	10	-	-
Malignant neoplasm (unspecified site).....	-	-	-	-	-	-	-	-	12	13	15	-
Neurotic-depressive.....	-	-	-	-	-	-	-	-	13	12	-	-
Rheumatic heart disease.....	-	-	-	-	-	-	-	-	14	14	-	-
Obesity, not of endocrine origin.	-	-	-	-	-	-	-	-	15	-	10	-
Certain diseases of heart.....	-	-	13	-	-	-	13	-	-	-	-	-
Fracture of tibia and fibula.....	-	-	-	13	-	-	-	11	-	-	-	-
Fracture of vertebral column with spinal cord lesion.....	-	-	-	14	-	-	-	-	-	-	-	-
Mental deterioration.....	-	-	-	-	-	-	-	-	-	-	-	11
Diseases of peripheral nerves....	-	-	-	-	-	-	-	15	-	-	-	-
Multiple fractures - lower limbs.	-	-	-	-	-	-	-	14	-	-	-	-
Certain bone diseases.....	-	-	-	-	-	-	-	-	-	15	-	-
Epilepsy.....	-	-	-	-	-	-	15	-	-	-	-	-
Essential benign hypertension....	-	-	-	-	-	-	-	-	-	-	11	-
Malignant neoplasm of cervix.....	-	-	-	-	-	-	-	-	-	-	14	13
Paralysis agitans.....	-	-	-	-	-	-	-	-	-	-	-	6

Table 12.--Fifteen primary diagnoses occurring most often by sex

Primary diagnosis	International code	Number	Percent	Cumulative percent
		Total		
1. Arteriosclerotic heart disease, including coronary disease	420	51,473	15.6	15.6
2. Schizophrenic disorders (dementia praecox)	300	20,524	6.2	21.8
3. Emphysema	528	16,305	4.9	26.7
4. Osteo-arthritis and allied conditions	723	13,123	4.0	30.7
5. Displacement of intervertebral disc	735	10,051	3.0	33.7
6. Cerebral haemorrhage	331	9,544	2.9	36.6
7. Rheumatoid arthritis and allied conditions	722	8,624	2.6	39.2
8. Hypertensive heart disease, with clinical type unspecified	443	7,928	2.4	41.6
9. Diabetes mellitus	260	7,822	2.4	44.0
10. Pulmonary tuberculosis	002	7,484	2.3	46.3
11. Malignant neoplasm of lung and bronchus, not specified as primary or secondary	163	4,938	1.5	47.8
12. Cerebral embolism and thrombosis	332	4,564	1.4	49.2
13. Chronic brain syndrome	328	4,425	1.3	50.5
14. Cirrhosis of liver	581	3,570	1.1	51.6
15. General arteriosclerosis	450	3,504	1.1	52.7
		Male		
1. Arteriosclerotic heart disease, including coronary disease	420	41,599	16.9	16.9
2. Schizophrenic disorders (dementia praecox)	300	15,082	6.1	23.0
3. Emphysema	528	14,546	5.9	28.9
4. Osteo-arthritis and allied conditions	723	8,581	3.5	32.4
5. Displacement of intervertebral disc	735	7,833	3.2	35.6
6. Cerebral haemorrhage	331	7,622	3.1	38.7
7. Pulmonary tuberculosis	002	6,643	2.7	41.4
8. Diabetes mellitus	260	5,309	2.2	43.6
9. Hypertensive heart disease, with clinical type unspecified	443	5,151	2.1	45.7
10. Rheumatoid arthritis and allied conditions	722	4,758	1.9	47.6
11. Malignant neoplasm of lung and bronchus, not specified as primary or secondary	163	4,395	1.8	49.4
12. Cerebral embolism and thrombosis	332	3,760	1.5	50.9
13. Chronic brain syndrome	328	3,593	1.5	52.4
14. General arteriosclerosis	450	2,974	1.2	53.6
15. Cirrhosis of liver	581	2,877	1.2	54.8
		Female		
1. Arteriosclerotic heart disease, including coronary disease	420	9,874	11.7	11.7
2. Schizophrenic disorders (dementia praecox)	300	5,442	6.5	18.2
3. Osteo-arthritis and allied conditions	723	4,542	5.4	23.6
4. Rheumatoid arthritis and allied conditions	722	3,866	4.6	28.2
5. Hypertensive heart disease, with clinical type unspecified	443	2,777	3.3	31.5
6. Malignant neoplasm of breast	170	2,687	3.2	34.7
7. Diabetes mellitus	260	2,513	3.0	37.7
8. Displacement of intervertebral disc	735	2,218	2.6	40.3
9. Cerebral haemorrhage	331	1,922	2.3	42.6
10. Emphysema	528	1,759	2.1	44.7
11. Multiple sclerosis	345	1,508	1.8	46.5
12. Malignant neoplasm of certain and unspecified sites	199	1,180	1.4	47.9
13. Neurotic-depressive reaction	314	1,129	1.3	49.2
14. Certain heart diseases specified as rheumatic	416	1,088	1.3	50.5
15. Obesity, not specified as of endocrine origin	287	1,019	1.2	51.7

Table 13.--Ten primary diagnoses occurring most often among workers by age and sex

Primary diagnosis	International code	Total			Male			Female		
		Number	Percent	Cumulative percent	Number	Percent	Cumulative percent	Number	Percent	Cumulative percent
Under age 40										
Schizophrenic disorders	323	10,261	21.6	21.6	8,115	21.2	21.2	2,146	23.2	23.2
Displacement of intervertebral disc	735	2,205	4.6	26.3	1,925	5.0	26.3	280	3.0	26.3
Pulmonary tuberculosis	002	1,802	3.8	30.1	1,533	4.0	30.3	269	2.9	29.2
Multiple sclerosis	345	1,248	2.6	32.7	633	1.7	31.9	615	6.7	35.8
Fracture of vertebral column	806	1,162	2.4	35.1	1,093	2.9	34.8	69	.7	36.6
Fracture of femur	821	977	2.1	37.2	930	2.4	37.2	47	.5	37.1
Fracture of tibia and fibula	823	947	2.0	39.2	907	2.4	39.6	40	.4	37.5
Multiple fractures of limbs	828	838	1.8	41.0	769	2.0	41.6	69	.7	38.3
Arteriosclerotic heart disease	420	803	1.7	42.7	695	1.8	43.4	108	1.2	39.4
Epilepsy	353	788	1.7	44.3	597	1.6	45.0	191	2.1	41.5
Aged 40-49										
Schizophrenic disorders	300	6,229	10.5	10.5	4,414	10.2	10.2	1,815	11.4	11.4
Arteriosclerotic heart disease	420	6,041	10.2	20.7	5,131	11.9	22.1	910	5.7	17.1
Displacement of intervertebral disc	735	2,875	4.9	25.6	2,171	5.0	27.1	704	4.4	21.5
Pulmonary tuberculosis	002	2,247	3.8	29.4	2,036	4.7	31.8	211	1.3	22.9
Rheumatoid arthritis	722	1,776	3.0	32.4	946	2.2	34.0	830	5.2	28.1
Emphysema	528	1,568	2.6	35.0	1,322	3.1	37.0	246	1.5	29.6
Diabetes mellitus	260	1,191	2.0	37.0	817	1.9	38.9	374	2.3	32.0
Cerebral haemorrhage	331	1,115	1.9	38.9	782	1.8	40.7	333	2.1	34.0
Osteo-arthritis	723	994	1.7	40.6	676	1.6	42.3	318	2.0	36.0
Cirrhosis of liver	581	952	1.6	42.2	803	1.9	44.1	149	.9	37.0
Aged 50-54										
Arteriosclerotic heart disease	420	8,110	15.9	15.9	6,433	17.8	17.8	1,677	11.3	11.3
Emphysema	528	2,458	4.8	20.7	2,086	5.8	23.5	372	2.5	13.8
Schizophrenic disorders	300	2,028	4.0	24.7	1,334	3.7	27.2	694	4.7	18.5
Osteo-arthritis	723	2,016	4.0	28.6	1,298	3.6	30.8	718	4.9	23.4
Cerebral haemorrhage	331	1,715	3.4	32.0	1,322	3.7	34.4	393	2.7	26.0
Displacement of intervertebral disc	735	1,652	3.2	35.2	1,158	3.2	37.6	494	3.3	29.4
Rheumatoid arthritis	722	1,612	3.2	38.4	815	2.3	39.9	797	5.4	34.8
Hypertensive heart disease	443	1,297	2.5	40.9	779	2.2	42.0	518	3.5	38.3
Diabetes mellitus	260	1,231	2.4	43.4	899	2.5	44.5	332	2.2	40.5
Pulmonary tuberculosis	002	1,177	2.3	45.7	1,072	3.0	47.5	105	.7	41.2
Aged 55-59										
Arteriosclerotic heart disease	420	14,819	19.0	19.0	11,656	21.0	21.0	3,163	14.1	14.1
Emphysema	528	4,928	6.3	25.3	4,368	7.9	28.9	560	2.5	16.6
Osteo-arthritis	723	4,042	5.2	30.5	2,342	4.2	33.1	1,700	7.6	24.2
Cerebral haemorrhage	331	2,657	3.4	33.9	2,151	3.9	37.0	506	2.3	26.4
Hypertensive heart disease	443	2,301	3.0	36.9	1,433	2.6	39.5	868	3.9	30.3
Diabetes mellitus	260	2,279	2.9	39.8	1,429	2.6	42.1	850	3.8	34.1
Rheumatoid arthritis	722	2,269	2.9	42.7	1,223	2.2	44.3	1,046	4.7	38.7
Displacement of intervertebral disc	735	1,697	2.2	44.9	1,311	2.4	46.7	386	1.7	40.5
Schizophrenic disorders	300	1,374	1.8	46.7	810	1.5	48.1	564	2.5	43.0
Cerebral embolism and thrombosis	332	1,370	1.8	48.4	1,164	2.1	50.2	206	.9	43.9
Aged 60 and over										
Arteriosclerotic heart disease	420	21,700	22.8	22.8	17,684	24.1	24.1	4,016	18.3	18.3
Emphysema	528	7,203	7.6	30.4	6,642	9.1	33.2	561	2.6	20.9
Osteo-arthritis	723	5,839	6.1	36.5	4,063	5.5	38.8	1,776	8.1	29.0
Cerebral haemorrhage	331	3,737	3.9	40.4	3,154	4.3	43.1	583	2.7	31.6
Hypertensive heart disease	443	3,244	3.4	43.8	2,195	3.0	46.1	1,049	4.8	36.4
Diabetes mellitus	260	2,374	2.5	46.3	1,624	2.2	48.3	750	3.4	39.8
Rheumatoid arthritis	722	2,289	2.4	48.7	1,346	1.8	50.1	943	4.3	44.1
Cerebral embolism and thrombosis	332	1,768	1.9	50.6	1,478	2.0	52.1	290	1.3	45.4
General arteriosclerosis	450	1,675	1.8	52.4	1,483	2.0	54.2	192	.9	46.3
Neoplasm of lung	163	1,668	1.8	54.1	1,551	2.1	56.3	117	.5	46.8

Worker Disability Allowances, 1957-68

Table 14.--Leading causes of disability by sex

Year	Worker allowances	Arterio-sclerotic heart (420)	Emphysema (528)	Schizophrenic disorders (300)	Hypertensive heart (443)	Osteo-arthritis (723)	Pulmonary tuberculosis (002)	Displacement of intervertebral disc (735)	Cerebral haemorrhage (331)
	Total								
1957....	165,003	29,920	8,835	6,439	10,217	4,654	8,618	675	8,226
1958....	184,476	32,830	10,905	11,180	9,542	4,187	11,210	750	7,755
1959....	178,952	34,172	11,941	10,183	8,704	5,494	9,134	1,075	6,500
1960....	179,419	35,685	12,343	7,745	8,439	6,449	7,456	1,450	5,616
1961....	241,060	43,814	15,271	14,281	10,933	6,748	10,775	2,165	7,408
1962....	286,434	49,023	17,630	19,870	13,578	9,378	11,206	3,888	6,236
1963....	224,229	41,168	14,897	12,712	10,516	7,255	8,009	3,139	4,148
1964....	209,475	39,425	13,780	11,038	9,092	7,223	5,936	2,888	4,166
1965....	267,738	45,529	16,879	16,335	10,667	9,817	7,870	5,363	5,239
1966....	273,513	45,714	16,998	13,097	9,198	10,336	8,643	8,544	6,359
1967....	310,947	51,660	19,227	14,087	8,940	13,084	8,157	9,807	9,143
1968....	330,783	51,473	16,305	20,524	7,928	13,123	7,484	10,051	9,544
	Percent								
1957....	100.0	18.1	5.4	3.9	6.2	2.8	5.2	.4	5.0
1958....	100.0	17.8	5.9	6.1	5.2	2.3	6.1	.4	4.2
1959....	100.0	19.1	6.7	5.7	4.9	3.1	5.1	.6	3.6
1960....	100.0	19.9	6.9	4.3	4.7	3.6	4.2	.8	3.1
1961....	100.0	18.2	6.3	5.9	4.5	2.8	4.5	.9	3.1
1962....	100.0	17.1	6.2	6.9	4.7	3.3	3.9	1.4	2.2
1963....	100.0	18.4	6.6	5.7	4.7	3.2	3.6	1.4	1.8
1964....	100.0	18.8	6.6	5.3	4.3	3.4	2.8	1.4	2.0
1965....	100.0	17.0	6.3	6.1	4.0	3.7	2.9	2.0	2.0
1966....	100.0	16.7	6.2	4.8	3.4	3.8	3.2	3.1	2.3
1967....	100.0	16.6	6.2	4.5	2.9	4.2	2.6	3.2	2.9
1968....	100.0	15.6	4.9	6.2	2.4	4.0	2.3	3.0	2.9

Table 14.--Leading causes of disability by sex--Continued

Year	Worker allowances	Arterio-sclerotic heart (420)	Emphysema (528)	Schizophrenic disorders (300)	Hypertensive heart (443)	Osteo-arthritis (723)	Pulmonary tuberculosis (002)	Displacement of intervertebral disc (735)	Cerebral haemorrhage (331)
	Male								
1957....	134,621	25,666	8,291	4,958	7,459	3,605	8,011	550	6,704
1958....	151,519	28,454	10,228	8,358	7,178	3,227	10,409	600	6,466
1959....	146,898	29,357	11,196	7,692	6,523	4,283	8,477	900	5,344
1960....	147,604	30,805	11,613	5,799	6,445	5,066	6,937	1,200	4,651
1961....	193,616	37,411	14,222	10,824	8,071	5,275	9,803	1,833	6,016
1962....	224,519	40,552	16,254	15,028	9,674	6,919	10,186	3,236	5,069
1963....	174,186	33,682	13,656	9,427	7,473	5,212	7,263	2,604	3,313
1964....	161,967	32,248	12,535	8,202	6,419	5,187	5,327	2,401	3,362
1965....	201,094	36,390	15,161	11,650	7,264	6,720	7,044	4,313	4,139
1966....	206,398	36,956	15,380	9,364	6,310	7,074	7,629	6,931	5,030
1967....	234,352	41,722	17,354	9,954	5,846	8,927	7,349	7,762	7,263
1968....	246,442	41,599	14,546	15,082	5,151	8,581	6,643	7,833	7,622
	Percent								
1957....	100.0	19.1	6.2	3.7	5.5	2.7	6.0	.4	5.0
1958....	100.0	18.8	6.8	5.6	4.7	2.1	6.9	.4	4.3
1959....	100.0	20.0	7.6	5.2	4.4	2.9	5.8	.6	3.6
1960....	100.0	20.9	7.9	3.9	4.4	3.4	4.7	.8	3.2
1961....	100.0	19.3	7.3	5.6	4.2	2.7	5.1	.9	3.1
1962....	100.0	18.1	7.2	6.7	4.3	3.1	4.5	1.4	2.3
1963....	100.0	19.3	7.8	5.4	4.3	3.0	4.2	1.5	1.9
1964....	100.0	19.9	7.7	5.1	4.0	3.2	3.3	1.5	2.1
1965....	100.0	18.1	7.5	5.8	3.6	3.3	3.5	2.1	2.1
1966....	100.0	17.9	7.5	4.5	3.1	3.4	3.7	3.4	2.4
1967....	100.0	17.8	7.4	4.2	2.5	3.8	3.1	3.3	3.1
1968....	100.0	16.9	5.9	6.1	2.1	3.5	2.7	3.2	3.1

Table 14.--Leading causes of disability by sex--Continued

Year	Worker allowances	Arterio-sclerotic heart (420)	Emphysema (528)	Schizophrenic disorders (300)	Hypertensive heart (443)	Osteo-arthritis (723)	Pulmonary tuberculosis (002)	Displacement of intervertebral disc (735)	Cerebral haemorrhage (331)
	Female								
1957....	30,382	4,254	544	1,481	2,758	1,049	607	125	1,522
1958....	32,957	4,376	677	2,622	2,364	960	801	150	1,289
1959....	32,034	4,815	745	2,491	2,181	1,211	657	175	1,156
1960....	31,815	4,880	730	1,946	1,994	1,383	519	250	965
1961....	47,444	6,403	1,049	3,457	2,862	1,473	972	332	1,390
1962....	61,915	8,471	1,376	4,842	3,904	2,459	1,020	652	1,167
1963....	50,043	7,486	1,241	3,285	3,043	2,043	746	535	835
1964....	47,508	7,177	1,245	2,836	2,673	2,036	609	487	804
1965....	66,644	9,139	1,718	4,685	3,403	3,097	826	1,050	1,100
1966....	67,115	8,758	1,618	3,733	2,888	3,262	1,014	1,613	1,329
1967....	76,595	9,938	1,873	4,133	3,094	4,157	808	2,045	1,880
1968....	84,341	9,874	1,759	5,442	2,777	4,542	841	2,218	1,922
	Percent								
1957....	100.0	14.0	1.8	4.9	9.1	3.5	2.0	.5	5.0
1958....	100.0	13.3	2.1	8.0	7.2	2.9	2.4	.5	3.9
1959....	100.0	15.0	2.3	7.8	6.8	3.8	2.0	.5	3.6
1960....	100.0	15.3	2.3	6.1	6.3	4.3	1.6	.7	3.0
1961....	100.0	13.5	2.2	7.3	6.0	3.1	2.0	.7	2.9
1962....	100.0	13.7	2.2	7.8	6.3	4.0	1.6	1.1	1.9
1963....	100.0	15.0	2.5	6.6	6.1	4.1	1.5	1.1	1.7
1964....	100.0	15.1	2.6	6.0	5.6	4.3	1.3	1.0	1.7
1965....	100.0	13.7	2.6	7.0	5.1	4.6	1.2	1.6	1.6
1966....	100.0	13.0	2.4	5.6	4.3	4.9	1.5	2.4	2.0
1967....	100.0	13.0	2.4	5.4	4.0	5.4	1.1	2.7	2.5
1968....	100.0	11.7	2.1	6.5	3.3	5.4	1.0	2.6	2.3

Table 15. -Diagnostic group by race and sex

Diagnostic group	Total				Percent			
	Total	White	Negro	Other	Total	White	Negro	Other
Total	330,783	283,533	43,954	3,296	100.0	100.0	100.0	100.0
Infective and parasitic diseases	10,360	7,208	2,931	221	3.1	2.5	6.7	6.7
Neoplasms	36,560	32,842	3,425	293	11.1	11.6	7.8	8.9
Allergic, endocrine system, metabolic, and nutritional diseases	11,359	9,298	1,913	148	3.4	3.3	4.4	4.5
Diseases of the blood and blood-forming organs	1,037	838	197	2	.3	.3	.5	.1
Mental, psychoneurotic, and personality disorders	41,894	35,998	5,418	478	12.7	12.7	12.3	14.5
Diseases of the -								
Nervous system and sense organs	41,758	35,170	6,157	431	12.6	12.4	14.0	13.1
Circulatory system	80,906	68,487	11,880	539	24.5	24.2	27.0	16.4
Respiratory system	22,635	20,827	1,716	92	6.8	7.3	3.9	2.8
Digestive system	7,806	6,963	743	100	2.4	2.5	1.7	3.0
Genito-urinary system	2,926	2,302	561	63	.9	.8	1.3	1.9
Skin and cellular tissue	1,358	1,149	171	38	.4	.4	.4	1.2
Bones and organs of movement	43,677	37,831	5,331	515	13.2	13.3	12.1	15.6
Congenital malformations	2,670	2,398	259	13	.8	.8	.6	.4
Accidents, poisonings, and violence	25,319	21,778	3,183	358	7.7	7.7	7.2	10.9
Other	518	444	69	5	.2	.2	.2	.2

Table 15.--Diagnostic group by race and sex--Continued

Diagnostic group	Male				Percent			
	Total	White	Negro	Other	Total	White	Negro	Other
Total	246,442	212,061	31,663	2,718	100.0	100.0	100.0	100.0
Infective and parasitic diseases	8,628	6,019	2,429	180	3.5	2.8	7.7	6.6
Neoplasms	25,702	23,226	2,231	245	10.4	11.0	7.0	9.0
Allergic, endocrine system, metabolic, and nutritional diseases	7,080	6,057	911	112	2.9	2.9	2.9	4.1
Diseases of the blood and blood-forming organs	648	526	120	2	.3	.2	.4	.1
Mental, psychoneurotic, and personality disorders	29,963	25,449	4,129	385	12.2	12.0	13.0	14.2
Diseases of the -								
Nervous system and sense organs	31,458	26,432	4,699	327	12.8	12.5	14.8	12.0
Circulatory system	61,836	53,486	7,891	459	25.1	25.2	24.9	16.9
Respiratory system	19,201	17,661	1,461	79	7.8	8.3	4.6	2.9
Digestive system	5,795	5,131	575	89	2.3	2.4	1.8	3.3
Genito-urinary system	2,122	1,658	414	50	.9	.8	1.3	1.8
Skin and cellular tissue	817	681	100	36	.3	.3	.3	1.3
Bones and organs of movement	29,851	25,780	3,658	413	12.1	12.2	11.6	15.2
Congenital malformations	1,898	1,690	195	13	.8	.8	.6	.5
Accidents, poisonings, and violence	21,056	17,928	2,803	325	8.5	8.5	8.9	12.0
Other	387	337	47	3	.2	.2	.1	.1

Table 15.--Diagnostic group by race and sex--Continued

Diagnostic group	Female				Percent			
	Total	White	Negro	Other	Total	White	Negro	Other
Total	84,341	71,472	12,291	578	100.0	100.0	100.0	100.0
Infective and parasitic diseases	1,732	1,189	502	41	2.1	1.7	4.1	7.1
Neoplasms	10,858	9,616	1,194	48	12.9	13.4	9.7	8.3
Allergic, endocrine system, metabolic, and nutritional diseases	4,279	3,241	1,002	36	5.1	4.5	8.2	6.2
Diseases of the blood and blood-forming organs	389	312	77	0	.5	.4	.6	---
Mental, psychoneurotic, and personality disorders	11,931	10,549	1,289	93	14.1	14.8	10.4	16.1
Diseases of the -								
Nervous system and sense organs	10,300	8,738	1,458	104	12.2	12.2	11.9	18.0
Circulatory system	19,070	15,001	3,989	80	22.6	21.0	32.4	13.8
Respiratory system	3,434	3,166	255	13	4.1	4.4	2.1	2.3
Digestive system	2,011	1,832	168	11	2.4	2.6	1.4	1.9
Genito-urinary system	804	644	147	13	1.0	.9	1.2	2.3
Skin and cellular tissue	541	468	71	2	.6	.7	.6	.3
Bones and organs of movement	13,826	12,051	1,673	102	16.4	16.9	13.6	17.6
Congenital malformations	772	708	64	0	.9	1.0	.5	---
Accidents, poisonings, and violence	4,263	3,850	380	33	5.0	5.4	3.1	5.7
Other	131	107	22	2	.2	.1	.2	.3

Table 16.--Leading causes by race and sex

Primary diagnosis	Number				Percent			
	Total	White	Negro	Other	Total	White	Negro	Other
	Total							
Total	330,783	283,533	43,954	3,296	100.0	85.7	13.3	1.0
Arteriosclerotic heart disease	51,473	46,441	4,727	305	100.0	90.2	9.2	.6
Schizophrenic disorders	20,524	16,883	3,345	296	100.0	82.3	16.3	1.4
Emphysema	16,305	15,247	1,013	45	100.0	93.5	6.2	.3
Osteo-arthritis	13,123	11,076	1,870	177	100.0	84.4	14.2	1.3
Displacement of intervertebral disc	10,051	8,825	1,093	133	100.0	87.8	10.9	1.3
Cerebral haemorrhage	9,544	7,459	1,978	107	100.0	78.2	20.7	1.1
Rheumatoid arthritis	8,624	7,693	848	83	100.0	89.2	9.8	1.0
Hypertensive heart disease	7,928	4,420	3,446	62	100.0	55.8	43.5	.8
Diabetes	7,822	6,312	1,392	118	100.0	80.7	17.8	1.5
Pulmonary tuberculosis	7,484	5,014	2,330	140	100.0	67.0	31.1	1.9
Malignant neoplasm of lung, unspecified	4,938	4,449	444	45	100.0	90.1	9.0	.9
Cerebral embolism	4,564	3,802	733	29	100.0	83.3	16.1	.6
Chronic brain syndrome	4,425	3,763	617	45	100.0	85.0	13.9	1.0
Cirrhosis of liver	3,570	3,298	246	26	100.0	92.4	6.9	.7
General arteriosclerosis	3,504	3,108	358	38	100.0	88.7	10.2	1.1
All others	156,904	135,743	19,514	1,647	100.0	86.5	12.4	1.1
	Male							
Total	246,442	212,061	31,663	2,718	100.0	86.1	12.8	1.1
Arterisoclerotic heart disease	41,599	38,073	3,255	271	100.0	91.5	7.8	.7
Schizophrenic disorders	15,082	12,292	2,535	255	100.0	81.5	16.8	1.7
Emphysema	14,546	13,588	918	40	100.0	93.4	6.3	.3
Osteo-arthritis	8,581	7,261	1,182	138	100.0	84.6	13.8	1.6
Displacement of intervertebral disc	7,833	6,854	869	110	100.0	87.5	11.1	1.4
Cerebral haemorrhage	7,622	5,976	1,566	80	100.0	78.4	20.5	1.1
Rheumatoid arthritis	4,758	4,273	426	59	100.0	89.8	9.0	1.2
Hypertensive heart disease	5,151	3,018	2,088	45	100.0	58.6	40.5	.9
Diabetes	5,309	4,470	746	93	100.0	84.2	14.1	1.7
Pulmonary tuberculosis	6,643	4,518	2,002	123	100.0	68.0	30.1	1.9
Malignant neoplasm of lung, unspecified	4,395	3,967	384	44	100.0	90.3	8.7	1.0
Cerebral embolism	3,760	3,195	549	16	100.0	85.0	14.6	.4
Chronic brain syndrome	3,593	3,046	508	39	100.0	84.8	14.1	1.1
Cirrhosis of liver	2,877	2,672	185	20	100.0	92.9	6.4	.7
General arteriosclerosis	2,974	2,672	279	23	100.0	89.8	9.4	.8
All others	111,719	96,186	14,171	1,362	100.0	86.1	12.7	1.2
	Female							
Total	84,341	71,472	12,291	578	100.0	84.7	14.6	.7
Arteriosclerotic heart disease	9,874	8,368	1,472	34	100.0	84.8	14.9	.3
Schizophrenic disorders	5,442	4,591	810	41	100.0	84.3	14.9	.8
Emphysema	1,759	1,659	95	5	100.0	94.3	5.4	.3
Osteo-arthritis	4,542	3,815	688	39	100.0	84.0	15.1	.9
Displacement of intervertebral disc	2,218	1,971	224	23	100.0	88.9	10.1	1.0
Cerebral haemorrhage	1,922	1,483	412	27	100.0	77.2	21 4	1.4
Rheumatoid arthritis	3,866	3,420	422	24	100.0	88.5	10.9	.6
Hypertensive heart disease	2,777	1,402	1,358	17	100.0	50.5	48.9	.6
Diabetes	2,513	1,842	646	25	100.0	73.3	25.7	1.0
Pulmonary tuberculosis	841	496	328	17	100.0	59.0	39.0	2.0
Malignant neoplasm of lung, unspecified	543	482	60	1	100.0	88.8	11.0	.2
Cerebral embolism	804	607	184	13	100.0	75.5	22.9	1.6
Chronic brain syndrome	832	717	109	6	100.0	86.2	13.1	.7
Cirrhosis of liver	693	626	61	6	100.0	90.3	8.8	.9
General arteriosclerosis	530	436	79	15	100.0	82.3	14.9	2.8
All others	45,185	39,557	5,343	285	100.0	87.6	11.8	.6

Table 17.--Mobility status by diagnostic group

Diagnostic group	Total		Institutionalized 1/		Hospitalized 2/		Housebound		Ambulatory outside the home			
									With help		By self	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total	330,788	100.0	30,064	100.0	19,054	100.0	23,705	100.0	53,705	100.0	204,255	100.0
Infective and parasitic diseases	10,360	3.1	4,993	16.6	935	4.9	477	2.0	855	1.6	3,100	1.5
Neoplasms	36,560	11.1	2,060	6.9	5,049	26.5	6,145	25.9	4,833	9.0	18,473	9.0
Allergic, endocrine system, metabolic, and nutritional diseases	11,359	3.4	255	.8	474	2.5	780	3.3	2,463	4.6	7,387	3.6
Diseases of the blood and blood-forming organs	1,037	.3	25	(3/)	67	.4	55	.2	127	.2	763	.4
Mental, psychoneurotic, and personality disorders	41,894	12.7	14,732	49.0	1,002	5.3	1,013	4.3	3,809	7.1	21,338	10.4
Diseases of the -												
Nervous system and sense organs	41,758	12.6	2,433	8.1	2,452	12.9	4,581	19.3	11,493	21.4	20,799	10.2
Circulatory system	80,906	24.5	1,486	4.9	2,847	14.9	4,223	17.8	8,566	16.0	63,784	31.2
Respiratory system	22,635	6.8	559	1.9	548	2.9	665	2.8	1,202	2.2	19,661	9.6
Digestive system	7,806	2.4	416	1.4	648	3.4	574	2.4	1,016	1.9	5,152	2.5
Genito-urinary system	2,926	.9	115	.4	265	1.4	249	1.1	340	.6	1,957	1.0
Skin and cellular tissue	1,358	.4	40	.1	66	.3	77	.3	122	.2	1,053	.5
Bones and organs of movement	43,677	13.2	817	2.7	1,366	7.2	2,012	8.5	9,934	18.5	29,548	14.5
Congenital malformations	2,670	.8	36	.1	43	.2	67	.3	659	1.2	1,865	.9
Accidents, poisonings, and violence	25,319	7.7	2,067	6.9	3,286	17.2	2,753	11.6	8,190	15.2	9,023	4.4
Other 3/	518	.2	30	.1	6	(3/)	34	.1	96	.2	352	.2

1/ Disabled person was confined to an institution i.e. mental, tuberculosis, or chronic disease hospital, soldier's home, etc.
2/ Disabled person was a patient in a general hospital.
3/ Less than 0.05 percent.

Table 18.--Education by age and sex

Highest grade of school completed 1/	Total	Under 30	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
	Total								
Total.....	311,845	18,821	10,774	14,323	21,924	33,400	47,936	74,101	90,566
8th grade or less..	148,532	2,697	2,673	5,016	8,193	14,333	23,076	40,732	51,812
No schooling.....	5,523	74	87	165	251	508	776	1,580	2,082
1-4.....	27,638	269	432	890	1,650	2,948	4,782	7,649	9,018
5-7.....	53,719	1,198	1,106	2,154	3,034	5,407	8,189	14,725	17,906
8.....	61,652	1,156	1,048	1,807	3,258	5,470	9,329	16,778	22,806
High school.....	136,189	13,283	6,719	7,560	11,728	16,252	21,713	28,138	30,796
9-11.....	70,345	5,024	3,031	3,628	6,220	8,306	11,055	15,705	17,376
12.....	65,844	8,259	3,688	3,932	5,508	7,946	10,658	12,433	13,420
College.....	27,124	2,841	1,382	1,747	2,003	2,815	3,143	5,231	7,958
1-3.....	17,388	2,266	938	1,184	1,239	1,879	2,101	3,138	4,643
4.....	7,577	523	379	460	582	704	819	1,635	2,475
Graduate school..	2,159	52	65	103	182	232	227	458	840
	Percent								
Total.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
8th grade or less..	47.6	14.3	24.8	35.0	37.4	42.9	48.1	55.0	57.2
No schooling.....	1.8	.4	.8	1.2	1.1	1.5	1.6	2.1	2.3
1-4.....	8.9	1.4	4.0	6.2	7.5	8.8	10.0	10.3	10.0
5-7.....	17.2	6.4	10.3	15.0	13.8	16.2	17.1	19.9	19.8
8.....	19.8	6.1	9.7	12.6	14.9	16.4	19.5	22.6	25.2
High school.....	43.7	70.6	62.4	52.8	53.5	48.7	45.3	38.0	34.0
9-11.....	22.6	26.7	28.1	25.3	28.4	24.9	23.1	21.2	19.2
12.....	21.1	43.9	34.2	27.5	25.1	23.8	22.2	16.8	14.8
College.....	8.7	15.1	12.8	12.2	9.1	8.4	6.6	7.1	8.8
1-3.....	5.6	12.0	8.7	8.3	5.7	5.6	4.4	4.2	5.1
4.....	2.4	2.8	3.5	3.2	2.7	2.1	1.7	2.2	2.7
Graduate school..	.7	.3	.6	.7	.8	.7	.5	.6	.9

1/ Distributed for those workers whose educational status was known.

Table 18.--Education by age and sex--Continued

Highest grade of school completed 1/	Total	Under 30	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
	Male								
Total.....	232,638	15,567	8,516	11,246	16,263	24,301	34,169	52,815	69,761
8th grade or less..	118,202	2,373	2,363	4,441	6,844	11,507	17,766	30,823	42,085
No schooling.....	4,796	69	77	142	215	443	673	1,338	1,839
1-4.....	23,738	239	387	841	1,485	2,560	4,034	6,509	7,683
5-7.....	42,320	1,048	980	1,921	2,596	4,322	6,232	10,716	14,505
8.....	47,348	1,017	919	1,537	2,548	4,182	6,827	12,260	18,058
High school.....	96,002	10,931	5,200	5,594	8,099	10,878	14,355	18,695	22,250
9-11.....	50,968	4,395	2,470	2,774	4,704	5,647	7,546	10,652	12,780
12.....	45,034	6,536	2,730	2,820	3,395	5,231	6,809	8,043	9,470
College.....	18,434	2,263	953	1,211	1,320	1,916	2,048	3,297	5,426
1-3.....	11,602	1,849	626	811	803	1,279	1,306	1,912	3,016
4.....	5,270	380	295	317	377	495	581	1,062	1,763
Graduate school..	1,562	34	32	83	140	142	161	323	647
	Percent								
Total.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
8th grade or less..	50.8	15.2	27.7	39.5	42.1	47.4	52.0	58.4	60.3
No schooling.....	2.1	.4	.9	1.3	1.3	1.8	2.0	2.5	2.6
1-4.....	10.2	1.5	4.5	7.5	9.1	10.5	11.8	12.3	11.0
5-7.....	18.2	6.7	11.5	17.1	16.0	17.8	18.2	20.3	20.8
8.....	20.4	6.5	10.8	13.7	15.7	17.2	20.0	23.2	25.9
High school.....	41.3	70.2	61.1	49.7	49.8	44.8	42.0	35.4	31.9
9-11.....	21.9	28.2	29.0	24.7	28.9	23.2	22.1	20.2	18.3
12.....	19.4	42.0	32.1	25.1	20.9	21.5	20.0	15.2	13.6
College.....	7.9	14.5	11.2	10.8	8.1	7.9	6.0	6.2	7.8
1-3.....	5.0	11.9	7.4	7.2	4.9	5.3	3.8	3.6	4.3
4.....	2.3	2.4	3.5	2.8	2.3	2.0	1.7	2.0	2.5
Graduate school..	.7	.2	.4	.7	.9	.6	.5	.6	.9

1/ Distributed for those whose educational status was known.

Table 18.--Education by age and sex--Continued

Highest grade of school completed 1/	Total	Under 30	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
	Female								
Total.....	79,207	3,254	2,258	3,077	5,661	9,099	13,767	21,286	20,805
8th grade or less..	30,330	324	310	575	1,349	2,826	5,310	9,909	9,727
No schooling.....	727	5	10	23	36	65	103	242	243
1-4.....	3,900	30	45	49	165	388	748	1,140	1,335
5-7.....	11,399	150	126	233	438	1,085	1,957	4,009	3,401
8.....	14,304	139	129	270	710	1,288	2,502	4,518	4,748
High school.....	40,187	2,352	1,519	1,966	3,629	5,374	7,358	9,443	8,546
9-11.....	19,377	629	561	854	1,516	2,659	3,509	5,053	4,596
12.....	20,810	1,723	958	1,112	2,113	2,715	3,849	4,390	3,950
College.....	8,690	578	429	536	683	899	1,099	1,934	2,532
1-3.....	5,786	417	312	373	436	600	795	1,226	1,627
4.....	2,307	143	84	143	205	209	238	573	712
Graduate school..	597	18	33	20	42	90	66	135	193
	Percent								
Total.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
8th grade or less..	38.3	10.0	13.7	18.7	23.8	31.1	38.6	46.6	46.8
No schooling.....	.9	.2	.4	.7	.6	.7	.7	1.1	1.2
1-4.....	5.0	.9	2.0	1.6	2.9	4.3	5.4	5.4	6.4
5-7.....	14.4	4.6	5.6	7.6	7.7	11.9	14.2	18.8	16.3
8.....	18.1	4.3	5.7	8.8	12.5	14.2	18.2	21.2	22.8
High school.....	50.7	72.3	67.3	63.9	64.1	59.0	53.4	44.4	41.1
9-11.....	24.5	19.3	24.8	27.8	26.8	29.2	25.5	23.7	22.1
12.....	26.3	53.0	42.4	36.1	37.3	29.8	28.0	20.6	19.0
College.....	11.0	17.8	19.0	17.4	12.1	9.9	8.0	9.1	12.2
1-3.....	7.3	12.8	13.8	12.1	7.7	6.6	5.8	5.8	7.8
4.....	2.9	4.4	3.7	4.6	3.6	2.3	1.7	2.7	3.4
Graduate school..	.8	.6	1.5	.6	.7	1.0	.5	.6	.9

1/ Distributed for those whose educational status was known.

Table 19.--Education by race and sex

Highest grade of school completed 1/	Number				Percent			
	Total	White	Negro	Other	Total	White	Negro	Other
	Total							
Total.....	311,845	267,371	41,432	3,042	100.0	100.0	100.0	100.0
8th grade or less..	148,532	119,452	27,334	1,746	47.6	44.7	66.0	57.4
No schooling.....	5,523	3,125	2,157	241	1.8	1.2	5.2	7.9
1-4.....	27,638	17,542	9,571	525	8.9	6.6	23.1	17.3
5-7.....	53,719	42,778	10,253	688	17.2	16.0	24.7	22.6
8.....	61,652	56,007	5,353	292	19.8	20.9	12.9	9.6
High school.....	136,189	122,530	12,580	1,079	43.7	45.8	30.4	35.5
9-11.....	70,345	61,846	7,987	512	22.6	23.1	19.3	16.8
12.....	65,844	60,684	4,593	567	21.1	22.7	11.1	18.6
College.....	27,124	25,389	1,518	217	8.7	9.5	3.7	7.1
1-3.....	17,388	16,184	1,075	129	5.6	6.1	2.6	4.2
4.....	7,577	7,147	387	43	2.4	2.7	.9	1.4
Graduate school..	2,159	2,058	56	45	.7	.8	.1	1.5
	Male							
Total.....	232,638	200,292	29,847	2,499	100.0	100.0	100.0	100.0
8th grade or less..	118,202	95,991	20,718	1,493	50.8	47.9	69.4	59.7
No schooling.....	4,796	2,700	1,878	218	2.1	1.3	6.3	8.7
1-4.....	23,738	15,296	7,969	473	10.2	7.6	26.7	18.9
5-7.....	42,320	34,409	7,320	591	18.2	17.2	24.5	23.6
8.....	47,348	43,586	3,551	211	20.4	21.8	11.9	8.4
High school.....	96,002	86,909	8,254	839	41.3	43.4	27.7	33.6
9-11.....	50,968	45,310	5,230	428	21.9	22.6	17.5	17.1
12.....	45,034	41,599	3,024	411	19.4	20.8	10.1	16.4
College.....	18,434	17,392	875	167	7.9	8.7	2.9	6.7
1-3.....	11,602	10,860	645	97	5.0	5.4	2.2	3.9
4.....	5,270	5,033	209	28	2.3	2.5	.7	1.1
Graduate school..	1,562	1,499	21	42	.7	.7	.1	1.7
	Female							
Total.....	79,207	67,079	11,585	543	100.0	100.0	100.0	100.0
8th grade or less..	30,330	23,461	6,616	253	38.3	34.9	57.1	46.6
No schooling.....	727	425	279	23	.9	.6	2.4	4.2
1-4.....	3,900	2,246	1,602	52	4.9	3.3	13.8	9.6
5-7.....	11,399	8,369	2,933	97	14.4	12.5	25.3	17.9
8.....	14,304	12,421	1,802	81	18.1	18.5	15.6	14.9
High school.....	40,187	35,621	4,326	240	50.7	53.1	37.3	44.2
9-11.....	19,377	16,536	2,757	84	24.5	24.7	23.8	15.5
12.....	20,810	19,085	1,569	156	26.3	28.5	13.5	28.7
College.....	8,690	7,997	643	50	11.0	11.9	5.6	9.2
1-3.....	5,786	5,324	430	32	7.3	7.9	3.7	5.9
4.....	2,307	2,114	178	15	2.9	3.2	1.5	2.8
Graduate school..	597	559	35	3	.8	.8	.3	.6

1/ Distributed for those workers whose educational status was known.

Table 20.--Visual impairments by age and sex

Category of visual impairment 1/	Total		Age on birthday in year of onset of disability							
			Under 35		35-49		50-59		60-65	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
	Total									
Total.....	4,932	100.0	1,124	100.0	1,355	100.0	1,701	100.0	752	100.0
Statutory blindness 2/....	3,019	61.2	847	75.4	859	63.4	909	53.4	404	53.7
Industrial blindness 3/...	1,310	26.6	239	21.3	356	26.3	518	30.5	197	26.2
Defective vision 4/.....	603	12.2	38	3.4	140	10.3	274	16.1	151	20.1
	Male									
Total.....	3,512	100.0	819	100.0	994	100.0	1,150	100.0	549	100.0
Statutory blindness.....	2,223	63.3	615	75.1	653	65.7	647	56.3	308	56.1
Industrial blindness.....	912	26.0	172	21.0	249	25.1	341	29.7	150	27.3
Defective vision.....	377	10.7	32	3.9	92	9.3	162	14.1	91	16.6
	Female									
Total.....	1,420	100.0	305	100.0	361	100.0	551	100.0	203	100.0
Statutory blindness.....	796	56.1	232	76.1	206	57.1	262	47.5	96	47.3
Industrial blindness.....	398	28.0	67	22.0	107	29.6	177	32.1	47	23.2
Defective vision.....	226	15.9	6	2.0	48	13.3	112	20.3	60	29.6

1/ The basis for allowing a period of disability was not necessarily the worker's visual impairment, except for workers who were statutorily blind.
2/ Central visual acuity of 5/200 or less, or concentric contraction of visual field to 5 degrees or less, in the better eye with the use of correcting lens.
3/ Central visual acuity better than 5/200 but not greater than 20/200 in the better eye with the use of correcting lens.
4/ Central visual acuity better than 20/200 but not greater than 20/60 in the better eye with the use of correcting lens.

Table 21.--Auditory impairments 1/ by age and sex

Category of auditory impairment	Total		Age on birthday in year of onset of disability							
			Under 35		35-49		50-59		60-65	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
	Total									
Total.....	632	100.0	58	100.0	118	100.0	330	100.0	126	100.0
Totally deaf 2/...	531	84.0	53	91.4	110	93.2	264	80.0	104	82.5
Partially deaf....	101	16.0	5	8.6	8	6.8	66	20.0	22	17.5
	Male									
Total.....	413	100.0	27	100.0	79	100.0	243	100.0	64	100.0
Totally deaf 2/...	340	82.3	23	85.2	72	91.1	191	78.6	54	84.4
Partially deaf....	73	17.7	4	14.8	7	8.9	52	21.4	10	15.6
	Female									
Total.....	219	100.0	31	100.0	39	100.0	87	100.0	62	100.0
Totally deaf 2/...	191	87.2	30	96.8	38	97.4	73	83.9	50	80.6
Partially deaf....	28	12.8	1	3.2	1	2.6	14	16.1	12	19.4

1/ The basis for allowing a period of disability was not necessarily the worker's auditory impairment.
2/ Absence of air and bone conduction in both ears, or auditory perception of not more than 1 pure tone at high volume, not improvable by hearing aid.

Worker Disability Allowances, 1968

Table 22.--Disability rates by State

State	Rate per 100,000 population 1/	State	Rate per 100,000 population
United States..	626		
Mississippi.....	1,115	Idaho.....	629
Arkansas.....	1,108	Pennsylvania.....	621
West Virginia...	1,102	Rhode Island.....	618
Alabama.....	960	Texas.....	617
Louisiana.....	951	Michigan.....	598
Kentucky.....	874	New Jersey.....	598
New Mexico.....	862	North Dakota.....	588
South Carolina..	831	New York.....	577
Georgia.....	820	Kansas.....	577
Montana.....	816	Nevada.....	568
Florida.....	784	Washington.....	562
California.....	780	Wisconsin.....	561
Oklahona.....	754	Ohio.....	550
Virginia.....	724	Delaware.....	541
Tennessee.....	721	Iowa.....	539
Oregon.....	710	New Hampshire.....	536
Vermont.....	709	Hawaii.....	533
Maine.....	684	Massachusetts.....	523
South Dakota....	673	Nebraska.....	518
North Carolina..	670	Illinois.....	515
Wyoming.....	666	Indiana.....	514
Missouri.....	653	District of Columbia..	505
Arizona.....	646	Minnesota.....	480
Colorado.....	645	Utah.....	464
Maryland.....	630	Connecticut.....	431
		Alaska.....	421

1/ Workers insured in event of disability. In 1967 publication, distribution was based on United States population aged 18-64.

Table 23.--Circulatory disease rates by State

State	Rate per 100,000 population 1/	State	Rate per 100,000 population
United States..	153		
West Virginia...	299	Pennsylvania.....	148
Mississippi.....	295	Wisconsin.....	147
Arkansas.....	289	Delaware.....	146
South Carolina..	255	Texas.....	146
Louisiana.....	248	Arizona.....	143
Alabama.....	245	Ohio.....	139
Kentucky.....	209	Michigan.....	137
Georgia.....	203	Washington.....	137
Maine.....	203	South Dakota.....	134
Florida.....	195	Wyoming.....	132
Vermont.....	194	Kansas.....	129
North Carolina..	190	Illinois.....	128
Tennessee.....	190	New Hampshire.....	128
Virginia.....	184	Indiana.....	125
New Jersey.....	183	Massachusetts.....	117
Oklahoma.....	174	Nevada.....	117
Maryland.....	173	Iowa.....	115
Missouri.....	168	Connecticut.....	113
California.....	164	District of Columbia..	113
Rhode Island....	163	Minnesota.....	112
Montana.....	162	North Dakota.....	112
New York.....	156	Nebraska.....	111
New Mexico.....	151	Colorado.....	105
Oregon.....	151	Hawaii.....	99
Idaho.....	148	Utah.....	92
		Alaska.....	72

1/ Workers insured in event of disability. In 1967 publication, distribution was based on United States population aged 18-64.

Table 24.--Emphysema rates by State

State	Rate per 100,000 population 1/	State	Rate per 100,000 population
United States..	31		
West Virginia...	115	South Carolina.....	33
Montana.....	64	Tennessee.....	33
New Mexico.....	64	Colorado.....	32
Arkansas.....	63	South Dakota.....	32
Oklahoma.....	61	Texas.....	31
Idaho.....	53	Indiana.....	30
Kentucky.....	53	North Carolina.....	28
Alabama.....	50	Michigan.....	26
Mississippi.....	50	New York.....	26
Iowa.....	46	Nevada.....	25
Maine.....	46	Florida.....	24
Vermont.....	46	Wisconsin.....	24
Virginia.....	46	Illinois.....	22
Oregon.....	45	Maryland.....	22
Wyoming.....	44	New Jersey.....	22
Arizona.....	42	Delaware.....	21
Georgia.....	39	Connecticut.....	20
Missouri.....	39	Massachusetts.....	20
Washington.....	38	Nebraska.....	20
Louisiana.....	36	Alaska.....	18
New Hampshire...	36	North Dakota.....	18
Pennsylvania....	36	Utah.....	18
California.....	35	Minnesota.....	15
Ohio.....	35	Rhode Island.....	13
Kansas.....	34	Hawaii.....	6
		District of Columbia..	3

1/ Workers insured in event of disability. In 1967 publication, distribution was based on United States population aged 18-64.

Table 25.--Schizophrenia rates by State

State	Rate per 100,000 population 1/	State	Rate per 100,000 population
United States..	39		
Alabama.....	65	Maine.....	34
Wyoming.....	65	Missouri.....	34
Arkansas.....	54	Rhode Island.....	34
South Dakota....	54	South Carolina.....	34
Tennessee.....	54	Indiana.....	32
Mississippi.....	53	Maryland.....	32
Pennsylvania....	50	Minnesota.....	32
Hawaii.....	49	Texas.....	30
Michigan.....	48	Connecticut.....	29
New Jersey.....	48	District of Columbia..	29
North Dakota....	48	Nebraska.....	29
Florida.....	47	Virginia.....	29
New York.....	47	Massachusetts.....	28
Kansas.....	44	Oregon.....	27
Louisiana.....	44	Montana.....	26
West Virginia...	44	North Carolina.....	26
California.....	42	Alaska.....	25
Georgia.....	41	Utah.....	25
Wisconsin.....	41	Delaware.....	24
Kentucky.....	40	Iowa.....	24
Ohio.....	37	Vermont.....	24
New Mexico.....	36	New Hampshire.....	23
Oklahoma.....	36	Washington.....	21
Colorado.....	35	Arizona.....	20
Illinois.....	35	Nevada.....	20
		Idaho.....	18

1/ Workers insured in event of disability. In 1967 publication, distribution was based on United States population aged 18-64.

Table 26.--Diabetes rates by State

State	Rate per 100,000 population 1/	State	Rate per 100,000 population
United States.....	15		
Mississippi.....	37	Ohio.....	15
West Virginia.....	26	Tennessee.....	15
South Carolina.....	22	Arkansas.....	14
Georgia.....	21	Iowa.....	14
North Carolina.....	21	Louisiana.....	14
Florida.....	20	Maine.....	14
New Mexico.....	19	New York.....	14
Vermont.....	19	South Dakota...	14
Alabama.....	18	Virginia.....	14
Delaware.....	18	Connecticut....	13
Wisconsin.....	18	Minnesota.....	13
California.....	17	Nebraska.....	13
District of Columbia..	17	Texas.....	13
Missouri.....	17	Oregon.....	13
Pennsylvania.....	17	Colorado.....	12
Rhode Island.....	17	Kansas.....	12
Idaho.....	16	Kentucky.....	12
Maryland.....	16	North Dakota...	12
Massachusetts.....	16	Illinois.....	10
Michigan.....	16	Oklahoma.....	10
New Jersey.....	16	Utah.....	9
Wyoming.....	16	Washington.....	9
Arizona.....	15	New Hampshire..	8
Indiana.....	15	Alaska.....	8
Montana.....	15	Hawaii.....	7
		Nevada.....	7

1/ Workers insured in event of disability. In 1967 publication, distribution was based on United States population aged 18-64.

Worker Disability Allowances, 1968

Table 27.--Diagnostic group and State

State	Total	Diagnostic group										
		Infective and parasitic diseases	Neoplasms	Allergic, endocrine system, metabolic, and nutritional diseases	Mental, psychoneurotic, and personality disorders	Diseases of the nervous system and sense organs	Diseases of the circulatory system	Diseases of the respiratory system	Diseases of the digestive system	Diseases of the bones and organs of movement	Accidents, poisonings, and violence	Other
Total.....	330,783	10,360	36,560	11,359	41,894	41,758	80,906	22,635	7,806	43,677	25,319	8,509
Alabama.....	6,967	326	649	217	928	750	1,775	553	153	873	580	143
Alaska.....	206	7	29	3	25	21	35	13	3	36	26	6
Arizona.....	2,456	88	243	71	248	289	542	246	61	381	231	56
Arkansas.....	4,424	118	484	102	441	485	1,155	330	106	726	372	105
California.....	38,338	1,023	3,744	1,235	4,334	4,525	8,078	2,426	1,084	7,248	3,516	1,125
Colorado.....	2,942	58	315	87	422	386	477	208	92	468	356	73
Connecticut.....	3,780	118	473	153	489	539	991	226	114	368	231	78
Delaware.....	894	35	129	43	85	111	241	59	24	96	60	11
Dist. of Col....	1,380	33	130	70	163	182	308	50	35	140	211	58
Florida.....	11,019	534	1,296	391	1,382	1,354	2,734	814	328	1,337	752	297
Georgia.....	8,855	276	813	344	1,059	1,298	2,190	577	161	1,153	710	274
Hawaii.....	950	42	109	23	154	144	177	22	18	137	91	33
Idaho.....	1,077	16	123	46	87	106	253	111	27	162	120	26
Illinois.....	15,148	668	1,360	543	1,934	2,085	3,768	826	340	1,526	1,198	400
Indiana.....	7,050	177	959	238	818	938	1,717	523	164	835	485	176
Iowa.....	3,754	53	480	140	430	515	802	377	81	516	257	103
Kansas.....	3,007	78	380	93	428	385	671	240	54	348	251	79
Kentucky.....	5,665	204	570	117	709	617	1,355	593	161	704	497	138
Louisiana.....	6,589	285	635	149	678	729	1,719	384	123	1,075	672	140
Maine.....	1,533	31	172	36	171	187	456	137	27	188	81	47
Maryland.....	5,519	395	579	169	657	770	1,514	273	136	446	459	121
Massachusetts...	7,623	197	860	300	983	1,093	1,701	435	242	1,084	562	166
Michigan.....	13,774	341	1,668	578	1,880	1,992	3,152	909	377	1,710	893	274
Minnesota.....	4,260	86	580	145	553	619	991	249	68	527	349	113
Mississippi.....	4,765	156	392	227	530	630	1,262	304	121	688	331	124
Missouri.....	7,828	229	935	317	1,011	1,081	2,016	627	137	908	389	178
Montana.....	1,274	32	114	41	112	137	254	133	35	268	113	35
Nebraska.....	1,932	60	248	98	227	261	414	99	49	273	146	57
Nevada.....	640	13	86	15	43	86	132	56	20	103	63	23
New Hampshire...	1,006	19	126	32	114	130	240	92	34	127	71	21
New Jersey.....	11,257	426	1,275	407	1,549	1,387	3,444	575	320	1,047	578	249
New Mexico.....	1,568	49	113	51	154	173	274	143	27	383	160	41
New York.....	31,774	982	4,196	968	4,348	3,879	8,565	1,896	765	3,320	2,104	751
North Carolina..	8,831	237	938	394	775	1,171	2,503	549	131	1,171	659	303
North Dakota....	796	8	96	19	148	130	151	36	7	111	67	23
Ohio.....	14,353	300	1,485	522	1,850	1,787	3,626	1,142	332	1,903	1,053	353
Oklahoma.....	4,215	134	509	107	582	343	971	374	69	674	319	133
Oregon.....	3,729	48	364	95	424	467	793	385	49	645	385	74
Pennsylvania....	20,170	529	2,338	783	2,985	2,546	4,797	1,540	480	2,406	1,231	535
Rhode Island....	1,540	29	174	72	203	223	406	56	53	217	65	42
South Carolina..	5,120	233	348	214	655	614	1,572	257	124	560	424	119
South Dakota....	961	16	125	25	151	111	191	73	23	133	81	32
Tennessee.....	7,120	204	746	216	1,025	890	1,880	505	111	811	551	181
Texas.....	15,494	561	1,822	533	1,748	1,996	3,681	1,065	368	1,933	1,412	375
Utah.....	1,077	6	96	38	118	130	214	85	18	249	91	32
Vermont.....	757	14	72	31	82	93	207	69	25	100	46	18
Virginia.....	7,317	305	736	218	894	937	1,854	611	183	899	498	182
Washington.....	4,714	117	570	98	664	561	1,150	389	65	717	474	129
West Virginia...	4,164	148	358	119	447	389	1,129	578	76	511	321	88
Wisconsin.....	6,174	139	673	255	860	884	1,613	352	98	700	416	184
Wyoming.....	541	7	43	19	87	65	107	53	15	79	50	16
Puerto Rico.....	4,119	182	254	125	1,227	494	570	192	80	612	231	152
Abroad.....	337	8	28	5	23	63	88	18	12	45	30	17

Table 28.--Diagnostic group and State

State	Number	Percentage distribution											
		Total	Infective and parasitic diseases	Neoplasms	Allergic, endocrine system, metabolic, and nutritional diseases	Mental, psychoneurotic, and personality disorders	Diseases of the nervous system and sense organs	Diseases of the circulatory system	Diseases of the respiratory system	Diseases of the digestive system	Diseases of the bones and organs of movement	Accidents, poisonings, and violence	Other
Total.....	330,783	100.0	3.1	11.1	3.4	12.7	12.6	24.5	6.8	2.4	13.2	7.7	2.6
Alabama.....	6,967	100.0	4.7	9.6	3.1	13.3	10.8	25.5	7.9	2.2	12.5	8.3	2.1
Alaska.....	206	100.0	3.4	14.1	2.4	12.1	10.2	17.0	6.3	1.5	17.5	12.6	2.9
Arizona.....	2,456	100.0	3.6	9.9	2.9	10.1	11.8	22.1	10.0	2.5	15.5	9.4	2.3
Arkansas.....	4,424	100.0	2.7	10.9	2.3	10.0	11.0	26.1	7.5	2.4	16.4	8.4	2.4
California.....	38,338	100.0	2.7	9.8	3.2	11.3	11.8	21.1	6.3	2.8	18.9	9.2	2.9
Colorado.....	2,942	100.0	2.0	10.7	3.0	14.3	13.1	16.2	7.1	3.1	15.9	12.1	2.5
Connecticut.....	3,780	100.0	3.1	12.5	4.0	12.9	14.3	26.2	6.0	3.0	9.7	6.1	2.1
Delaware.....	894	100.0	3.9	14.4	4.8	9.5	12.4	27.0	6.6	2.7	10.7	6.7	1.2
Dist. of Col....	1,380	100.0	2.4	9.4	5.1	11.8	13.2	22.3	3.6	2.5	10.1	15.3	4.2
Florida.....	11,019	100.0	4.8	11.8	3.5	12.5	12.3	24.8	5.6	3.0	12.1	6.8	2.7
Georgia.....	8,855	100.0	3.1	9.2	3.9	12.0	14.7	24.7	6.5	1.8	13.0	8.0	3.1
Hawaii.....	950	100.0	4.4	11.5	2.4	16.2	15.2	18.6	2.3	1.9	14.4	9.6	3.5
Idaho.....	1,077	100.0	1.5	11.4	4.3	8.1	9.8	23.5	10.3	2.5	15.0	11.1	2.4
Illinois.....	15,148	100.0	4.4	12.3	3.6	12.8	13.8	24.9	5.5	2.2	10.1	7.9	2.6
Indiana.....	7,050	100.0	2.5	13.6	3.7	11.6	13.3	24.4	7.4	2.3	11.8	6.9	2.5
Iowa.....	3,754	100.0	1.4	12.8	3.7	11.5	13.7	21.4	10.0	2.2	13.7	6.8	2.7
Kansas.....	3,007	100.0	2.6	12.6	3.1	14.2	12.8	22.3	8.0	1.8	11.6	8.3	2.6
Kentucky.....	5,665	100.0	3.6	10.1	2.1	12.5	10.9	23.9	10.5	2.8	12.4	8.8	2.4
Louisiana.....	6,589	100.0	4.3	9.6	2.3	10.3	11.1	26.1	5.8	1.9	16.3	10.2	2.1
Maine.....	1,533	100.0	2.0	11.2	2.3	11.2	12.2	29.7	8.9	1.8	12.3	5.3	3.1
Maryland.....	5,519	100.0	7.2	10.5	3.1	11.9	14.0	27.4	4.9	2.5	8.1	8.3	2.2
Massachusetts...	7,623	100.0	2.6	11.3	3.9	12.9	14.3	22.3	5.7	3.2	14.2	7.4	2.2
Michigan.....	13,774	100.0	2.5	12.1	4.2	13.6	14.5	22.9	6.6	2.7	12.4	6.5	2.0
Minnesota.....	4,260	100.0	1.5	13.6	3.4	13.0	14.5	23.3	5.8	1.6	12.4	8.2	2.7
Mississippi.....	4,765	100.0	3.3	8.2	4.8	11.1	13.2	26.5	6.4	2.5	14.4	6.9	2.6
Missouri.....	7,828	100.0	2.9	11.9	4.0	12.9	13.8	25.8	8.0	1.8	11.6	5.0	2.3
Montana.....	1,274	100.0	2.5	8.9	3.2	8.8	10.8	19.9	10.4	2.7	21.0	8.9	2.7
Nebraska.....	1,932	100.0	3.1	12.8	5.1	11.7	13.5	21.4	5.1	2.5	14.1	7.6	3.0
Nevada.....	640	100.0	2.0	13.4	2.3	6.7	13.4	20.6	8.8	3.1	16.1	9.8	3.6
New Hampshire...	1,006	100.0	1.9	12.5	3.2	11.3	12.9	23.9	9.1	3.4	12.6	7.1	2.1
New Jersey.....	11,257	100.0	3.8	11.3	3.6	13.8	12.3	30.6	5.1	2.8	9.3	5.1	2.2
New Mexico.....	1,568	100.0	3.1	7.2	3.3	9.8	11.0	17.5	9.1	1.7	24.4	10.2	2.6
New York.....	31,774	100.0	3.1	13.2	3.0	13.7	12.2	27.0	6.0	2.4	10.4	6.6	2.4
North Carolina..	8,831	100.0	2.7	10.6	4.5	8.6	13.3	28.3	6.2	1.5	13.3	7.5	3.4
North Dakota....	796	100.0	1.0	12.1	2.4	18.6	16.3	19.0	4.5	.9	13.9	8.4	2.9
Ohio.....	14,353	100.0	2.1	10.3	3.6	12.9	12.5	25.3	8.0	2.3	13.3	7.3	2.5
Oklahoma.....	4,215	100.0	3.2	12.1	2.5	13.8	8.1	23.0	8.9	1.6	16.0	7.6	3.2
Oregon.....	3,729	100.0	1.3	9.8	2.5	11.4	12.5	21.3	10.3	1.3	17.3	10.3	2.0
Pennsylvania....	20,170	100.0	2.6	11.6	3.9	14.8	12.6	23.8	7.6	2.4	11.9	6.1	2.7
Rhode Island....	1,540	100.0	1.9	11.3	4.7	13.2	14.5	26.4	3.6	3.4	14.1	4.2	2.7
South Carolina..	5,120	100.0	4.6	6.8	4.2	12.8	12.0	30.7	5.0	2.4	10.9	8.3	2.3
South Dakota....	961	100.0	1.7	13.0	2.6	15.7	11.6	19.9	7.6	2.4	13.8	8.4	3.3
Tennessee.....	7,120	100.0	2.9	10.5	3.0	14.4	12.5	26.4	7.1	1.6	11.4	7.7	2.5
Texas.....	15,494	100.0	3.6	11.8	3.4	11.3	12.9	23.8	6.9	2.4	12.5	9.1	2.4
Utah.....	1,077	100.0	.6	8.9	3.5	11.0	12.1	19.9	7.9	1.7	23.1	8.4	3.0
Vermont.....	757	100.0	1.8	9.5	4.1	10.8	12.3	27.3	9.1	3.3	13.2	6.1	2.4
Virginia.....	7,317	100.0	4.2	10.1	3.0	12.2	12.8	25.3	8.4	2.5	12.3	6.8	2.5
Washington.....	4,714	100.0	2.5	12.1	2.1	9.8	11.5	24.4	8.3	1.4	15.2	10.1	2.7
West Virginia...	4,164	100.0	3.6	8.6	2.9	10.7	9.3	27.1	13.9	1.8	12.3	7.7	2.1
Wisconsin.....	6,174	100.0	2.3	10.9	4.1	13.9	14.3	26.1	5.7	1.6	11.3	6.7	3.0
Wyoming.....	541	100.0	1.3	7.9	3.5	16.1	12.0	19.8	9.8	2.8	14.6	9.2	3.0
Puerto Rico.....	4,119	100.0	4.4	6.2	3.0	29.8	12.0	13.8	4.7	1.9	14.9	5.6	3.7
Abroad.....	337	100.0	2.4	8.3	1.5	6.8	18.7	26.1	5.3	3.6	13.4	8.9	5.0

Table 29.--Ten primary diagnoses occurring most often by State

State	Primary diagnosis									
	Arterio-sclerotic heart disease including coronary disease (420)	Schizo-phrenic disorders (dementia praecox) (300)	Emphy-sema (528)	Osteo-arthri-tis and allied condi-tions (723)	Displace-ment of interver-tebral disc (735)	Cere-bral haemor-rhage (331)	Rheuma-toid arthri-tis and allied condi-tions (722)	Certain and unspeci-fied hyper-tensive heart disease (443)	Dia-betes mel-litus (260)	Pulmo-nary tubercu-losis (002)
Total.....	51,473	20,524	16,305	13,123	10,051	9,544	8,624	7,928	7,822	7,484
Alabama.....	852	470	362	369	141	130	169	395	127	288
Alaska.....	18	12	9	14	3	6	10	1	4	2
Arizona.....	351	75	161	83	67	37	149	24	58	69
Arkansas.....	770	217	251	183	213	141	156	183	57	98
California.....	5,290	2,049	1,735	2,063	1,890	896	892	494	819	615
Colorado.....	307	160	148	153	98	59	86	12	53	28
Connecticut.....	647	258	174	102	124	47	65	43	114	76
Delaware.....	107	40	35	15	34	33	23	34	30	23
Dist. of Col.....	117	80	9	46	18	43	16	41	46	24
Florida.....	1,716	663	333	367	358	431	258	296	282	425
Georgia.....	1,277	445	422	319	238	492	273	274	230	231
Hawaii.....	116	88	10	26	30	53	22	17	13	21
Idaho.....	168	31	91	54	42	19	36	17	27	4
Illinois.....	2,564	1,032	661	498	261	471	380	242	302	513
Indiana.....	1,088	433	411	288	194	332	139	166	208	133
Iowa.....	525	168	322	148	116	162	140	65	99	31
Kansas.....	444	230	179	125	45	110	83	71	61	47
Kentucky.....	942	260	346	221	190	32	127	167	75	163
Louisiana.....	902	302	249	379	271	207	83	359	95	207
Maine.....	318	77	103	53	50	64	35	31	31	19
Maryland.....	660	280	194	126	101	238	88	221	136	339
Massachusetts....	1,096	412	289	270	282	139	215	82	237	169
Michigan.....	2,043	1,111	598	537	271	484	310	144	362	282
Minnesota.....	691	286	130	142	135	174	112	26	119	20
Mississippi.....	661	226	214	133	197	166	171	310	156	123
Missouri.....	1,409	404	463	266	183	236	277	134	207	143
Montana.....	152	41	100	61	61	28	44	7	23	12
Nebraska.....	264	109	73	79	35	76	61	18	50	39
Nevada.....	84	22	28	22	39	16	18	4	8	6
New Hampshire....	165	44	67	20	23	43	42	12	15	12
New Jersey.....	2,320	905	413	289	151	393	281	252	310	285
New Mexico.....	164	65	116	138	90	39	62	17	35	29
New York.....	5,778	2,566	1,458	1,383	531	817	573	646	745	707
North Carolina...	1,535	343	373	324	172	196	324	361	279	148
North Dakota.....	94	65	25	42	17	31	32	3	16	4
Ohio.....	2,430	970	903	485	495	241	376	320	380	182
Oklahoma.....	679	203	343	239	186	22	124	127	55	74
Oregon.....	532	142	234	172	158	121	97	20	69	22
Pennsylvania.....	3,161	1,611	1,171	625	652	896	676	533	555	370
Rhode Island.....	253	85	33	51	55	50	44	40	43	19
South Carolina...	819	209	205	180	129	158	165	354	137	193
South Dakota.....	133	77	46	44	29	23	28	7	20	6
Tennessee.....	1,164	530	324	176	191	179	209	240	144	144
Texas.....	2,298	756	787	533	608	364	310	381	327	426
Utah.....	108	57	41	62	84	20	52	9	20	0
Vermont.....	143	26	49	43	17	16	20	5	20	8
Virginia.....	1,029	291	468	267	124	237	280	344	141	246
Washington.....	830	177	319	257	196	26	123	56	72	92
West Virginia....	689	167	434	175	109	66	96	138	99	113
Wisconsin.....	1,167	446	259	247	113	195	186	86	196	84
Wyoming.....	59	53	36	18	16	10	21	5	13	3
Puerto Rico.....	286	740	87	200	211	59	47	88	99	163
Abroad.....	58	15	14	11	7	20	18	6	3	4

Disabled Worker Allowances, 1968

Table 30.--State distribution by sex and race

State	Total	Male				Female			
		Total	White	Negro	Other	Total	White	Negro	Other
Total.....	330,783	246,442	212,061	31,663	2,718	84,341	71,472	12,291	578
Alabama.....	6,967	5,409	4,029	1,380	0	1,558	1,152	406	0
Alaska.....	206	158	117	4	37	48	36	3	9
Arizona.....	2,456	1,901	1,728	79	94	555	525	24	6
Arkansas.....	4,424	3,580	2,997	579	4	844	717	127	0
California.....	38,338	28,211	25,032	2,382	797	10,127	8,939	1,026	162
Colorado.....	2,942	2,250	2,136	98	16	692	656	30	6
Connecticut.....	3,780	2,660	2,474	179	7	1,120	1,037	83	0
Delaware.....	894	654	506	144	4	240	183	56	1
Dist. of Col....	1,380	1,064	491	569	4	316	84	230	2
Florida.....	11,019	8,219	6,512	1,701	6	2,800	2,176	624	0
Georgia.....	8,855	6,622	4,788	1,834	0	2,233	1,560	673	0
Hawaii.....	950	736	212	7	517	214	48	0	166
Idaho.....	1,077	820	812	2	6	257	256	1	0
Illinois.....	15,148	11,121	9,527	1,537	57	4,027	3,424	592	11
Indiana.....	7,050	5,381	4,898	471	12	1,669	1,538	131	0
Iowa.....	3,754	2,863	2,817	45	1	891	868	21	2
Kansas.....	3,007	2,315	2,139	153	23	692	637	53	2
Kentucky.....	5,665	4,663	4,327	331	5	1,002	870	132	0
Louisiana.....	6,589	5,328	3,620	1,700	8	1,261	692	559	10
Maine.....	1,533	1,138	1,137	0	1	395	395	0	0
Maryland.....	5,519	4,125	3,025	1,087	13	1,394	1,066	324	4
Massachusetts...	7,623	5,338	5,135	176	27	2,285	2,201	84	0
Michigan.....	13,774	10,378	8,807	1,510	61	3,396	2,705	670	21
Minnesota.....	4,260	3,261	3,203	50	8	999	977	16	6
Mississippi.....	4,765	3,497	2,437	1,047	13	1,268	795	473	0
Missouri.....	7,828	5,663	5,052	595	16	2,165	1,861	303	1
Montana.....	1,274	960	939	3	18	314	310	0	4
Nebraska.....	1,932	1,464	1,412	50	2	468	448	20	0
Nevada.....	640	460	441	17	2	180	160	15	5
New Hampshire...	1,006	704	702	2	0	302	300	2	0
New Jersey.....	11,257	7,716	6,655	1,031	30	3,541	3,053	483	5
New Mexico.....	1,568	1,316	1,214	38	64	252	238	7	7
New York.....	31,774	21,356	18,718	2,423	215	10,418	9,019	1,363	36
North Carolina..	8,831	6,348	4,814	1,497	37	2,483	1,823	660	0
North Dakota....	796	614	603	0	11	182	182	0	0
Ohio.....	14,353	10,875	9,672	1,193	10	3,478	3,002	476	0
Oklahoma.....	4,215	3,233	2,934	213	86	982	902	51	29
Oregon.....	3,729	2,908	2,839	47	22	821	807	13	1
Pennsylvania....	20,170	14,958	13,519	1,403	36	5,212	4,708	504	0
Rhode Island....	1,540	997	971	26	0	543	537	6	0
South Carolina..	5,120	3,680	2,530	1,145	5	1,440	1,059	381	0
South Dakota....	961	780	769	2	9	181	176	0	5
Tennessee.....	7,120	5,458	4,613	845	0	1,662	1,312	346	4
Texas.....	15,494	12,184	10,235	1,933	16	3,310	2,679	631	0
Utah.....	1,077	791	775	9	7	286	284	2	0
Vermont.....	757	572	567	5	0	185	185	0	0
Virginia.....	7,317	5,512	4,200	1,297	15	1,805	1,253	552	0
Washington.....	4,714	3,815	3,670	107	38	899	877	14	8
West Virginia...	4,164	3,468	3,277	191	0	696	664	32	0
Wisconsin.....	6,174	4,808	4,592	205	11	1,366	1,334	32	0
Wyoming.....	541	420	410	5	5	121	117	3	1
Puerto Rico.....	4,119	3,432	2,816	309	307	687	578	47	62
Abroad.....	337	258	216	7	35	79	67	10	2

Table 31.--State distribution by sex and race

State	Percentage distribution							
	Male				Female			
	Total	White	Negro	Other	Total	White	Negro	Other
Total.....	100.0	86.0	12.8	1.1	100.0	84.7	14.6	.7
Alabama.....	100.0	74.5	25.5	---	100.0	73.9	26.1	---
Alaska.....	100.0	74.1	2.5	23.4	100.0	75.0	6.2	18.8
Arizona.....	100.0	90.9	4.2	4.9	100.0	94.6	4.3	1.1
Arkansas.....	100.0	83.7	16.2	.1	100.0	85.0	15.0	---
California.....	100.0	88.7	8.4	2.8	100.0	88.3	10.1	1.6
Colorado.....	100.0	94.9	4.4	.7	100.0	94.8	4.3	.9
Connecticut.....	100.0	93.0	6.7	.3	100.0	92.6	7.4	---
Delaware.....	100.0	77.4	22.0	.6	100.0	76.3	23.3	.4
Dist. of Col....	100.0	46.1	53.5	.4	100.0	26.6	72.8	.6
Florida.....	100.0	79.2	20.7	.1	100.0	77.7	22.3	---
Georgia.....	100.0	72.3	27.7	---	100.0	69.9	30.1	---
Hawaii.....	100.0	28.8	1.0	70.2	100.0	22.4	---	77.6
Idaho.....	100.0	99.0	.2	.7	100.0	99.6	.4	---
Illinois.....	100.0	85.7	13.8	.5	100.0	85.0	14.7	.3
Indiana.....	100.0	91.0	8.8	.2	100.0	92.2	7.8	---
Iowa.....	100.0	98.4	1.6	---	100.0	97.4	2.4	.2
Kansas.....	100.0	92.4	6.6	1.0	100.0	92.0	7.7	.3
Kentucky.....	100.0	92.8	7.1	.1	100.0	86.8	13.2	---
Louisiana.....	100.0	67.9	31.9	.2	100.0	54.9	44.3	.8
Maine.....	100.0	99.9	---	.1	100.0	100.0	---	---
Maryland.....	100.0	73.3	26.4	.3	100.0	76.5	23.2	.3
Massachusetts...	100.0	96.2	3.3	.5	100.0	96.3	3.7	---
Michigan.....	100.0	84.9	14.5	.6	100.0	79.7	19.7	.6
Minnesota.....	100.0	98.2	1.5	.2	100.0	97.8	1.6	.6
Mississippi.....	100.0	69.7	29.9	.4	100.0	62.7	37.3	---
Missouri.....	100.0	89.2	10.5	.3	100.0	86.0	14.0	---
Montana.....	100.0	97.8	.3	1.9	100.0	98.7	---	1.3
Nebraska.....	100.0	96.4	3.4	.1	100.0	95.7	4.3	---
Nevada.....	100.0	95.9	3.7	.4	100.0	88.9	8.3	2.8
New Hampshire...	100.0	99.7	.3	---	100.0	99.3	.7	---
New Jersey.....	100.0	86.2	13.4	.4	100.0	86.2	13.6	.1
New Mexico.....	100.0	92.2	2.9	4.9	100.0	94.4	2.8	2.8
New York.....	100.0	87.6	11.3	1.0	100.0	86.6	13.1	.3
North Carolina..	100.0	75.8	23.6	.6	100.0	73.4	26.6	---
North Dakota....	100.0	98.2	---	1.8	100.0	100.0	---	---
Ohio.....	100.0	88.9	11.0	.1	100.0	86.3	13.7	---
Oklahoma.....	100.0	90.7	6.6	2.7	100.0	91.8	5.2	3.0
Oregon.....	100.0	97.6	1.6	.8	100.0	98.3	1.6	.1
Pennsylvania....	100.0	90.4	9.4	.2	100.0	90.3	9.7	---
Rhode Island....	100.0	97.4	2.6	---	100.0	98.9	1.1	---
South Carolina..	100.0	68.8	31.1	.1	100.0	73.5	26.5	---
South Dakota....	100.0	98.6	.3	1.1	100.0	97.2	---	2.8
Tennessee.....	100.0	84.5	15.5	---	100.0	78.9	20.8	.2
Texas.....	100.0	84.0	15.9	.1	100.0	80.9	19.1	---
Utah.....	100.0	98.0	1.1	.9	100.0	99.3	.7	---
Vermont.....	100.0	99.1	.9	---	100.0	100.0	---	---
Virginia.....	100.0	76.2	23.5	.3	100.0	69.4	30.6	---
Washington.....	100.0	96.2	2.8	1.0	100.0	97.6	1.5	.9
West Virginia...	100.0	94.5	5.5	---	100.0	95.4	4.6	---
Wisconsin.....	100.0	95.5	4.3	.2	100.0	97.7	2.3	---
Wyoming.....	100.0	97.6	1.2	1.2	100.0	96.7	2.5	.8
Puerto Rico.....	100.0	82.1	9.0	8.9	100.0	84.1	6.8	9.0
Abroad.....	100.0	83.7	2.7	13.6	100.0	84.8	12.7	2.5

Worker Disability Allowances, 1968

Table 32.--Occupation by age and sex

Major occupational groups	Total	Under 30	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
	Total								
Total	330,783	20,359	11,683	15,419	23,686	35,507	51,012	77,947	95,170
Professional and managerial	32,657	1,097	985	1,140	1,971	3,183	4,387	7,887	12,007
Professional	10,338	375	411	446	829	1,101	1,269	2,273	3,634
Semiprofessional	3,856	434	258	232	316	575	482	616	943
Managerial	18,463	288	316	462	826	1,507	2,636	4,998	7,430
Clerical and sales	40,747	2,741	1,584	1,970	3,208	4,227	6,431	9,270	11,316
Clerical	27,196	2,254	1,248	1,526	2,256	2,938	4,330	5,775	6,869
Sales	13,551	487	336	444	952	1,289	2,101	3,495	4,447
Service	47,943	5,292	1,509	2,083	3,145	4,894	6,625	11,633	12,762
Domestic	6,201	60	100	96	276	582	984	2,068	2,035
Personal	23,547	1,211	696	855	1,707	2,589	3,598	6,360	6,531
Protective	10,258	3,736	535	812	870	1,029	833	1,090	1,353
Building	7,937	285	178	320	292	694	1,210	2,115	2,843
Agriculture	18,470	669	348	549	794	1,668	2,743	4,831	6,868
Manufacturing	152,927	7,495	5,385	7,374	11,269	17,395	24,975	36,133	42,901
Skilled	67,099	2,376	1,878	2,727	4,284	6,845	10,854	16,366	21,569
Semiskilled	46,294	2,190	1,623	2,345	3,679	5,891	7,898	10,798	11,870
Unskilled	39,534	2,929	1,884	2,302	3,306	4,659	6,223	8,769	9,462
Unknown	38,039	3,065	1,872	2,303	3,299	4,140	5,851	8,193	9,316
	Percent								
Total	100.0	6.2	3.5	4.7	7.2	10.7	15.4	23.6	28.8
Professional and managerial	100.0	3.4	3.0	3.5	6.0	9.7	13.4	24.2	36.8
Professional	100.0	3.6	4.0	4.3	8.0	10.6	12.3	22.0	35.2
Semiprofessional	100.0	11.3	6.7	6.0	8.2	14.9	12.5	16.0	24.5
Managerial	100.0	1.6	1.7	2.5	4.5	8.2	14.3	27.1	40.2
Clerical and sales	100.0	6.7	3.9	4.8	7.9	10.4	15.8	22.8	27.8
Clerical	100.0	8.3	4.6	5.6	8.3	10.8	15.9	21.2	25.3
Sales	100.0	3.6	2.5	3.3	7.0	9.5	15.5	25.8	32.8
Service	100.0	11.0	3.1	4.3	6.6	10.2	13.8	24.3	26.6
Domestic	100.0	1.0	1.6	1.5	4.5	9.4	15.9	33.3	32.8
Personal	100.0	5.1	3.0	3.6	7.2	11.0	15.3	27.0	27.7
Protective	100.0	36.4	5.2	7.9	8.5	10.0	8.1	10.6	13.2
Building	100.0	3.6	2.2	4.0	3.7	8.7	15.2	26.6	35.8
Agriculture	100.0	3.6	1.9	3.0	4.3	9.0	14.9	26.2	37.2
Manufacturing	100.0	4.9	3.5	4.8	7.4	11.4	16.3	23.6	28.1
Skilled	100.0	3.5	2.8	4.1	6.4	10.2	16.2	24.7	32.1
Semiskilled	100.0	4.7	3.5	5.1	7.9	12.7	17.1	23.3	25.6
Unskilled	100.0	7.4	4.8	5.8	8.4	11.8	15.7	22.2	23.9
Unknown	100.0	8.1	4.9	6.1	8.7	10.9	15.4	21.5	24.5

Table 32.--Occupation by age and sex--Continued

Major occupational groups	Total	Under 30	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
	Male								
Total	246,442	16,905	9,216	12,105	17,460	25,805	36,211	55,512	73,228
Professional and managerial	23,827	848	752	819	1,402	2,237	3,037	5,565	9,167
Professional	5,368	182	241	253	463	579	590	1,022	2,038
Semiprofessional	2,968	395	223	176	210	430	323	435	776
Managerial	15,491	271	288	390	729	1,228	2,124	4,108	6,353
Clerical and sales	17,750	1,249	638	827	1,327	1,730	2,496	3,923	5,560
Clerical	9,191	879	381	507	591	899	1,275	1,817	2,842
Sales	8,559	370	257	320	736	831	1,221	2,106	2,718
Service	25,381	4,580	1,074	1,450	1,773	2,424	2,849	4,877	6,354
Domestic	384	18	10	5	17	12	30	116	176
Personal	9,005	589	356	402	678	943	1,101	2,223	2,713
Protective	10,034	3,729	535	801	821	1,000	814	1,046	1,288
Building	5,958	244	173	242	257	469	904	1,492	2,177
Agriculture	17,668	656	348	531	746	1,599	2,623	4,558	6,607
Manufacturing	133,852	6,998	4,984	6,695	9,853	14,962	21,148	30,858	38,354
Skilled	63,203	2,293	1,827	2,579	4,040	6,463	9,991	15,502	20,508
Semiskilled	36,396	1,951	1,421	1,995	2,925	4,531	5,984	8,034	9,555
Unskilled	34,253	2,754	1,736	2,121	2,888	3,968	5,173	7,322	8,291
Unknown	27,964	2,574	1,420	1,783	2,359	2,853	4,058	5,731	7,186
	Percent								
Total	100.0	6.9	3.7	4.9	7.1	10.5	14.7	22.5	29.7
Professional and managerial	100.0	3.6	3.2	3.4	5.9	9.4	12.7	23.4	38.5
Professional	100.0	3.4	4.5	4.7	8.6	10.8	11.0	19.0	38.0
Semiprofessional	100.0	13.3	7.5	5.9	7.1	14.5	10.9	14.7	26.1
Managerial	100.0	1.7	1.9	2.5	4.7	7.9	13.7	26.5	41.0
Clerical and sales	100.0	7.0	3.6	4.7	7.5	9.7	14.1	22.1	31.3
Clerical	100.0	9.6	4.1	5.5	6.4	9.8	13.9	19.8	30.9
Sales	100.0	4.3	3.0	3.7	8.6	9.7	14.3	24.6	31.8
Service	100.0	18.0	4.2	5.7	7.0	9.6	11.2	19.2	25.0
Domestic	100.0	4.7	2.6	1.3	4.4	3.1	7.8	30.2	45.8
Personal	100.0	6.5	4.0	4.5	7.5	10.5	12.2	24.7	30.1
Protective	100.0	37.2	5.3	8.0	8.2	10.0	8.1	10.4	12.8
Building	100.0	4.1	2.9	4.1	4.3	7.9	15.2	25.0	36.5
Agriculture	100.0	3.7	2.0	3.0	4.2	9.1	14.8	25.8	37.4
Manufacturing	100.0	5.2	3.7	5.0	7.4	11.2	15.8	23.1	28.7
Skilled	100.0	3.6	2.9	4.1	6.4	10.2	15.8	24.5	32.4
Semiskilled	100.0	5.4	3.9	5.5	8.0	12.4	16.4	22.1	26.3
Unskilled	100.0	8.0	5.1	6.2	8.4	11.6	15.1	21.4	24.2
Unknown	100.0	9.2	5.1	6.4	8.4	10.2	14.5	20.5	25.7

Table 32.--Occupation by age and sex--Continued

Major occupational groups	Total	Under 30	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
	Female								
Total	84,341	3,454	2,467	3,314	6,226	9,702	14,801	22,435	21,942
Professional and managerial	8,830	249	233	321	569	946	1,350	2,322	2,840
Professional	4,970	193	170	193	366	522	679	1,251	1,596
Semiprofessional	888	39	35	56	106	145	159	181	167
Managerial	2,972	17	28	72	97	279	512	890	1,077
Clerical and sales	22,997	1,492	946	1,143	1,881	2,497	3,935	5,347	5,756
Clerical	18,005	1,375	867	1,019	1,665	2,039	3,055	3,958	4,027
Sales	4,992	117	79	124	216	458	880	1,389	1,729
Service	22,562	712	435	633	1,372	2,470	3,776	6,756	6,408
Domestic	5,817	42	90	91	259	570	954	1,952	1,859
Personal	14,542	622	340	453	1,029	1,646	2,497	4,137	3,818
Protective	224	7	---	11	49	29	19	44	65
Building	1,979	41	5	78	35	225	306	623	666
Agriculture	802	13	---	18	48	69	120	273	261
Manufacturing	19,075	497	401	679	1,416	2,433	3,827	5,275	4,547
Skilled	3,896	83	51	148	244	382	863	1,064	1,061
Semiskilled	9,898	239	202	350	754	1,360	1,914	2,764	2,315
Unskilled	5,281	175	148	181	418	691	1,050	1,447	1,171
Unknown	10,075	491	452	520	940	1,287	1,793	2,462	2,130
	Percent								
Total	100.0	4.1	2.9	3.9	7.4	11.5	17.6	26.6	26.0
Professional and managerial	100.0	2.8	2.6	3.6	6.4	10.7	15.3	26.3	32.2
Professional	100.0	3.9	3.4	3.9	7.4	10.5	13.7	25.2	32.1
Semiprofessional	100.0	4.4	3.9	6.3	11.9	16.3	17.9	20.3	18.8
Managerial	100.0	.6	.9	2.4	3.3	9.4	17.2	29.9	36.2
Clerical and sales	100.0	6.5	4.1	5.0	8.2	10.9	17.1	23.2	25.0
Clerical	100.0	7.6	4.8	5.7	9.2	11.3	17.0	22.0	22.4
Sales	100.0	2.3	1.6	2.5	4.3	9.2	17.6	27.8	34.6
Service	100.0	3.2	1.9	2.8	6.1	10.9	16.7	29.9	28.4
Domestic	100.0	.7	1.5	1.6	4.5	9.8	16.4	33.6	32.0
Personal	100.0	4.3	2.3	3.1	7.1	11.3	17.2	28.4	26.3
Protective	100.0	3.1	---	4.9	21.9	12.9	8.5	19.6	29.0
Building	100.0	2.1	.3	3.9	1.8	11.4	15.5	31.5	33.7
Agriculture	100.0	1.6	---	2.2	6.0	8.6	15.0	34.0	32.5
Manufacturing	100.0	2.6	2.1	3.6	7.4	12.8	20.1	27.7	23.8
Skilled	100.0	2.1	1.3	3.8	6.3	9.8	22.2	27.3	27.2
Semiskilled	100.0	2.4	2.0	3.5	7.6	13.7	19.3	27.9	23.4
Unskilled	100.0	3.3	2.8	3.4	7.9	13.1	19.9	27.4	22.2
Unknown	100.0	4.9	4.5	5.2	9.3	12.8	17.8	24.4	21.1

Worker Disability Allowances, 1968

Table 33.--Occupation by sex

Major occupational groups	Number			Percent 1/		
	Total	Male	Female	Total	Male	Female
Total	330,783	246,442	84,341	100.0	100.0	100.0
Professional and managerial	32,657	23,799	8,858	11.2	10.9	11.9
Professional	10,338	5,335	5,003	3.5	2.4	6.7
Semiprofessional	3,856	2,973	883	1.3	1.4	1.2
Managerial	18,463	15,491	2,972	6.3	7.1	4.0
Clerical and sales	40,747	17,760	22,987	13.9	8.1	30.9
Clerical	27,196	9,195	18,001	9.3	4.2	24.2
Sales	13,551	8,565	4,986	4.6	3.9	6.7
Service	47,943	25,377	22,566	16.4	11.6	30.4
Domestic	6,201	384	5,817	2.1	.2	7.8
Personal	23,547	8,986	14,561	8.0	4.1	19.6
Police, fire and military	10,258	10,049	209	3.5	4.6	.3
Building	7,937	5,958	1,979	2.7	2.7	2.7
Agriculture	18,470	17,667	803	6.3	8.1	1.1
Manufacturing	152,927	133,831	19,096	52.2	61.3	25.7
Skilled	67,099	63,199	3,900	22.9	28.9	5.2
Semiskilled	46,294	36,382	9,912	15.8	16.7	13.3
Unskilled	39,534	34,250	5,284	13.5	15.7	7.1
Unknown	38,039	28,008	10,031	---	---	---

1/ Percent distribution based on known occupational groups.

Table 34.--Occupation by race

Major occupational groups	Number				Percent			
	Total	White	Negro	Other	Total	White	Negro	Other
Total.....	330,783	283,533	43,954	3,296	---	---	---	---
Known occupations.....	292,744	251,062	38,806	2,876	100.0	100.0	100.0	100.0
Professional and managerial..	32,657	31,459	1,039	159	11.2	12.5	2.7	5.5
Professional.....	10,338	9,872	417	49	3.5	3.9	1.1	1.7
Semiprofessional.....	3,856	3,678	148	30	1.3	1.5	.4	1.0
Managerial.....	18,463	17,909	474	80	6.3	7.1	1.2	2.8
Clerical and sales.....	40,747	38,903	1,556	288	13.9	15.5	4.0	10.0
Clerical.....	27,196	25,699	1,303	194	9.3	10.2	3.4	6.7
Sales.....	13,551	13,204	253	94	4.6	5.3	.7	3.3
Service.....	47,943	34,530	12,674	739	16.4	13.8	32.7	25.7
Domestic.....	6,201	2,002	4,146	53	2.1	.8	10.7	1.8
Personal.....	23,547	18,853	4,277	417	8.0	7.5	11.0	14.5
Protective.....	10,258	9,046	1,045	167	3.5	3.6	2.7	5.8
Building.....	7,937	4,629	3,206	102	2.7	1.9	8.3	3.5
Agriculture.....	18,470	15,767	2,326	377	6.3	6.3	6.0	13.1
Manufacturing.....	152,927	130,403	21,211	1,313	52.2	51.9	54.7	45.7
Skilled.....	67,099	62,756	3,882	461	22.9	25.0	10.0	16.0
Semiskilled.....	46,294	39,841	6,130	323	15.8	15.9	15.8	11.2
Unskilled.....	39,534	27,806	11,199	529	13.5	11.1	28.9	18.4
Unknown occupations.....	38,039	32,471	5,148	420	---	---	---	---

Table 35.--Occupation by education

Major occupational groups	Total	Highest grade of school completed 1/					
		Total percent	8th grade or less	9-11	High school graduate (12th)	College 1-3 years	College graduate
Total	330,783	100.0	47.6	22.6	21.1	5.6	3.1
Professional and managerial	32,657	100.0	19.9	16.9	26.4	16.6	20.3
Professional	10,338	100.0	4.3	5.0	17.4	26.0	47.4
Semiprofessional	3,856	100.0	16.0	17.2	37.3	19.5	10.0
Managerial	18,463	100.0	29.5	23.5	29.1	10.7	7.3
Clerical and sales	40,747	100.0	18.3	23.8	42.0	12.6	3.2
Clerical	27,196	100.0	15.8	22.8	45.9	13.0	2.5
Sales	13,551	100.0	23.4	25.9	34.1	11.9	4.7
Services	47,943	100.0	48.7	24.1	21.9	4.2	1.1
Domestic	6,201	100.0	69.1	18.9	9.4	2.5	.1
Personal	23,547	100.0	48.1	27.0	20.8	3.2	.8
Protective	10,258	100.0	21.7	23.8	41.9	9.7	2.9
Building	7,937	100.0	68.5	20.2	9.7	1.2	.4
Agriculture	18,470	100.0	72.4	14.2	10.5	2.4	.6
Manufacturing	152,927	100.0	57.8	23.6	15.6	2.4	.6
Skilled	67,099	100.0	49.5	26.1	20.0	3.4	1.0
Semiskilled	46,294	100.0	59.9	24.9	13.2	1.7	.3
Unskilled	39,534	100.0	69.3	18.0	10.9	1.5	.3
Unknown	38,039	100.0	48.4	23.9	20.6	4.7	2.3

1/ Distributed for those workers whose educational status was known.

Table 36.- Selective leading occupations by sex and education

Occupation	Number	Highest grade of school completed					
		Total percent	8th grade or less	9-11	High school graduate (12th)	College 1-3 years	College graduate
	Male						
Salesmen	4,479	100.0	20.6	21.9	33.6	16.6	7.2
Retail managers	4,114	100.0	38.0	25.4	25.7	7.9	2.9
Waiters	727	100.0	50.6	27.1	16.9	3.3	1.8
Soldiers	4,867	100.0	13.1	22.9	48.9	11.9	3.4
Janitors	3,725	100.0	68.3	19.0	10.2	1.6	.8
Farmers	8,384	100.0	63.9	17.5	14.4	3.3	.9
Farm hands	6,128	100.0	86.3	7.8	4.7	1.0	.3
Machinists	2,944	100.0	36.8	29.2	28.2	4.6	1.2
Welders	3,171	100.0	58.0	27.6	15.6	1.5	---
Miners	2,214	100.0	79.8	14.4	5.3	.4	.1
Carpenters	6,499	100.0	54.5	26.6	15.5	2.4	1.0
Painters	3,040	100.0	61.5	22.1	13.8	2.4	.2
Construction, other	6,459	100.0	74.5	16.4	7.8	1.3	---
Plumbers	2,476	100.0	51.6	26.9	19.3	2.2	---
Truck drivers	14,827	100.0	56.9	26.3	12.7	2.0	.1
Automobile mechanics	4,029	100.0	52.9	26.5	18.1	2.0	.5
Mechanics and repairmen	9,147	100.0	47.0	27.0	21.2	4.0	.8
Foremen	6,423	100.0	40.6	27.6	23.2	5.3	3.2
	Female						
Teachers	1,858	100.0	1.8	1.2	4.7	19.6	72.8
Nurses, registered	1,824	100.0	3.6	3.6	27.0	51.9	13.9
Bookkeepers	3,800	100.0	13.2	24.8	48.0	12.6	1.4
General office clerks	3,487	100.0	7.1	27.4	53.6	10.2	1.5
Secretaries	3,342	100.0	2.2	9.4	61.9	22.3	4.2
Stenographers and typists	1,556	100.0	5.0	16.9	60.2	16.1	1.8
Telephone operators	1,352	100.0	17.2	32.8	41.6	8.0	.3
Salespersons	4,117	100.0	28.5	34.0	31.3	5.0	1.1
Maids, general	5,099	100.0	71.0	18.6	8.2	2.1	---
Cooks	2,990	100.0	59.3	25.2	13.4	1.1	1.1
Waitresses	3,517	100.0	43.5	31.8	23.1	1.5	.1
Kitchen workers	1,223	100.0	62.7	18.9	15.9	1.3	1.2
Practical nurses	1,506	100.0	29.0	28.9	28.4	12.0	1.7
Hospital attendants	2,069	100.0	41.9	33.2	20.4	3.7	.8
Packing and labeling	1,891	100.0	55.1	28.8	14.9	.4	.8

Table 37.--Occupation by diagnostic group

Diagnostic group	Total	Profes-sional	Cleri-cal	Sales	Domes-tic ser-vice	Per-sonal ser-vice	Police, fire-men and mili-tary	Build-ing ser-vice	Agri-culture	Skilled	Semi-skilled	Un-skilled	Unknown
	Number												
Total	330,783	32,657	27,196	13,551	6,201	23,347	10,758	7,937	18,470	67,099	46,294	39,534	38,039
Infective and parasitic	10,360	642	701	276	138	718	192	283	598	1,986	1,684	1,730	1,352
Neoplasms	36,560	5,029	3,667	2,013	646	2,416	744	751	1,957	7,421	4,454	2,927	4,515
Allergic, endocrine, etc.	11,359	1,110	939	506	513	1,206	115	473	588	1,849	1,621	1,203	1,236
Diseases of the blood	1,037	112	80	42	43	124	52	19	48	222	127	83	85
Mental disorders	41,894	3,565	4,972	1,449	542	2,951	1,844	1,026	1,903	5,363	4,427	6,009	7,821
Nervous system	41,758	5,003	4,039	2,026	795	3,004	1,245	1,244	2,298	7,503	5,157	4,754	4,690
Circulatory system	80,906	8,854	5,155	3,756	2,978	5,837	1,666	2,063	4,838	18,124	11,805	8,982	7,848
Respiratory system	22,635	1,880	1,171	636	175	1,273	361	508	1,599	6,602	2,659	2,774	1,997
Digestive system	7,806	932	747	406	45	613	178	149	283	1,669	1,141	931	710
Genito-urinary system	2,926	324	242	81	82	193	46	83	154	602	525	305	289
Skin and cellular tissue	1,358	95	169	43	27	109	36	20	97	260	180	149	173
Bones and organs	43,677	3,226	3,424	1,563	961	3,423	1,006	920	2,740	9,393	7,038	5,633	4,350
Congenital malformations	2,670	250	305	85	24	231	51	62	148	529	372	367	246
Accidents	25,319	1,594	1,484	657	214	1,396	2,715	336	1,189	5,473	4,022	3,600	2,639
Other	518	21	21	12	18	53	7	---	28	101	82	87	88
	Percent												
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Infective and parasitic	3.1	2.0	2.6	2.0	2.2	3.0	1.9	3.6	3.2	3.0	3.6	4.4	3.6
Neoplasms	11.1	15.4	13.6	14.9	10.4	10.3	7.3	9.5	10.6	11.1	9.6	7.4	11.9
Allergic, endocrine, etc.	3.4	3.4	3.4	3.7	8.3	5.1	1.1	6.0	3.2	2.8	3.5	3.0	3.2
Diseases of the blood	.3	.3	.3	.3	.7	.5	.5	.2	.3	.3	.3	.2	.2
Mental disorders	12.7	11.0	18.3	10.7	8.7	12.5	18.0	12.9	10.3	8.0	9.6	15.2	20.6
Nervous system	12.6	15.3	14.8	15.0	12.8	12.8	12.1	15.7	12.4	11.2	11.1	12.0	12.3
Circulatory system	24.5	27.1	19.0	27.7	31.9	24.8	16.2	26.0	26.2	27.0	25.5	22.7	20.6
Respiratory system	6.8	5.8	4.3	4.7	2.8	5.4	3.5	6.4	8.7	9.8	7.9	7.0	5.2
Digestive system	2.4	2.9	2.7	3.0	.7	2.6	1.7	1.9	1.5	2.5	2.5	2.4	1.9
Genito-urinary system	.9	1.0	.9	.6	1.3	.8	.4	1.0	.8	.9	1.1	.8	.8
Skin and cellular tissue	.4	.3	.6	.3	.4	.5	.4	.1	.5	.4	.4	.4	.5
Bones and organs	13.2	9.9	12.6	11.5	15.5	14.5	9.4	11.6	14.8	14.0	15.2	14.2	11.4
Congenital malformations	.8	.8	1.1	.6	.4	1.0	.5	.8	.8	.8	.8	.9	.6
Accidents	7.7	4.9	5.5	4.8	3.5	5.9	25.5	4.2	6.4	8.2	8.7	9.1	6.9
Other	.2	.1	.1	.1	.3	.2	.1	---	.2	.2	.2	.2	.2

Table 38.--Leading causes of disability by major occupational groups and sex

Primary diagnosis	Total	Profes-sional	Clerical and sales	Service	Agri-culture	Skilled	Semi-skilled	Un-skilled	Unknown
	Total								
Total	330,783	32,657	40,747	47,943	18,470	67,099	46,294	39,534	38,039
Arteriosclerotic heart disease including coronary disease	51,473	6,228	5,745	6,317	3,275	12,710	7,341	4,778	5,079
Schizophrenic disorders	20,524	1,285	3,252	3,572	630	2,065	1,826	3,094	4,800
Emphysema	16,305	1,393	1,190	1,589	1,210	4,914	2,692	1,929	1,388
Osteo-arthritis	13,123	853	1,267	2,163	1,045	2,574	2,182	1,805	1,234
Displacement of intervertebral disc	10,051	553	758	993	525	2,611	2,004	1,550	1,057
Cerebral haemorrhage	9,544	1,096	1,089	1,344	550	1,948	1,220	1,085	1,212
Rheumatoid arthritis	8,624	805	1,615	1,184	493	1,648	1,253	710	916
Hypertensive heart disease	7,928	587	487	1,868	511	1,138	1,254	1,447	636
Diabetes mellitus	7,822	861	939	1,516	432	1,339	1,141	777	817
Pulmonary tuberculosis	7,484	380	547	953	456	1,447	1,317	1,404	980
Malignant neoplasm of lung and bronchus	4,936	612	552	493	207	1,349	662	475	588
Cerebral embolism and thrombosis	4,564	638	565	586	226	987	625	412	525
All others	168,403	17,366	22,741	25,365	8,910	32,369	22,777	20,068	16,807
	Per cent								
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Arteriosclerotic heart disease including coronary disease	15.6	19.1	14.1	13.2	17.7	18.9	15.9	12.1	13.4
Schizophrenic disorders	6.2	3.9	8.0	7.5	3.4	3.1	3.9	7.8	12.6
Emphysema	4.9	4.3	2.9	3.3	6.6	7.3	5.8	4.9	3.7
Osteo-arthritis	4.0	2.6	3.1	4.5	5.7	3.8	4.7	4.6	3.2
Displacement of intervertebral disc	3.0	1.7	1.9	2.1	2.8	3.9	4.3	3.9	2.8
Cerebral haemorrhage	2.9	3.4	2.7	2.8	3.0	2.9	2.6	2.7	3.2
Rheumatoid arthritis	2.6	2.5	4.0	2.5	2.7	2.5	2.7	1.8	2.4
Hypertensive heart disease	2.4	1.8	1.2	3.9	2.8	1.7	2.7	3.7	1.7
Diabetes mellitus	2.4	2.6	2.3	3.2	2.3	2.0	2.5	2.0	2.1
Pulmonary tuberculosis	2.3	1.2	1.3	2.0	2.5	2.2	2.8	3.6	2.6
Malignant neoplasm of lung and bronchus	1.5	1.9	1.4	1.0	1.1	2.0	1.4	1.2	1.5
Cerebral embolism and thrombosis	1.4	2.0	1.4	1.2	1.2	1.5	1.4	1.0	1.4
All others	50.9	53.2	55.8	52.9	48.2	48.2	49.2	50.8	49.4

Table 38.--Leading causes of disability by major occupational groups and sex--Continued

Primary diagnosis	Total	Profes-sional	Clerical and sales	Service	Agri-culture	Skilled	Semi-skilled	Un-skilled	Unknown
	Male								
Total	246,442	23,799	17,760	25,377	17,667	63,199	36,382	34,250	28,008
Arteriosclerotic heart disease including coronary disease	41,599	5,190	3,376	3,394	3,137	12,274	6,080	4,152	3,996
Schizophrenic disorders	15,082	917	1,320	2,494	617	1,896	1,399	2,846	3,593
Emphysema	14,546	1,245	760	1,083	1,188	4,825	2,418	1,828	1,199
Osteo-arthritis	8,581	475	434	594	1,017	2,296	1,488	1,431	846
Displacement of intervertebral disc	7,833	370	229	378	495	2,464	1,684	1,362	851
Cerebral haemorrhage	7,622	848	631	742	522	1,858	997	996	1,028
Pulmonary tuberculosis	6,643	311	321	733	447	1,407	1,219	1,356	849
Diabetes mellitus	5,309	599	471	558	379	1,268	837	617	580
Hypertensive heart disease	5,151	370	195	595	448	1,027	831	1,262	423
Rheumatoid arthritis	4,758	430	384	312	454	1,435	769	498	476
Malignant neoplasm of lung and bronchus	4,395	532	307	411	207	1,326	613	459	540
Cerebral embolism and thrombosis	3,760	526	379	314	221	935	535	380	470
All others	121,163	11,986	8,953	13,769	8,535	30,188	17,512	17,063	13,157
	Percent								
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Arteriosclerotic heart disease including coronary disease	16.9	21.8	19.0	13.4	17.8	19.4	16.7	12.1	14.3
Schizophrenic disorders	6.1	3.9	7.4	9.8	3.5	3.0	3.8	8.3	12.8
Emphysema	5.9	5.2	4.3	4.3	6.7	7.6	6.6	5.3	4.3
Osteo-arthritis	3.5	2.0	2.4	2.3	5.8	3.6	4.1	4.2	3.0
Displacement of intervertebral disc	3.2	1.6	1.3	1.5	2.8	3.9	4.6	4.0	3.0
Cerebral haemorrhage	3.1	3.6	3.6	2.9	3.0	2.9	2.7	2.9	3.7
Pulmonary tuberculosis	2.7	1.3	1.8	2.9	2.5	2.2	3.4	4.0	3.0
Diabetes mellitus	2.2	2.5	2.7	2.2	2.1	2.0	2.3	1.8	2.1
Hypertensive heart disease	2.1	1.6	1.1	2.3	2.5	1.6	2.3	3.7	1.5
Rheumatoid arthritis	1.9	1.8	2.2	1.2	2.6	2.3	2.1	1.5	1.7
Malignant neoplasm of lung and bronchus	1.8	2.2	1.7	1.6	1.2	2.1	1.7	1.3	1.9
Cerebral embolism and thrombosis	1.5	2.2	2.1	1.2	1.3	1.5	1.5	1.1	1.7
All others	49.2	50.4	50.4	54.3	48.3	47.8	48.1	49.8	47.0

Table 38.--Leading causes of disability by major occupational groups and sex--Continued

Primary diagnosis	Total	Profes-sional	Clerical and sales	Service	Agri-culture	Skilled	Semi-skilled	Un-skilled	Unknown
	Female								
Total	84,341	8,858	22,987	22,566	803	3,900	9,912	5,284	10,031
Arteriosclerotic heart disease including coronary disease	9,874	1,039	2,349	2,917	107	423	1,260	622	1,157
Schizophrenic disorders	5,442	318	1,927	1,062	13	161	421	238	1,302
Osteo-arthritis	4,542	378	836	1,568	24	278	691	374	393
Rheumatoid arthritis	3,866	375	1,231	872	39	213	477	212	447
Hypertensive heart disease	2,777	217	303	1,264	61	106	421	185	220
Malignant neoplasm of breast	2,687	423	854	518	46	46	313	182	305
Diabetes mellitus	2,513	260	468	958	49	67	278	160	273
Displacement of intervertebral disc	2,218	172	529	619	28	145	302	179	244
Cerebral haemorrhage	1,922	248	458	602	28	90	221	89	186
Emphysema	1,759	148	430	507	21	90	266	101	196
Multiple sclerosis	1,508	224	762	204	---	19	72	48	179
Malignant neoplasm of certain and unspecified sites	1,180	141	425	231	5	61	90	47	180
All others	44,053	4,915	12,415	11,244	382	2,201	5,100	2,847	4,949
	Percent								
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Arteriosclerotic heart disease including coronary disease	11.7	11.7	10.2	12.9	13.3	10.8	12.7	11.8	11.5
Schizophrenic disorders	6.5	3.6	8.4	4.7	1.6	4.1	4.2	4.5	13.0
Osteo-arthritis	5.4	4.3	3.6	6.9	3.0	7.1	7.0	7.1	3.9
Rheumatoid arthritis	4.6	4.2	5.4	3.9	4.9	5.5	4.8	4.0	4.5
Hypertensive heart disease	3.3	2.4	1.3	5.6	7.6	2.7	4.2	3.5	2.2
Malignant neoplasm of breast	3.2	4.8	3.7	2.3	5.7	1.2	3.2	3.4	3.0
Diabetes mellitus	3.0	2.9	2.0	4.2	6.1	1.7	2.8	3.0	2.7
Displacement of intervertebral disc	2.6	1.9	2.3	2.7	3.5	3.7	3.0	3.4	2.4
Cerebral haemorrhage	2.3	2.8	2.0	2.7	3.5	2.3	2.2	1.7	1.9
Emphysema	2.1	1.7	1.9	2.2	2.6	2.3	2.7	1.9	2.0
Multiple sclerosis	1.8	2.5	3.3	.9	---	.5	.7	.9	1.8
Malignant neoplasm of certain and unspecified sites	1.4	1.6	1.8	1.0	.6	1.6	.9	.9	1.8
All others	52.2	55.5	54.0	49.8	47.6	56.4	51.5	53.9	49.3

Table 39.--Occupation by State

State	Total	Professional and managerial	Clerical and sales	Service	Agriculture, fishery, forestry	Skilled	Semi-skilled	Unskilled	Unknown
Total.....	330,783	32,657	40,747	47,943	18,470	67,099	46,294	39,534	38,039
Alabama.....	6,967	611	632	886	383	1,491	1,149	1,222	593
Alaska.....	206	19	18	28	16	44	11	28	42
Arizona.....	2,456	411	350	391	159	488	272	211	174
Arkansas.....	4,424	535	329	569	571	810	540	663	407
California.....	38,338	4,111	5,416	6,377	1,904	8,335	4,708	4,052	3,435
Colorado.....	2,942	270	421	608	197	651	288	302	205
Connecticut.....	3,780	345	516	413	57	849	447	323	830
Delaware.....	894	102	106	144	36	184	112	113	97
Dist. of Col.....	1,380	93	132	622	6	153	118	199	57
Florida.....	11,019	1,366	1,615	1,888	712	2,136	1,191	1,214	897
Georgia.....	8,855	704	860	1,432	662	1,711	1,357	1,268	861
Hawaii.....	950	112	120	166	78	183	113	125	53
Idaho.....	1,077	114	105	148	167	205	140	126	72
Illinois.....	15,148	1,267	2,148	2,128	615	3,059	2,036	1,787	2,108
Indiana.....	7,050	683	759	908	264	1,471	927	838	1,200
Iowa.....	3,754	422	433	476	643	615	409	491	265
Kansas.....	3,007	315	375	455	258	613	304	331	356
Kentucky.....	5,665	324	500	694	558	1,363	879	815	532
Louisiana.....	6,589	556	593	1,102	435	1,323	888	1,263	429
Maine.....	1,533	144	133	158	80	329	269	191	229
Maryland.....	5,519	542	777	870	127	1,239	735	766	463
Massachusetts....	7,623	725	1,138	1,035	132	1,462	1,133	739	1,259
Michigan.....	13,774	1,121	1,446	1,794	354	3,025	1,650	1,322	3,062
Minnesota.....	4,260	447	560	506	545	818	486	455	443
Mississippi.....	4,765	396	359	672	583	857	786	715	397
Missouri.....	7,828	772	1,017	1,184	655	1,452	1,039	880	829
Montana.....	1,274	133	144	186	163	272	157	128	91
Nebraska.....	1,932	184	248	296	298	306	194	225	181
Nevada.....	640	71	81	158	24	148	67	40	51
New Hampshire....	1,006	108	105	128	13	239	187	100	126
New Jersey.....	11,257	1,253	1,765	1,217	181	2,131	1,644	989	2,077
New Mexico.....	1,568	156	153	238	93	354	197	239	138
New York.....	31,774	3,586	5,599	4,691	447	5,251	4,667	2,703	4,830
North Carolina...	8,831	854	713	1,171	822	1,762	1,675	1,147	687
North Dakota.....	796	98	90	106	244	112	59	55	32
Ohio.....	14,353	1,146	1,655	1,754	373	3,315	2,233	1,867	2,010
Oklahoma.....	4,215	486	490	689	346	837	568	517	282
Oregon.....	3,729	365	448	479	223	789	609	446	370
Pennsylvania.....	20,170	1,821	2,419	2,451	195	4,418	3,613	2,621	2,632
Rhode Island.....	1,540	119	197	163	14	322	254	147	324
South Carolina...	5,120	459	387	691	379	1,021	1,054	795	334
South Dakota.....	961	104	81	127	258	155	76	114	46
Tennessee.....	7,120	611	718	1,007	627	1,344	941	1,002	870
Texas.....	15,494	1,787	1,802	2,697	1,220	3,115	2,032	1,893	948
Utah.....	1,077	147	125	135	59	287	142	98	84
Vermont.....	757	81	68	118	61	150	114	76	89
Virginia.....	7,317	741	652	1,277	433	1,523	1,129	940	622
Washington.....	4,714	536	514	568	312	1,129	729	643	313
West Virginia....	4,164	296	297	481	100	1,188	709	680	413
Wisconsin.....	6,174	641	695	756	491	1,294	810	864	623
Wyoming.....	541	64	51	93	64	115	59	54	41
Puerto Rico.....	4,119	274	361	542	793	602	361	684	502
Abroad.....	337	59	31	70	40	54	27	28	28

Worker Disability Allowances, 1968

Table 87.- Occupation by leading cause of disease

Occupation	Number	Percentage distribution											
		Total	Arterio-sclerotic heart disease (420)	Schizo-phrenic dis-orders (300)	Emphy-sema (528)	Osteo-arth-ritis (723)	Inter-verte-bral disc (733)	Cere-bral haemor-rhage (331)	Rheuma-toid arthri-tis (722)	Hyper-tensive heart disease (443)	Dia-betes mel-litus (260)	Pulmo-nary tuber-culo-sis (002)	All others
	Total												
Total	330,783	100.0	15.6	8.2	4.9	4.0	3.0	2.9	2.6	2.4	2.4	2.3	51.7
Professional	10,338	100.0	13.8	5.9	2.9	2.3	1.5	4.0	3.0	1.7	2.7	1.2	60.8
Semiskilled	3,856	100.0	15.8	9.9	3.7	2.4	1.8	2.5	2.5	1.9	1.3	1.8	56.4
Managerial	18,463	100.0	22.8	1.4	5.2	2.7	1.7	3.2	2.2	1.8	2.9	1.0	55.1
Clerical	27,196	100.0	11.4	10.0	2.7	3.0	1.8	2.3	4.3	.9	2.3	1.4	59.9
Sales	13,551	100.0	19.4	3.9	3.4	3.4	1.9	3.4	3.3	1.8	2.4	1.2	55.9
Domestic	6,201	100.0	12.2	4.2	1.6	7.3	1.4	3.0	4.0	10.8	5.6	1.1	49.0
Personal	23,547	100.0	13.5	6.2	3.5	5.2	2.9	2.9	2.7	5.1	3.2	2.3	54.5
Protective	10,258	100.0	11.2	13.3	2.8	.9	1.1	2.2	1.2	1.1	.9	1.1	64.2
Building service	7,937	100.0	15.3	6.1	4.8	5.1	1.5	3.3	2.2	4.5	4.3	3.0	49.9
Farming	17,953	100.0	17.8	3.5	6.6	5.7	2.9	3.0	2.7	2.8	2.3	2.4	50.3
Fishery	370	100.0	11.1	1.6	6.5	4.6	---	3.0	---	1.4	3.5	5.4	62.9
Forestry	28	100.0	35.7	---	---	---	---	---	---	---	---	---	64.3
Food products	3,271	100.0	13.4	5.3	5.0	6.3	4.0	3.7	2.2	3.5	3.0	1.9	51.7
Tobacco products	350	100.0	5.1	6.3	1.4	2.0	6.0	3.1	---	10.[illegible]	5.7	4.0	56.4
Textiles	10,087	100.0	13.3	4.8	3.5	6.9	2.5	2.6	4.6	2.8	2.2	1.0	55.7
Lumber and lumber products	4,415	100.0	14.2	2.5	4.8	6.8	2.4	2.1	2.4	5.4	1.9	2.1	55.4
Paper and paper goods	746	100.0	15.1	1.2	5.6	6.0	3.5	2.4	4.6	2.7	6.2	1.9	50.8
Printing	1,281	100.0	17.0	3.0	3.6	2.6	1.8	3.8	2.7	---	.7	2.7	62.1
Chemicals	690	100.0	16.7	5.1	5.4	6.2	3.6	2.5	2.3	4.3	6.1	6.5	41.3
Petroleum and coal products	137	100.0	23.4	9.5	10.9	2.2	15.3	---	2.2	---	---	.7	35.8
Rubber goods products	438	100.0	33.3	2.7	3.7	3.9	5.0	1.4	5.7	3.0	3.9	---	37.4
Leather and leather products	1,041	100.0	13.7	5.9	3.7	4.8	5.4	4.3	.9	5.0	4.0	.9	51.4
Stone, clay, and glass products	1,013	100.0	17.3	5.4	8.4	3.1	1.6	4.8	2.7	2.5	1.1	2.1	51.0
Metal working	17,413	100.0	17.4	4.3	6.6	4.1	4.0	2.8	2.0	1.6	1.6	1.9	53.7
Electricians and electrical equip	3,014	100.0	15.4	5.8	4.4	3.7	3.0	1.3	3.8	2.6	2.9	3.8	53.3
Transportation equipment	1,121	100.0	17.5	5.2	7.4	3.8	3.7	2.8	3.4	3.6	2.8	3.7	46.1
Professional and scientific equip	482	100.0	13.1	4.4	2.3	1.9	6.2	---	1.2	2.5	2.5	3.3	62.6
Miscellaneous manufacturing	1,060	100.0	20.8	6.5	6.2	2.3	3.1	3.3	5.1	1.9	2.5	1.0	47.3
Mineral extraction	3,746	100.0	13.7	2.6	16.2	4.5	5.1	1.3	2.6	1.7	.4	1.8	48.7
Construction	24,692	100.0	15.3	3.4	7.0	4.3	5.0	2.6	1.9	2.4	1.8	3.3	53.0
Transportation	20,521	100.0	17.6	3.5	6.9	4.1	4.7	3.3	2.1	2.3	2.3	3.4	49.6
Communication and utility	931	100.0	19.9	3.7	3.9	2.3	3.0	3.5	2.0	1.9	1.0	.8	58.0
Trade and service	6,239	100.0	13.8	5.8	5.6	4.7	2.0	3.1	3.3	4.8	2.5	3.1	51.3
Public service	1,039	100.0	15.6	4.5	7.1	4.4	2.5	4.2	1.7	3.6	.7	3.0	52.7
Miscellaneous non-manufacturing	26,996	100.0	14.5	8.2	4.8	3.9	3.9	2.5	2.0	2.8	2.2	3.5	51.7
Mechanics and repairmen	14,444	100.0	17.9	3.4	6.6	3.2	4.9	2.5	2.3	1.6	2.2	2.6	52.8
Foremen	7,336	100.0	25.0	.7	7.4	3.2	3.2	4.0	2.1	1.6	2.4	1.0	49.4
Apprentices	78	100.0	21.8	24.4	---	---	---	---	---	---	---	2.6	51.2
Other	38,504	100.0	13.3	12.6	3.6	3.2	2.8	3.1	2.4	1.7	2.2	2.6	52.5

Table 40.--Occupation by leading cause of disease--Continued

Occupation	Number	Percentage distribution											
		Total	Arterio-sclerotic heart disease (420)	Schizo-phrenic dis-orders (300)	Emphy-sema (528)	Osteo-arth-ritis (715)	Inter-verte-bral disc (735)	Cere-bral hemor-rhage (331)	Rheuma-toid arthri-tis (722)	Hyper-tensive heart disease (443)	Dia-betes mel-litus (260)	Pulmo-nary tuber-culo-sis, (002)	All others
	Male												
Total.....	246,442	100.0	16.9	6.1	5.9	3.5	3.2	3.1	1.9	2.1	2.2	2.7	52.4
Professional.....	5,335	100.0	16.5	7.0	4.0	.9	1.3	4.2	1.6	1.7	2.6	1.5	58.9
Semiskilled.....	2,973	100.0	17.3	11.1	4.2	1.9	.7	2.5	1.7	1.2	1.6	1.8	55.8
Managerial.....	15,491	100.0	24.6	1.4	5.9	2.4	1.8	3.6	2.0	1.6	2.7	1.1	52.9
Clerical.....	9,195	100.0	16.0	10.2	4.5	2.2	1.4	3.4	2.2	.9	2.2	2.0	55.0
Sales.....	8,565	100.0	22.3	4.5	4.1	2.7	1.2	3.7	2.1	1.3	3.1	1.6	53.4
Domestic.....	384	100.0	10.8	4.0	6.5	8.3	5.9	.8	3.0	6.2	.8	1.1	52.6
Personal.....	8,986	100.0	14.5	8.9	4.8	2.5	1.8	3.5	.7	2.5	2.9	4.4	53.5
Protective.....	10,049	100.0	11.1	11.1	2.8	1.0	1.2	2.2	1.1	1.1	.9	1.1	64.4
Building service.....	5,958	100.0	15.5	6.1	5.7	3.9	1.4	3.3	2.1	3.9	3.5	3.6	50.8
Farming.....	17,191	100.0	18.0	3.6	6.8	5.8	2.9	3.0	2.6	2.6	2.1	2.5	50.1
Fishery.....	336	100.0	10.7	.6	7.1	5.1	---	1.8	---	1.5	3.9	5.7	63.6
Forestry.....	26	100.0	38.5	---	---	---	---	---	---	---	---	---	61.5
Food products.....	2,186	100.0	14.1	7.0	5.7	4.8	4.4	4.0	1.5	2.1	1.8	2.5	52.3
Tobacco products.....	144	100.0	4.9	---	3.5	1.4	9.0	6.9	---	13.9	.7	9.7	50.0
Textiles.....	2,350	100.0	19.2	3.8	8.1	3.3	1.4	3.4	2.4	2.6	2.3	2.0	51.5
Lumber and lumber products.....	4,229	100.0	14.3	2.6	5.0	6.8	2.2	2.1	2.5	5.2	2.0	2.2	55.1
Paper and paper products.....	627	100.0	18.0	.3	6.7	3.8	4.1	2.9	5.3	3.2	3.2	2.2	50.3
Printing.....	1,048	100.0	17.4	3.6	4.4	2.1	2.1	3.6	2.0	---	.7	2.3	61.8
Chemicals.....	625	100.0	16.0	5.6	5.9	6.9	3.8	2.7	1.6	4.0	4.8	7.2	41.5
Petroleum and coal products.....	137	100.0	23.4	9.5	10.9	2.2	15.3	---	2.2	---	---	.7	35.8
Rubber goods products.....	365	100.0	31.8	3.0	3.3	3.3	3.8	1.6	5.2	3.0	4.7	---	40.3
Leather and leather products.....	674	100.0	10.5	6.5	5.0	5.9	6.4	6.4	---	2.4	4.3	1.0	51.6
Stone, clay, and glass products.....	877	100.0	18.8	6.3	8.3	1.3	1.8	3.1	2.4	2.9	.6	2.4	50.1
Metal working.....	16,139	100.0	17.8	4.3	6.9	4.1	4.0	2.9	1.9	1.7	1.7	2.0	52.7
Electricians and electrical equip...	2,364	100.0	17.1	5.5	5.5	2.2	2.5	1.6	2.3	2.2	2.8	4.6	53.7
Transportation equipment.....	955	100.0	19.2	4.5	8	4.5	3.2	3.2	4.0	3.1	2.8	3.4	43.4
Miscellaneous products.....	271	100.0	17.3	2.2	4.1	3.0	5.9	---	.4	---	.4	5.9	60.8
Miscellaneous manufacturing.....	909	100.0	21.4	7.1	6.1	2.1	3.4	3.6	5.0	2.1	.6	.7	47.9
Mineral extraction...	3,726	100.0	13.8	2.6	18.0	4.5	5.1	1.3	1.9	1.7	.4	1.9	48.8
Construction.....	24,475	100.0	15.3	3.5	7.0	4.3	5.0	2.8	1.9	2.4	1.8	3.2	53.0
Transportation.....	20,301	100.0	17.7	3.5	6.9	4.1	4.7	3.3	2.1	2.3	2.3	3.6	49.5
Communication and utility.....	904	100.0	20.5	3.8	4.0	2.3	3.1	3.7	2.1	.8	1.0	.8	57.9
Trade and service....	4,114	100.0	15.8	6.8	6.8	4.4	1.3	3.4	2.3	2.8	2.2	4.0	50.2
Public service.....	1,039	100.0	15.6	4.5	7.1	4.6	2.5	4.2	1.7	3.6	.7	3.0	52.7
Miscellaneous non-manufacturing.....	23,988	100.0	14.4	8.7	5.2	3.5	3.9	2.7	1.7	2.9	2.3	3.9	50.8
Mechanics and repairmen.....	14,298	100.0	18.0	3.4	6.6	3.2	5.0	2.6	2.3	1.7	2.2	2.7	52.3
Foremen.....	6,679	100.0	26.2	.7	7.9	3.1	3.2	4.1	2.0	1.5	2.5	1.1	47.7
Apprentices.....	78	100.0	21.8	24.4	---	---	---	---	---	---	---	2.6	51.2
Other.....	26,411	100.0	14.0	12.6	4.2	3.0	3.0	3.6	1.7	1.5	2.0	3.0	51.4

Table 40.--Occupation by leading cause of disease--Continued

Occupation	Number	Percentage distribution											
		Total	Arterio-sclerotic heart disease (420)	Schizo-phrenic dis-orders (300)	Lymph-oma (528)	Osteo-arth-ritis (721)	Inter-verte-bral disc (735)	Cere-bral haem-orrhage (331)	Rheuma-toid arthri-tis (722)	Hyper-tensive heart disease (443)	Dia-betes mel-litus (260)	Pulm-onary tuber-culo-sis (502)	All others
	Female												
Total	84,341	100.0	11.7	6.5	2.1	5.4	2.6	2.3	4.6	3.3	3.0	1.2	57.3
Professional	5,003	100.0	10.4	4.2	1.7	4.3	1.7	1.8	4.7	1.7	2.8	.4	62.8
Semiskilled	883	100.0	10.9	5.8	1.8	3.9	5.3	2.5	5.3	4.0	.1	1.8	59.1
Managerial	2,972	100.0	13.7	1.2	2.6	4.5	1.4	1.3	3.2	3.1	4.0	.3	65.5
Clerical	15,001	100.0	9.1	4.9	1.7	3.4	2.0	1.8	3.4	.9	2.3	1.1	62.4
Sales	4,486	100.0	14.1	2.8	2.4	4.3	1.2	2.8	3.4	2.7	3.1	.6	60.2
Domestic	32817	100.0	12.3	4.2	1.2	7.2	1.1	3.2	4.0	11.1	5.7	1.1	53.3
Personal	14,361	100.0	12.9	4.3	2.7	6.9	3.6	2.3	4.0	3.4	3.3	1.0	55.0
Protective	209	100.0	17.4	21.9	---	---	---	2.4	6.2	---	4.3	---	47.8
Building service	1,479	100.0	14.6	6.0	2.1	8.4	1.8	2.6	2.2	6.2	6.6	.9	48.6
Farming	762	100.0	13.4	1.2	2.8	3.1	3.7	3.0	3.1	8.0	6.4	.7	52.6
Fishery	34	100.0	14.7	11.8	---	---	---	14.7	---	---	---	2.9	35.9
Food products	1,103	100.0	12.0	2.0	3.5	9.0	1.3	3.0	3.4	6.2	5.2	.3	51.3
Tobacco products	206	100.0	5.3	10.7	---	2.4	1.9	.5	---	7.3	9.2	---	60.7
Textiles	7,737	100.0	11.6	5.1	2.1	8.0	2.8	2.6	5.3	3.0	3.2	.7	56.8
Lumber and lumber products	186	100.0	12.4	.5	1.1	2.0	8.1	2.7	---	9.1	---	---	59.1
Paper and paper products	119	100.0	---	5.9	---	17.6	---	---	.8	---	21.8	---	51.9
Printing	233	100.0	15.5	---	---	4.7	.4	4.7	5.6	---	.9	4.7	63.5
Chemicals	63	100.0	23.1	---	---	---	1.5	---	9.2	7.7	18.5	---	40.0
Rubber goods products	73	100.0	41.1	1.4	5.5	9.8	11.0	---	8.2	2.7	---	---	23.1
Leather and leather products	367	100.0	19.6	4.6	1.4	2.7	3.5	.3	2.5	9.8	3.3	.5	51.4
Stone, clay, and glass products	136	100.0	7.4	---	8.8	14.7	---	2.9	4.4	---	4.4	---	57.4
Metal working	1,274	100.0	12.8	4.5	3.4	5.0	3.3	2.6	3.3	1.0	.9	.3	62.9
Electricians and electrical equip	650	100.0	9.1	6.9	.6	9.2	4.9	---	9.4	4.0	3.2	.9	51.8
Transportation equipment	166	100.0	7.8	9.0	---	---	6.0	---	---	6.0	2.4	6.0	62.8
Professional and scientific equip	211	100.0	7.6	7.1	---	.5	6.6	---	2.4	5.7	5.2	---	64.9
Miscellaneous manufacturing	91	100.0	14.3	---	7.7	4.4	---	---	6.6	---	23.1	4.4	39.5
Mineral extraction	20	100.0	---	---	55.0	10.0	---	---	25.0	---	---	---	10.0
Construction	217	100.0	14.7	.5	12.4	12.0	5.1	3.2	---	---	---	5.1	47.0
Transportation	220	100.0	14.1	3.9	5.9	4.5	3.2	---	3.2	---	1.4	---	60.9
Communication and utility	27	100.0	---	---	---	---	---	---	---	40.7	---	---	59.3
Trade and service	2,125	100.0	10.0	4.0	3.2	5.3	3.2	2.5	5.2	8.8	3.0	1.3	53.5
Manufacturing	3,008	100.0	14.6	3.9	1.4	7.1	3.9	1.5	5.1	2.1	1.9	1.0	57.5
Mechanics and repairmen	146	100.0	11.0	---	3.4	2.7	1.4	---	3.4	---	.7	1.4	76.0
Foremen	657	100.0	13.1	.6	2.1	4.9	3.0	2.4	3.3	2.4	.8	---	67.4
Other	10,095	100.0	11.3	12.8	1.9	3.8	2.4	1.8	4.4	2.2	2.7	1.5	53.2

Worker Disability Denials, 1968

Table 41.--Reason for denials by age

Reason for denial	Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
	Number							
Total	191,866	14,056	20,764	19,306	25,653	32,602	39,659	39,826
Medical alone - impairment is slight or minimal	9,182	721	1,049	833	1,171	1,396	1,862	2,150
Capacity to engage in former work	90,540	5,912	9,330	9,335	12,510	16,018	18,525	18,910
Capacity to engage in work other than before	4,342	357	628	519	734	911	812	431
Working although severely impaired	10,418	740	1,182	1,156	1,276	1,590	2,207	2,267
Failure to furnish sufficient evidence	6,872	565	982	711	701	969	1,467	1,477
No 20/40 at alleged date of onset	1,198	85	126	105	188	166	236	292
Not disabled at time earnings requirement last met	38,778	1,423	3,304	3,210	5,019	7,145	9,437	9,240
Impairment not expected to last 12 months	18,435	3,499	3,088	2,353	2,517	2,641	2,533	1,804
Other	12,051	754	1,075	1,084	1,537	1,766	2,580	3,255
	Percent							
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Medical alone - impairment is slight or minimal	4.8	5.1	5.1	4.3	4.6	4.3	4.7	5.4
Capacity to engage in former work	47.2	42.1	44.9	48.4	48.8	49.1	46.7	47.5
Capacity to engage in work other than before	2.3	2.5	3.0	2.7	2.9	2.8	2.0	1.1
Working although severely impaired	5.4	5.3	5.7	6.0	5.0	4.9	5.6	5.7
Failure to furnish sufficient evidence	3.6	4.0	4.7	3.7	2.7	3.0	3.7	3.7
No 20/40 at alleged date of onset	.6	.6	.6	.5	.7	.5	.6	.7
Not disabled at time earnings requirement last met	20.2	10.1	15.9	16.6	19.6	21.9	23.8	23.2
Impairment not expected to last 12 months	9.6	24.9	14.9	12.2	9.8	8.1	6.4	4.5
Other	6.3	5.4	5.2	5.6	6.0	5.4	6.5	8.2

Table 42.--Reason for denial by race and sex

Reason for denial	Number				Percent			
	Total	White	Negro	Other	Total	White	Negro	Other
	Total							
Total	191,866	156,856	32,748	2,262	100.0	100.0	100.0	100.0
Medical alone. Impairment is slight or minor	9,182	7,491	1,594	97	4.8	4.8	4.9	4.3
Capacity to engage in former work	90,540	74,249	15,243	1,048	47.2	47.3	46.5	46.3
Capacity to engage in work other than before	4,392	3,593	725	74	2.3	2.3	2.2	3.3
Working although severely impaired	10,418	8,877	1,457	84	5.4	5.7	4.4	3.7
Failure to furnish sufficient evidence	6,872	5,493	1,337	40	3.6	3.5	4.1	1.8
No 20/40 at alleged date of onset	1,198	832	355	11	.6	.5	1.1	.5
Not disabled at time earnings requirement last met	38,778	31,044	7,212	522	20.2	19.8	22.0	23.1
Impairment not expected to last 12 months	18,435	14,990	3,139	306	9.6	9.6	9.6	13.5
Other	12,051	10,285	1,686	80	6.3	6.6	5.1	3.5
	Male							
Total	128,919	105,308	21,853	1,758	100.0	100.0	100.0	100.0
Medical alone. Impairment is slight or minor	5,618	4,548	983	87	4.4	4.3	4.5	4.9
Capacity to engage in former work	59,024	48,465	9,719	840	45.8	46.0	44.5	47.8
Capacity to engage in work other than before	3,479	2,890	526	63	2.7	2.7	2.4	3.6
Working although severely impaired	8,399	7,293	1,044	62	6.5	6.9	4.8	3.5
Failure to furnish sufficient evidence	5,098	4,069	1,009	20	4.0	3.9	4.6	1.1
No 20/40 at alleged date of onset	693	495	187	11	.5	.5	.9	.6
Not disabled at time earnings requirement last met	22,914	17,838	4,630	426	17.8	17.0	21.2	24.2
Impairment not expected to last 12 months	14,632	11,876	2,557	199	11.3	11.3	11.7	11.3
Other	9,062	7,814	1,198	50	7.0	7.4	5.5	2.8
	Female							
Total	62,947	51,548	10,895	504	100.0	100.0	100.0	100.0
Medical alone. Impairment is slight or minor	3,564	2,943	611	10	5.7	5.7	5.6	2.0
Capacity to engage in former work	31,516	25,784	5,524	208	50.1	50.0	50.7	41.3
Capacity to engage in work other than before	913	703	199	11	1.5	1.4	1.8	2.2
Working although severely impaired	2,019	1,584	413	22	3.2	3.1	3.8	4.4
Failure to furnish sufficient evidence	1,774	1,426	328	20	2.8	2.8	3.0	4.0
No 20/40 at alleged date of onset	505	337	168	0	.8	.7	1.5	0
Not disabled at time earnings requirement last met	15,864	13,186	2,582	96	25.2	25.6	23.7	19.0
Impairment not expected to last 12 months	3,803	3,114	582	107	6.0	6.0	5.3	21.2
Other	2,909	2,471	488	30	4.7	4.8	4.5	6.0

Worker Disability Denials, 1968

Table 43.--Race and mobility status

Mobility status	Number				Percent			
	Total	White	Negro	Other	Total	White	Negro	Other
Total.....	191,866	156,856	32,748	2,262	100.0	100.0	100.0	100.0
Institutionalized..	14,620	11,837	2,559	224	7.6	7.5	7.8	9.9
Hospitalized.....	4,905	4,083	718	104	2.6	2.6	2.2	4.6
Housebound.....	3,308	2,949	348	11	1.7	1.9	1.1	.5
Ambulatory outside the home:								
With help.....	15,763	12,836	2,792	135	8.2	8.2	8.5	6.0
By self.....	153,270	125,151	26,331	1,788	79.9	79.8	80.4	79.0

Worker Disability Denials, 1968

Table 44.--Age by sex and race

Age	Total	Male	Female	White	Negro	Other
	Number					
Total.....	191,866	128,919	62,947	156,856	32,748	2,262
Under 25.....	6,361	5,446	915	5,137	1,114	110
25-29.....	7,695	6,294	1,401	5,873	1,665	157
30-34.....	8,642	6,875	1,767	6,405	2,126	111
35-39.....	12,122	9,106	3,016	9,252	2,751	119
40-44.....	19,306	14,081	5,225	15,166	3,809	331
45-49.....	25,653	17,483	8,170	20,346	5,036	271
50-54.....	32,602	20,377	12,225	26,996	5,274	332
55-59.....	39,659	24,041	15,618	33,222	6,030	407
60 and over..	39,826	25,210	14,610	34,459	4,943	424
	Percent					
Total.....	100.0	100.0	100.0	100.0	100.0	100.0
Under 25.....	3.3	4.2	1.5	3.3	3.4	4.9
25-29.....	4.0	4.9	2.2	3.7	5.1	6.9
30-34.....	4.5	5.3	2.8	4.1	6.5	4.9
35-39.....	6.3	7.1	4.8	5.9	8.4	5.3
40-44.....	10.1	10.9	8.3	9.7	11.6	14.6
45-49.....	13.4	13.6	13.0	13.0	15.4	12.0
50-54.....	17.0	15.8	19.4	17.2	16.1	14.7
55-59.....	20.7	18.6	24.8	21.2	18.4	18.0
60 and over..	20.8	19.6	23.2	22.0	15.1	18.7

Table 45.--Diagnostic group by race and sex

Diagnostic group	Total	White	Negro	Other
	Number			
Total	191,866	156,856	32,748	2,262
Infective and parasitic diseases	8,134	5,538	2,293	303
Neoplasms	4,771	3,937	784	50
Allergic, endocrine system	9,341	7,205	1,985	151
Mental, psychoneurotic disorders	32,367	27,509	4,630	228
Diseases of nervous system and sense organs	12,900	10,645	2,094	161
Circulatory system	24,351	19,147	4,965	239
Respiratory system	10,132	8,847	1,247	38
Digestive system	10,265	8,444	1,731	90
Genito-urinary system	3,381	2,671	671	39
Skin and cellular tissues	1,610	1,218	361	31
Bones and organs of movement	26,746	22,760	3,695	291
Congenital malformations	1,183	1,038	135	10
Symptoms	2,036	1,748	269	19
Accidents	21,280	17,104	3,813	363
Other	714	593	112	9
Unknown	22,655	18,452	3,963	240
	Percent			
Total	100.0	81.8	17.1	1.2
Infective and parasitic diseases	100.0	68.1	28.2	3.7
Neoplasms	100.0	82.5	16.4	1.1
Allergic, endocrine system	100.0	77.1	21.3	1.6
Mental, psychoneurotic disorders	100.0	85.0	14.3	.7
Diseases of nervous system and sense organs	100.0	82.5	16.2	1.3
Circulatory system	100.0	78.6	20.4	.9
Respiratory system	100.0	87.3	12.3	.4
Digestive system	100.0	82.3	16.9	.9
Genito-urinary system	100.0	79.0	19.8	1.2
Skin and cellular tissues	100.0	75.7	22.4	1.9
Bones and organs of movement	100.0	85.1	13.8	1.1
Congenital malformations	100.0	87.7	11.4	.9
Symptoms	100.0	85.9	13.2	.9
Accidents	100.0	80.4	17.9	1.7
Other	100.0	83.0	15.7	1.3
Unknown	100.0	81.4	17.5	1.1

Childhood Disability Allowances, 1968

Table 46.--Age and sex

Age	Total		Male		Female	
	Number	Percent	Number	Percent	Number	Percent
Total.....	22,063	100.0	12,295	100.0	9,768	100.0
Under 25.....	10,590	48.0	6,030	49.0	4,560	46.7
25-29.....	3,046	13.8	1,742	14.2	1,304	13.3
30-34.....	2,675	12.1	1,447	11.8	1,228	12.6
35-39.....	2,348	10.6	1,264	10.3	1,084	11.1
40-44.....	1,552	7.0	808	6.6	744	7.6
45-49.....	823	3.7	442	3.6	381	3.9
50 and over....	1,029	4.7	562	4.6	467	4.8

Childhood Disability Allowances, 1968

Table 47.--Education and sex

Highest grade of school completed	Total		Male		Female	
	Number	Percent	Number	Percent	Number	Percent
Total.....	22,063	---	12,295	---	9,768	---
Unknown education.....	3,813	---	2,214	---	1,599	---
Known education.....	18,250	100.0	10,081	100.0	8,169	100.0
No schooling.....	6,968	38.2	3,977	39.5	2,991	36.6
4th grade or less.....	2,307	12.6	1,277	12.7	1,030	12.6
5th-7th.....	2,174	11.9	1,185	11.8	989	12.1
8th.....	1,194	6.5	645	6.4	549	6.7
9th-11th.....	2,040	11.2	1,132	11.2	908	11.1
High school (12th).....	1,285	7.0	615	6.1	670	8.2
1 or more years college..	208	1.1	124	1.2	84	1.0
Ungraded 1/.....	2,074	11.4	1,126	11.2	948	11.6

1/ Special classes.

Table 48.--Mobility status and age

Mobility status	Age on birthday in 1968									
	Total		Under 25		25-34		35-44		45 and over	
	Number	Per-cent	Number	Per-cent	Number	Per-cent	Number	Per-cent	Number	Per-cent
Total.....	22,063	100.0	10,590	100.0	5,749	100.0	3,872	100.0	1,852	100.0
Institutionalized 1/..	5,958	27.0	2,644	25.0	1,475	25.7	1,143	29.5	696	37.6
Hospitalized 2/.....	174	0.8	113	1.1	23	.4	20	.5	18	1.0
Housebound.....	1,648	7.5	713	6.7	525	9.1	300	7.7	110	5.9
Ambulatory outside the home :										
With help.....	5,485	24.9	2,730	25.8	1,434	24.9	[illegible]	25.4	337	18.2
By self.....	8,798	39.9	4,390	41.5	2,292	39.9	1,425	36.8	691	37.3

1/ Disabled person was confined to an institution; i.e., mental, tuberculosis, or chronic disease hospital, soldiers' home, etc.

2/ Disabled person was a patient in a general hospital.

Table 49.--Diagnostic group by age and sex

Diagnostic group	Number				Percent			
	Total	18-24	25-44	45 and over	Total	18-24	25-44	45 and over
	Total							
Total	22,063	10,590	9,621	1,852	100.0	100.0	100.0	100.0
Infective and parasitic diseases	439	189	184	66	2.0	1.8	1.9	3.6
Neoplasms	97	69	25	3	.4	.7	.3	.2
Allergic, endocrine system, metabolic and nutritional diseases	142	56	74	12	.6	.5	.8	.6
Diseases of the blood and blood forming organs	78	61	16	1	.4	.6	.2	.1
Mental, psychoneurotic and personality disorders	15,185	7,193	6,613	1,379	68.8	67.9	68.7	74.5
Diseases of the -								
nervous system and sense organs	4,753	2,187	2,251	315	21.5	20.7	23.4	17.0
circulatory system	83	47	32	4	.4	.4	.3	.2
bones and organs of movement	373	206	140	27	1.7	1.9	1.5	1.5
Congenital malformations	540	329	182	29	2.4	3.1	1.9	1.6
Accidents, poisonings and violence	246	171	63	12	1.1	1.6	.7	.6
Others	127	82	41	4	.6	.8	.4	.2
	Male							
Total	12,295	6,030	5,261	1,004	100.0	100.0	100.0	100.0
Infective and parasitic diseases	241	115	89	37	2.0	1.9	1.7	3.7
Neoplasms	48	37	9	2	.4	.6	.2	.2
Allergic, endocrine system, metabolic and nutritional diseases	59	24	32	3	.5	.4	.6	.3
Diseases of the blood and blood forming organs	58	48	10	---	.5	.8	.2	---
Mental, psychoneurotic and personality disorders	8,450	4,035	3,649	766	68.7	66.9	69.4	76.3
Diseases of the -								
nervous system and sense organs	2,634	1,250	1,219	165	21.4	20.7	23.2	16.4
circulatory system	42	25	16	1	.3	.4	.3	.1
bones and organs of movement	227	132	85	10	1.8	2.2	1.6	1.0
Congenital malformations	286	184	90	12	2.3	3.1	1.7	1.2
Accidents, poisonings and violence	187	137	45	5	1.5	2.3	.9	.5
Others	63	43	17	3	.5	.7	.3	.3
	Female							
Total	9,768	4,560	4,360	848	100.0	100.0	100.0	100.0
Infective and parasitic diseases	198	74	95	29	2.0	1.6	2.2	3.4
Neoplasms	49	32	16	1	.5	.7	.4	.1
Allergic, endocrine system, metabolic and nutritional diseases	83	32	42	9	.8	.7	1.0	1.1
Diseases of the blood and blood forming organs	20	13	6	1	.2	.3	1	.1
Mental, psychoneurotic and personality disorders	6,735	3,158	2,964	613	68.9	69.3	68.0	72.3
Diseases of the -								
nervous system and sense organs	2,119	937	1,032	150	21.7	20.5	23.7	17.7
circulatory system	41	22	16	3	.4	.5	.4	.4
bones and organs of movement	146	74	55	17	1.5	1.6	1.3	2.0
Congenital malformations	254	145	92	17	2.6	3.2	2.1	2.0
Accidents, poisonings and violence	59	34	18	7	.6	.7	.4	.8
Others	64	39	24	1	.7	.9	.6	.1

Table 50.--Diagnostic group and primary diagnosis by sex

Diagnostic group and primary diagnosis	International code	Number			Percent		
		Total	Male	Female	Total	Male	Female
Total	---	22,063	12,295	9,768	100.0	100.0	100.0
Infective and parasitic diseases	001-138	439	241	198	2.0	2.0	2.0
Late effects of acute poliomyelitis	081	323	174	149	1.5	1.4	1.5
Other	---	116	67	49	.5	.5	.5
Neoplasms	140-239	97	48	49	.4	.4	.5
Allergic, endocrine system, metabolic, and nutritional diseases	240-289	142	59	83	.6	.5	.8
Diseases of the blood and blood-forming organs	290-299	78	58	20	.4	.5	.2
Certain anaemias	292	50	34	16	.2	.3	.2
Other	---	28	24	4	.1	.2	---
Mental, psychoneurotic, and personality disorders	300-329	15,185	8,450	6,735	68.8	68.7	68.9
Mental deficiency	325	12,113	6,599	5,514	54.9	53.7	56.4
Schizophrenic disorders	300	1,457	881	576	6.6	7.2	5.9
Mental deterioration	309	734	417	317	3.3	3.4	3.2
Chronic brain syndrome	328	522	344	178	2.4	2.8	1.8
Psychosis due to disease or injury to brain	308	105	73	32	.5	.6	.3
Pathological personality	320	60	40	20	.3	.3	.2
Other	---	194	96	98	.9	.8	1.0
Diseases of the nervous system and sense organs	330-398	4,753	2,634	2,119	21.5	21.4	21.7
Cerebral spastic infantile paralysis	351	2,042	1,169	873	9.3	9.5	8.9
Epilepsy	353	1,432	773	659	6.5	6.3	6.7
Deafness	398	188	76	112	.9	.6	1.1
Late effects of intracranial abscess or pyogenic infection	344	168	97	71	.8	.8	.7
Certain diseases of the brain	355	167	102	65	.8	.8	.7
Blindness	389	164	89	75	.7	.7	.8
Deaf mutism	397	134	81	53	.6	.7	.5
Certain diseases of the eye	388	133	71	62	.6	.6	.6
Certain diseases of the spinal cord	357	53	29	24	.2	.2	.2
Refractive errors of the eye	380	50	37	13	.2	.3	.1
Other	---	222	110	112	1.0	.9	1.1
Diseases of the circulatory system	400-468	83	42	41	.4	.3	.4
Diseases of the bones and organs of movement	720-749	373	227	146	1.7	1.8	1.5
Diseases of muscle, tendon and fascia	744	169	131	38	.8	1.1	.4
Rheumatoid arthritis and allied conditions	722	64	20	44	.3	.2	.5
Other	---	140	76	64	.6	.6	.7
Congenital malformations	750-759	540	286	254	2.4	2.3	2.6
Cataract and anomalies of nervous system and sense organs	753	190	99	91	.9	.8	.9
Circulatory system	754	109	63	46	.5	.5	.5
Spina bifida and meningocele	751	72	38	34	.3	.3	.3
Other congenital malformations	759	68	37	31	.3	.3	.3
Malformations of bone and joint	758	65	26	39	.3	.2	.4
Other	---	36	23	13	.2	.2	.1
Alternative classification of accidents, poisonings, and violence	800-999	246	187	59	1.1	1.5	.6
Other	---	127	63	64	.6	.5	.7

Table 51.--Ten primary diagnoses occurring most often by sex

Primary diagnosis	International code	Number	Percent	Cumulative percent
		Total		
1. Mental deficiency	325	12,113	54.9	54.9
2. Cerebral spastic infantile paralysis	351	2,042	9.3	64.2
3. Schizophrenic disorders (dementia praecox)	300	1,457	6.6	70.8
4. Epilepsy	353	1,432	6.5	77.3
5. Mental deterioration and certain other psychoses of unspecified etiology	309	734	3.3	80.6
6. Chronic brain syndrome	328	522	2.4	82.9
7. Late effects of acute poliomyelitis	081	323	1.5	84.4
8. Congenital cataract and other congenital malformations of nervous system and sense organs	753	190	.9	85.3
9. Deafness	398	188	.9	86.1
10. Certain diseases of muscle, tendon, and fascia	744	169	.8	86.9
		Male		
1. Mental deficiency	325	6,599	53.7	53.7
2. Cerebral spastic infantile paralysis	351	1,169	9.5	63.2
3. Schizophrenic disorders (dementia praecox)	300	881	7.2	70.3
4. Epilepsy	353	773	6.3	76.6
5. Mental deterioration and certain other psychoses of unspecified etiology	309	417	3.4	80.0
6. Chronic brain syndrome	328	344	2.8	82.8
7. Late effects of acute poliomyelitis	081	174	1.4	84.2
8. Certain diseases of muscle, tendon, and fascia	744	131	1.1	85.3
9. Certain diseases of the brain	355	102	.8	86.1
10. Congenital cataract and other congenital malformations of nervous system and sense organs	753	99	.8	86.9
		Female		
1. Mental deficiency	325	5,514	56.4	56.4
2. Cerebral spastic infantile paralysis	351	873	8.9	65.4
3. Epilepsy	353	659	6.7	72.1
4. Schizophrenic disorders (dementia praecox)	300	576	5.9	78.0
5. Mental deterioration and certain other psychoses of unspecified etiology	309	317	3.2	81.3
6. Chronic brain syndrome	328	178	1.8	83.1
7. Late effects of acute poliomyelitis	081	149	1.5	84.6
8. Deafness	398	112	1.1	85.8
9. Congenital cataract and other congenital malformations of nervous system and sense organs	753	91	.9	86.7
10. Blindness	389	75	.8	87.5

Table 52.--Ten primary diagnoses occurring most often by age

Primary diagnosis	International code	Number	Percent	Cumulative percent
	Aged 18-24			
1. Mental deficiency	325	5,847	55.2	55.2
2. Cerebral spastic infantile paralysis	351	905	8.5	63.8
3. Schizophrenic disorders (dementia praecox)	300	625	5.9	69.7
4. Epilepsy	353	585	5.5	75.2
5. Mental deterioration and certain other psychoses of unspecified etiology	309	259	2.4	77.6
6. Chronic brain syndrome	328	259	2.4	80.1
7. Late effects of acute poliomyelitis	081	150	1.4	81.5
8. Deafness	398	125	1.2	82.7
9. Blindness	389	109	1.0	83.7
10. Certain diseases of muscle, tendon, and fascia	744	104	1.0	84.7
	Aged 25-44			
1. Mental deficiency	325	5,291	55.0	55.0
2. Cerebral spastic infantile paralysis	351	1,036	10.8	65.8
3. Epilepsy	353	733	7.6	73.4
4. Schizophrenic disorders (dementia praecox)	300	639	6.6	80.0
5. Mental deterioration and certain other psychoses of unspecified etiology	309	353	3.7	83.7
6. Chronic brain syndrome	328	214	2.2	85.9
7. Late effects of acute poliomyelitis	081	134	1.4	87.3
8. Late effects of intracranial abscess or pyogenic infection	344	84	.9	88.2
9. Certain diseases of muscle, tendon, and fascia	744	77	.8	89.0
10. Congenital cataract and other congenital malformations of nervous system and sense organs	753	75	.8	89.8
	Aged 45 and over			
1. Mental deficiency	325	975	52.6	52.6
2. Schizophrenic disorders (dementia praecox)	300	193	10.4	63.1
3. Mental deterioration and certain other psychoses of unspecified etiology	309	122	6.6	69.7
4. Epilepsy	353	114	6.2	75.8
5. Cerebral spastic infantile paralysis	351	101	5.5	81.3
6. Chronic brain syndrome	328	49	2.6	83.9
7. Late effects of acute poliomyelitis	081	39	2.1	86.0
8. Deaf mutism	397	24	1.3	87.3
9. Psychosis due to any disease or injury to brain	308	22	1.2	88.5
10. Late effects of intracranial abscess or pyogenic infection	344	17	.9	89.4

Table 53.--Diagnostic group by State

State	Total	Diagnostic group						
		Infective and parasitic diseases	Mental, psychoneurotic, and personality disorders	Diseases of the nervous system and sense organs	Diseases of the bones and organs of movement	Congenital malformations	Accidents, poisonings, and violence	Other
Total.....	22,063	439	15,185	4,753	373	540	246	527
Alabama.....	559	9	393	119	6	14	7	11
Alaska.....	18	0	12	6	0	0	0	0
Arizona.....	141	2	77	35	5	13	4	5
Arkansas.....	272	6	171	70	2	6	5	12
California.....	1,529	38	1,024	342	28	40	21	36
Colorado.....	168	5	105	46	0	5	1	6
Connecticut.....	274	2	202	48	4	7	4	7
Delaware.....	52	1	33	12	4	2	0	0
Dist. of Col....	56	1	40	10	2	0	0	3
Florida.....	572	9	396	121	8	15	9	14
Georgia.....	573	12	394	122	12	13	8	12
Hawaii.....	91	3	65	20	2	0	0	1
Idaho.....	73	0	51	18	2	1	1	0
Illinois.....	944	20	615	211	20	29	11	38
Indiana.....	491	8	329	118	4	14	9	9
Iowa.....	336	9	248	60	5	6	3	5
Kansas.....	231	12	155	50	3	5	1	5
Kentucky.....	487	14	321	112	4	15	4	17
Louisiana.....	487	16	306	111	14	14	4	22
Maine.....	121	4	86	26	1	1	0	3
Maryland.....	348	6	247	80	6	2	4	3
Massachusetts...	547	4	390	119	9	15	3	7
Michigan.....	1,124	14	776	230	30	38	11	25
Minnesota.....	366	10	254	84	5	8	3	2
Mississippi.....	412	19	259	91	10	7	7	19
Missouri.....	523	6	369	112	11	9	9	7
Montana.....	81	2	49	25	3	1	0	1
Nebraska.....	182	3	112	47	5	3	3	9
Nevada.....	26	0	15	7	0	2	1	1
New Hampshire...	55	1	34	15	0	1	2	2
New Jersey.....	576	14	425	101	2	14	4	16
New Mexico.....	98	5	62	20	4	3	2	2
New York.....	1,892	32	1,420	313	27	38	21	41
North Carolina..	754	13	531	154	14	19	3	20
North Dakota....	101	0	80	14	2	2	0	3
Ohio.....	1,040	23	735	227	9	21	13	12
Oklahoma.....	369	8	270	63	4	10	4	10
Oregon.....	209	2	151	39	5	4	3	5
Pennsylvania....	1,232	14	831	308	18	16	8	37
Rhode Island....	80	0	53	20	2	1	0	4
South Carolina..	317	4	217	70	10	5	4	7
South Dakota....	106	0	78	18	4	3	1	2
Tennessee.....	511	8	350	114	6	11	10	12
Texas.....	1,095	31	764	233	19	17	14	17
Utah.....	87	3	50	23	3	7	0	1
Vermont.....	48	0	28	18	1	2	2	0
Virginia.....	549	10	389	111	11	14	4	10
Washington.....	253	3	171	62	6	4	2	5
West Virginia...	358	9	223	95	5	9	10	7
Wisconsin.....	479	4	322	117	3	19	5	9
Wyoming.....	38	0	23	13	0	2	0	0
Puerto Rico.....	630	12	435	129	8	26	1	19
Abroad.....	102	8	49	27	5	7	0	6

Childhood Disability Allowances, 1968

Table 54.--Diagnostic group by State

State	Number	Percentage distribution by diagnostic group							
		Total	Infective and parasitic diseases	Mental, psychoneurotic, and personality disorders	Diseases of the nervous system and sense organs	Diseases of the bones and organs of movement	Congenital malformations	Accidents, poisonings, and violence	Other
Total.....	22,063	100.0	2.0	68.8	21.5	1.7	2.4	1.1	2.4
Alabama.....	559	100.0	1.6	70.3	21.3	1.1	2.5	1.3	2.0
Alaska.....	18	100.0	---	66.7	33.3	---	---	---	---
Arizona.....	141	100.0	1.4	54.6	24.8	3.5	9.2	2.8	3.5
Arkansas.....	272	100.0	2.2	62.9	25.7	.7	2.2	1.8	4.4
California.....	1,529	100.0	2.5	67.0	22.4	1.8	2.6	1.4	2.4
Colorado.....	168	100.0	3.0	62.5	27.4	---	3.0	.6	3.6
Connecticut.....	274	100.0	.7	73.7	17.5	1.5	2.6	1.5	2.6
Delaware.....	52	100.0	1.9	63.5	23.1	7.7	3.8	---	---
Dist. of Col....	56	100.0	1.8	71.4	17.9	3.6	---	---	5.4
Florida.....	572	100.0	1.6	69.2	21.2	1.4	2.6	1.6	2.4
Georgia.....	573	100.0	2.1	68.8	21.3	2.1	2.3	1.4	2.1
Hawaii.....	91	100.0	3.3	71.4	22.0	2.2	---	---	1.1
Idaho.....	73	100.0	---	69.9	24.7	2.7	1.4	1.4	---
Illinois.....	944	100.0	2.1	65.1	22.4	2.1	3.1	1.2	4.0
Indiana.....	491	100.0	1.6	67.0	24.0	.8	2.9	1.8	1.8
Iowa.....	336	100.0	2.7	73.8	17.9	1.5	1.8	.9	1.5
Kansas.....	231	100.0	5.2	67.1	21.6	1.3	2.2	.4	2.2
Kentucky.....	487	100.0	2.9	65.9	23.0	.8	3.1	.8	3.5
Louisiana.....	487	100.0	3.3	62.8	22.8	2.9	2.9	.8	4.5
Maine.....	121	100.0	3.3	71.1	21.5	.8	.8	---	2.5
Maryland.....	348	100.0	1.7	71.0	23.0	1.7	.6	1.1	.9
Massachusetts...	547	100.0	.7	71.3	21.8	1.6	2.7	.5	1.3
Michigan.....	1,124	100.0	1.2	69.0	20.5	2.7	3.4	1.0	2.2
Minnesota.....	366	100.0	2.7	69.4	23.0	1.4	2.2	.8	.5
Mississippi.....	412	100.0	4.6	62.9	22.1	2.4	1.7	1.7	4.6
Missouri.....	523	100.0	1.1	70.6	21.4	2.1	1.7	1.7	1.3
Montana.....	81	100.0	2.5	60.5	30.9	3.7	1.2	---	1.2
Nebraska.....	182	100.0	1.6	61.5	25.8	2.7	1.6	1.6	4.9
Nevada.....	26	100.0	---	57.7	26.9	---	7.7	3.8	3.8
New Hampshire...	55	100.0	1.8	61.8	27.3	---	1.8	3.6	3.6
New Jersey.....	576	100.0	2.4	73.8	17.5	.3	2.4	.7	2.8
New Mexico.....	98	100.0	5.1	63.3	20.4	4.1	3.1	2.0	2.0
New York.....	1,892	100.0	1.7	75.1	16.5	1.4	2.0	1.1	2.2
North Carolina..	754	100.0	1.7	70.4	20.4	1.9	2.5	.4	2.7
North Dakota....	101	100.0	---	79.2	13.9	2.0	2.0	---	3.0
Ohio.....	1,040	100.0	2.2	70.7	21.8	.9	2.0	1.2	1.2
Oklahoma.....	369	100.0	2.2	73.2	17.1	1.1	2.7	1.1	2.7
Oregon.....	209	100.0	1.0	72.2	18.7	2.4	1.9	1.4	2.4
Pennsylvania....	1,232	100.0	1.1	67.5	25.0	1.5	1.3	.6	3.0
Rhode Island....	80	100.0	---	66.3	25.0	2.5	1.3	---	5.0
South Carolina..	317	100.0	1.3	68.5	22.1	3.2	1.6	1.3	2.2
South Dakota....	106	100.0	---	73.6	17.0	3.8	2.8	.9	1.9
Tennessee.....	511	100.0	1.6	68.5	22.3	1.2	2.2	2.0	2.3
Texas.....	1,095	100.0	2.8	69.8	21.3	1.7	1.6	1.3	1.6
Utah.....	87	100.0	3.4	57.5	26.4	3.4	8.0	---	1.1
Vermont.....	48	100.0	---	58.3	31.2	2.1	4.2	4.2	---
Virginia.....	549	100.0	1.8	70.9	20.2	2.0	2.6	.7	1.8
Washington.....	253	100.0	1.2	67.6	24.5	2.4	1.6	.8	2.0
West Virginia...	358	100.0	2.5	62.3	26.5	1.4	2.5	2.8	2.0
Wisconsin.....	479	100.0	.8	67.2	24.4	.6	4.0	1.0	1.9
Wyoming.....	38	100.0	---	60.5	34.2	---	5.3	---	---
Puerto Rico.....	630	100.0	1.9	69.0	20.5	1.3	4.1	.2	3.0
Abroad.....	102	100.0	7.8	48.0	26.5	4.9	6.9	---	5.9

Child Disability Denials, 1968

Table 55.--Reason for denial by age and sex

Reason for denial	Number					Percent				
	Total	18-24	25-34	35-44	45 and over	Total	18-24	25-34	35-44	45 and over
	Total									
Total	5,965	3,849	734	778	604	100.0	100.0	100.0	100.0	100.0
Medical alone-impairment is slight or minimal	1,566	887	185	253	241	26.3	23.0	25.2	32.5	39.9
Capacity to engage in former work	3,411	2,435	373	361	242	57.2	63.3	50.8	46.4	40.1
Working although severely impaired	187	132	44	11	---	3.1	3.4	6.0	1.4	---
Failure to furnish sufficient evidence	263	132	54	55	22	4.4	3.4	7.4	7.1	3.6
Other	538	263	78	98	99	9.0	6.8	10.6	12.6	16.4
	Male									
Total	3,354	2,160	406	470	318	100.0	100.0	100.0	100.0	100.0
Medical alone-impairment is slight or minimal	896	502	76	165	153	26.7	23.2	18.7	35.1	48.1
Capacity to engage in former work	1,876	1,372	220	185	99	55.9	63.5	54.2	39.4	31.1
Working although severely impaired	143	88	44	11	---	4.3	4.1	10.8	2.3	---
Failure to furnish sufficient evidence	120	55	32	22	11	3.6	2.5	7.9	4.7	3.5
Other	319	143	34	87	55	9.5	6.6	8.4	18.5	17.3
	Female									
Total	2,611	1,689	328	308	286	100.0	100.0	100.0	100.0	100.0
Medical alone-impairment is slight or minimal	670	385	109	88	88	25.7	22.8	33.2	28.6	30.8
Capacity to engage in former work	1,535	1,063	153	176	143	58.8	62.9	46.6	57.1	50.0
Working although severely impaired	44	44	---	---	---	1.7	2.6	---	---	---
Failure to furnish sufficient evidence	143	77	22	33	11	5.5	4.6	6.7	10.7	3.8
Other	219	120	44	11	44	8.4	7.1	13.4	3.6	15.4

Table 56.--Reason for denial by race and sex

Reason for denial	Race							
	Total		White		Negro		Other	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
	Total							
Total	5,965	100.0	5,218	100.0	681	100.0	66	100.0
Medical alone-impairment is slight or minimal	1,566	26.3	1,412	27.1	132	19.4	22	33.3
Capacity to engage in former work	3,411	57.2	2,961	56.7	417	61.2	33	50.0
Capacity to engage in work other than before	44	.7	44	.8	---	---	---	---
Working although severely impaired	187	3.1	154	3.0	33	4.8	---	---
Failure to furnish sufficient evidence	263	4.4	219	4.2	44	6.5	---	---
Other	494	8.3	428	8.2	55	8.1	11	16.7
	Male							
Total	3,354	100.0	2,903	100.0	407	100.0	44	100.0
Medical alone-impairment is slight or minimal	896	26.7	786	27.1	88	21.6	22	50.0
Capacity to engage in former work	1,876	55.9	1,634	56.3	231	56.8	11	25.0
Capacity to engage in work other than before	11	.3	11	.4	---	---	---	---
Working although severely impaired	143	4.3	110	3.8	33	8.1	---	---
Failure to furnish sufficient evidence	120	3.6	109	3.8	11	2.7	---	---
Other	308	9.2	253	8.7	44	10.8	11	25.0
	Female							
Total	2,611	100.0	2,315	100.0	274	100.0	22	100.0
Medical alone-impairment is slight or minimal	670	25.7	626	27.0	44	16.1	---	---
Capacity to engage in former work	1,535	58.8	1,327	57.3	186	67.9	22	100.0
Capacity to engage in work other than before	33	1.3	33	1.4	---	---	---	---
Working although severely impaired	44	1.7	44	1.9	---	---	---	---
Failure to furnish sufficient evidence	143	5.5	110	4.8	33	12.0	---	---
Other	186	7.1	175	7.6	11	4.0	---	---

Widow (er) Disability Allowances, 1968

Table 57.--Diagnostic group by age and race

Diagnostic group	Total	Age			Race		
		50-54	55-59	60 and over	White	Negro	Other
	Number						
Total	28,285	7,457	17,696	3,132	24,469	3,627	189
Infective and parasitic diseases	812	249	485	78	734	67	11
Neoplasms	1,373	391	844	138	1,262	108	3
Allergic, endocrine system, metabolic and nutritional diseases	2,395	581	1,552	262	1,932	442	21
Diseases of the blood and blood-forming organs	85	17	58	10	66	19	0
Mental, psychoneurotic, and personality disorders	4,187	1,434	2,408	345	3,730	431	26
Diseases of the -							
Nervous system and sense organs	4,533	1,223	2,736	574	3,974	527	32
Circulatory system	7,723	1,700	5,117	906	6,265	1,406	52
Respiratory system	1,497	385	946	166	1,367	122	8
Digestive system	451	135	283	33	426	24	1
Genito-urinary system	198	46	128	24	168	25	5
Diseases of the -							
Skin and cellular tissue	118	26	81	11	108	10	0
Bones and organs of movement	3,939	973	2,485	481	3,546	371	22
Congenital malformations	295	104	166	25	275	18	2
Symptoms, senility and ill-defined conditions	58	13	37	8	49	8	1
Accidents, poisonings, and violence	621	180	370	71	567	49	5
	Percent						
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Infective and parasitic diseases	2.9	3.3	2.7	2.5	3.0	1.8	5.8
Neoplasms	4.9	5.2	4.8	4.4	5.2	3.0	1.6
Allergic, endocrine system, metabolic and nutritional diseases	8.5	7.8	8.8	8.4	7.9	12.2	11.1
Diseases of the blood and blood-forming organs	.3	.2	.3	.3	.3	.5	---
Mental, psychoneurotic, and personality disorders	14.8	19.2	13.6	11.0	15.2	11.9	13.8
Diseases of the -							
Nervous system and sense organs	16.0	16.4	15.5	18.3	16.2	14.5	16.9
Circulatory system	27.3	22.8	28.9	28.9	25.6	38.8	27.5
Respiratory system	5.3	5.2	5.3	5.3	5.6	3.4	4.2
Digestive system	1.6	1.8	1.6	1.1	1.7	.7	.5
Genito-urinary system	.7	.6	.7	.8	.7	.7	2.6
Diseases of the -							
Skin and cellular tissue	.4	.3	.5	.4	.4	.3	---
Bones and organs of movement	13.9	13.0	14.0	15.4	14.5	10.2	11.6
Congenital malformations	1.0	1.4	.9	.8	1.1	.5	1.1
Symptoms, senility and ill-defined conditions	.2	.2	.2	.3	.2	.2	.5
Accidents, poisonings, and violence	2.2	2.4	2.1	2.3	2.3	1.4	2.6

Widow(er) Disability Allowances, 1968

Table 58.--Race and mobility status

Mobility status	Number				Percent			
	Total	White	Negro	Other	Total	White	Negro	Other
Total.....	28,285	24,469	3,627	189	100.0	100.0	100.0	100.0
Institutionalized..	1,556	1,461	84	11	5.5	6.0	2.3	5.8
Hospitalized.....	349	327	20	2	1.2	1.3	.6	1.1
Housebound.....	2,305	2,089	203	13	8.1	8.5	5.6	6.9
Ambulatory outside the home :								
With help.....	5,894	5,148	702	44	20.8	21.0	19.4	23.3
By self.....	18,181	15,444	2,618	119	64.3	63.1	72.2	63.0